

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer palmatum 'Crimson Queen' Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage into mid-summer; summer foliage is reddish-green; fall foliage is scarlet; compact mounding spreading habit to about 10' tall by 15' wide; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			3g	
Acer palmatum Emperor 1Ã,® ('Wolff') Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i>			3g	
Acer palmatum 'Inaba shidare' Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; large dark burgundy-red deeply dissected leaves retain their color all summer; broadly horizontal spreading habit is less cascading than most dissectums; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			3g	
Achillea millefolium 'Desert Eve' ½ Red ('DesRed') Red Yarrow <i>PERENNIAL; large red flower clusters in early summer; good for cutting; dark green foliage; bushy upright habit to about 18" tall & wide; attracts pollinators; resists deer & rabbit browse; tolerates heat & drought; locate in full sun & any soil that drains; native to Europe & western Asia; Zones 4 - 9</i>			1g	
Achillea milliefolium Desert Eve ½ 'Terracotta' ('Dester') Orange Yarrow <i>PERENNIAL; somewhat fragrant dark rusty orange flowers appear earlier than most, effective for about 4 weeks in summer; good cut flower; semi-evergreen fern-like gray-green foliage; upright habit to about 2' tall & wide; attracts butterflies; resists deer & rabbit browse; tolerates drought; toxic to dogs, cats & horses; not tolerant of high humidity & moisture retentive soils; locate in full sun & most well-drained soils; native to Europe & western Asia; Zones 3 - 8</i>			1g	
Agastache Sunrise ½ Blue Hyssop-Anise; Hummingbird Mint <i>PERENNIAL; violet-blue flower spikes above the foliage from early-summer into fall; gray-green upright mint-scented foliage; compact broadly upright habit to about 18" tall by 15" wide; attracts hummingbirds, bees & butterflies; resists deer & rabbit browse; tolerates heat & drought; locate in full sun or minimal shade & slightly acidic very well-drained soil; North American native; Zones 5 - 9</i>			1g	
Agastache Sunrise ½ Orange Hyssop-Anise; Hummingbird Mint <i>PERENNIAL; yellowish-orange flower spikes above the foliage from early-summer into fall; gray-green upright mint-scented foliage; compact broadly upright habit to about 18" tall by 15" wide; attracts hummingbirds, bees & butterflies; resists deer & rabbit browse; tolerates heat & drought; locate in full sun or minimal shade & slightly acidic very well-drained soil; North American native; Zones 5 - 9</i>			1g	
Agastache Sunrise ½ Rose Hyssop-Anise; Hummingbird Mint <i>PERENNIAL; rose flower spikes above the foliage from early-summer into fall; gray-green upright mint-scented foliage; compact broadly upright habit to about 18" tall by 15" wide; attracts hummingbirds, bees & butterflies; resists deer & rabbit browse; tolerates heat & drought; locate in full sun or minimal shade & slightly acidic very well-drained soil; North American native; Zones 5 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Agastache Sunrise  1/2  Violet Hyssop-Anise; Hummingbird Mint <i>PERENNIAL; light violet flower spikes above the foliage from early-summer into fall; gray-green upright mint-scented foliage; compact broadly upright habit to about 18" tall by 15" wide; attracts hummingbirds, bees & butterflies; resists deer & rabbit browse; tolerates heat & drought; locate in full sun or minimal shade & slightly acidic very well-drained soil; North American native; Zones 5 - 9</i>			1g	
Ajuga reptans 'Chocolate Chip ('Valfredda') Bugleweed <i>GROUND COVER; PERENNIAL; purplish-blue flowers on short spikes just above the foliage in May & June; small oval chocolate-brown foliage with burgundy highlights; low spreading habit to 2" tall by 9" wide; resistant to Black Walnuts and deer & rabbit browse; locate in full sun or shade & organic well-drained moisture retentive soils, but is adaptable; European native; Zones (3) 4 - 8 (9)</i>			1g	
Amelanchier alnifolia Saskatoon Serviceberry; Juneberry <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers lead to dark purple edible fruit in June; bushy habit to 6' tall & wide; very drought tolerant when established; gray-green summer foliage turns yellow to red in fall; full sun; somewhat deer browse resistant; locate in full sun or light shade; soil & pH adaptable; native to north central US & Canada; Zones 2 - 7</i>			1g	
Anemone 'Cinderella' [Fantasy  1/2  [Pretty Lady  1/2 ] Pink Japanese Windflower <i>PERENNIAL; profuse wide pink flower petals with yellow centers from mid-summer into early fall; good cut flower; fluffy with seeds in fall after flowering; medium green foliage; compact mounds to about 24" tall & wide; attracts pollinators; resists deer & rabbit browse & most pests; tolerates Black Locust; locate in full sun to partial or filtered shade & moisture retentive soil of any pH with good to moderate drainage; Japanese native (Kanazawa / Plants Nouveau) Zones 5 - 8</i>			1g	
Anemone 'Pocahontas' [Fantasy  1/2  [Pretty Lady  1/2 ] Pink Japanese Windflower <i>PERENNIAL; profuse double bubblegum pink flowers with yellow centers from mid-summer into early fall; good cut flower; medium green foliage; compact mounds to about 24" tall & wide; attracts pollinators; resists deer & rabbit browse & most pests; tolerates Black Locust; locate in full sun to partial or filtered shade & moisture retentive soil of any pH with good to moderate drainage; Japanese native (Kanazawa / Plants Nouveau) Zones 5 - 8</i>			1g	
Arctostaphylos x coloradensis 'Panchito' Manzanita <i>EVERGREEN GROUND COVER; pink buds open to lighter pink or white flowers in early to mid spring (lasting up to 6 weeks); russet-red berries appear in summer & are loved by birds; new foliage emerges with reddish tinge and turns dark green by summer & can be reddish in winter; mature bark becomes reddish-mahogany when mature; bushy habit to about 2' tall by 3' or more wide; tolerates drought; intolerant of too much water when established; locate in full sun only & well drained loamy or sandy soil; native Colorado hybrid [A. uva-ursi x A. patula] Zones (4) 5 - 8</i>			1g	
Aronia melanocarpa 'Autumn Magic' Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant purplish-red in the fall; broadly upright habit to about 6' tall by 7' wide; spreads by root suckers; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (U of British Columbia) Zones 3 - 8 (9)</i>			3g	

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Aronia melanocarpa Ground Hug  ½¢ ('UCONNAM012') Dwarf Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers in May; profusion of dark purple fruit in fall; bright red & orange fall foliage; low spreading habit to about 1' tall by 3' wide; spreads by root suckers; tolerates drought & salt; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (PW) Zones 3 - 9</i>			2g	
Aronia melanocarpa Low Scape  [®] Mound  ½¢ ('UCONNAM165') Compact Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers in May; profusion of blue-black fruit in fall; bright red fall foliage; low spreading habit to about 2' tall & wide that will weep over walls; spreads by root suckers; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (PW) Zones 3 - 8 (9)</i>			2g	
Asclepias tuberosa Butterfly Weed <i>PERENNIAL; orange to yellow-orange flowers on 30" stems from June through August; tolerant of drought & deer browse; attracts butterflies & Monarch Butterfly caterpillars (as the only food these caterpillars can eat, this plant is critical for their survival); seed pods used in flower arrangements; tolerant of drought & deer browse; locate in full sun & any well-drained soil; eastern US native (PPA 2017) (AB) Zones 3 - 9</i>			1g	
Azalea Perfecto Mundo  [®] Double Pink ('NCRX3') Pink Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pink flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 3' tall & wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			1g	
Azalea Perfecto Mundo  [®] Double Purple ('NCRX4') Purple Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; ruffled light double lavender-pink flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 3' tall & wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			1g	
Azalea Perfecto Mundo  [®] Double White ('NCRX5') White Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pure white flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 3' tall by 4' wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			1g	
Berberis thunbergii 'Admiration' Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; solid bright new coral-red foliage matures to reveal thin golden margin; compact rounded habit to 3' in 10 years; no flowers or fruit have been observed; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Berberis thunbergii 'Concorde' Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; probably the most dwarf of the low spreading mounding cultivars; a mature plant is 18" tall and wide; dark red foliage intensifies in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			2g	
Berberis thunbergii 'Crimson Pygmy' Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			2g	
Berberis thunbergii Limoncello™ ½¢ ('BailErin') Variegated Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; bright gold foliage with thin red edge into early summer; fall foliage displays yellow, orange & red shades; compact spreading mound to about 3' tall by 4' wide; tolerates urban conditions & light deer browse; locate in full sun (for brightest color) or light shade & most moisture retentive well-drained soils; Japanese native (Selinger / Bailey) Zones (4) 5 - 7</i>			2g	
Berberis thunbergii 'Orange Rocket' Columnar Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 4' tall by 2' wide at maturity; scarlet deciduous spring foliage matures to orange-red in summer foliage & becomes scarlet in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			2g	
Berberis thunbergii 'Rose Glow' Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact upright habit; creamy variegation on red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			2g	
Buddleia 'Blue Chip Jr.' [Lo & Behold™,®] Dwarf Blue Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant lavender-blue flower spikes on new wood from early summer into mid-fall without deadheading; silvery-green foliage; non-invasive; low mounding habit to 24" tall; good for hedges or a high groundcover; attracts butterflies & hummingbirds; resistant to deer browse; drought tolerant; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China (PW) Zones 5 - 9</i>			2g	
Buddleia 'Miss Ruby' Compact Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant fuchsia-pink flower spikes on new wood from mid-summer to fall; compact habit to 4' tall & wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China (Werner) Zones 5 - 9</i>			2g	
Buxus Gordo ('Conrowe') Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; compact globular habit to 4' high and wide; large dark foliage all year; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; branch sport of 'Green Velvet' (Rowe / Star) Zones 5 - 8 (9)</i>			1g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus x 'Green Mountain' Pyramidal Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared off to create a round sphere about as tall as wide; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g	
Buxus x 'Green Velvet' Compact Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g	
Buxus sempervirens Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>			1g	
Buxus sempervirens 'Calgary' Compact Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>			1g	
Calamagrostis x acutiflora 'Karl Foerster' Feather Reed Grass <i>ORNAMENTAL GRASS; pinkish to golden inflorescence from June to September; narrow upright habit to about 5' tall by 2' wide; spreads by rhizomes; attracts songbirds; resists deer & rabbit browse; tolerates salt as well as limited drought & flooding; locate in full sun & moisture retentive well-drained soils; Asian / European cross; Zones (3) 4 - 9</i>			1g 2g	
Calamagrostis x acutiflora 'Overdam' Variegated Feather Reed Grass <i>ORNAMENTAL GRASS; purplish inflorescence June turns pinkish by summer's end; foliage has longitudinal white margins with a pink tinge & green centers; erect habit to about 4' tall by 2' wide; attracts butterflies; resists deer & rabbit browse; tolerates salt; locate in full sun to light shade & most soils of any acidity; Zones 4 - 9</i>			1g 2g	
Carocarpus montanus Mountain Mahogany; Birchleaf Mountain Mahogany <i>BROADLEAF EVERGREEN; inconspicuous off-white flower in early summer; fluffy silvery-gray fruit follows in summer &/or fall; semi-evergreen foliage is dark green above & silvery below & can turn shades of red in fall; mahogany-red or gray bark upright vase-shaped habit to about 20' tall by 8' wide if not browsed, flowers attract butterflies; foliage attracts deer & elk in winter for food; tolerates drought, erosion & heat; locate in full sun or minimal shade & well-drained soil; western US native; Zones 5 - 10</i>			1g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Caryopteris x clandonensis 'Dark Knight' False Spirea; Bluebeard <i>DECIDUOUS FLOWERING SHRUB; fragrant dark blue flowers on new wood for about 8 weeks beginning in August; silvery-green foliage; mounding habit to 3'; resists deer browse & rabbit browse; attracts bees, butterflies & hummingbirds; minimal disease or insect problems; locate in full sun or minimal shade & well-drained neutral garden soil; native Asian cross; Zones 6 - 9</i>			1g	
Chamaecyparis pisifera 'Golden Mop' Bright Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage that gets a darker gold in winter; can take some shade but will be less gold; compact broadly mounding habit to about 2' tall & slightly wider in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			1g	
Clethra alnifolia 'Ruby Spice' Pink Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant non-fading pink flower in July; yellow fall foliage; locate in full sun to partial shade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>			3g	
Coreopsis 'Red Elf' [Li'l Bang] ½¢ Red Tickseed <i>PERENNIAL; dark red petals & bright yellow center all summer above the foliage; good cut flower; small seeds aren't noticeable; very narrow dark green thread-like foliage; bushy habit to about 12" tall by 18" wide; spreads by rhizomes; attracts butterflies & pollinators; resists deer browse & less powdery mildew than the species; tolerates heat, humidity, poor soils & limited drought; locate in full sun & well-drained somewhat moisture retentive neutral to lightly acidic soil; North American native cultivar (Probst) Zones 5 - 9</i>			1g	
Coreopsis 'Starlight' [Li'l Bang] ½¢ Tickseed <i>PERENNIAL; flower petals are white on the ends, burgundy toward the center & yellow stamens in the center from early summer into fall; medium green mildew resistant lacey foliage; compact spreader to 12" tall by 18" wide; attracts butterflies & other pollinators; resists deer browse; tolerates drought & dry soil; locate in full or mostly sunny location & well-drained neutral to acidic soils; native US cultivar (Probst) Zones 5 - 9</i>			1g	
Cornus alba Creme de Mint ½¢ ('Crmizam') Variegated Yellow-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant creamy cymes from late May into June; white fruit clusters with bluish tinge appear in mid-summer; mint-green summer foliage with irregular white margins turn variable shades of pink to red in fall; young stems turn variable shades of bright coral-red from late fall through winter; for best winter stem color, cut out older stems; bushy upright habit to about 8' tall by 6' wide; flowers attract pollinators; fruit attracts birds; resists deer & rabbit browse; tolerates wet soil & erosion; locate in full sun to partial shade & moisture retentive well-drained soil; northeastern Asian native; Zones 3 - 6 (7)</i>			1g	
Cornus alba Ivory Halo®, ('Bailhalo') Variegated Red-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant creamy-white flower clusters from late May into June; clusters of white fruit in summer that birds love; narrow white edges surround medium green leaves; fall color is purplish; young winter twigs are bright red; bushy habit to 6' tall & wide; locate in full sun to partial shade & moisture retentive well-drained soil; northeastern Asian native (Bailey) Zones 3 - 6 (7)</i>			3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus sericea Arctic Fire[™],® Red ('Farrow') Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bushy habit to 5' tall & wide; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7</i>			3g	
Cornus sericea 'Bailey' Red-twig Dogwood; Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 8' tall by 10' wide; spreads by stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			3g	
Cornus sericea 'Isanti' Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 5' tall by 7' wide; spreads by stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (MN Lp Arb.) Zones 3 - 7</i>			3g	
Cotinus coggygia 'Royal Purple' Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on new wood come masses of puffy purplish-pink hairs in early summer giving a smoky appearance; purple spring & summer foliage lightens to reddish-purple in fall; broadly upright to 12' by 12'; resists deer browse & clay soils; tolerates drought & shade; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; native to southern Europe & Asia; Zones (4) 5 - 8</i>			3g	
Cotoneaster lucidus Hedge Cotoneaster <i>DECIDUOUS FLOWERING SHRUB; profuse small very light pink flower clusters in late spring to early summer; small black berries appear in late fall; small dark green summer foliage turns bright red & yellow in fall; dense bushy habit to about 8' tall & wide; attracts bees; tolerates limited drought; locate in full sun to light shade & well-drained soil; native to central Asia; Zones 3 - 6 (7)</i>			2g	
Cupressocyparis leylandii <i>see: Cupressus leylandii</i>				
Cupressus leylandii Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage all year; fast-growing pyramidal habit to as much as 50' tall by 20' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Callitropsis nootkatensis] Zones 6 - 10</i>		8 - 10' 10 - 12' 12 - 14'	1g B&B B&B B&B	
Cupressus leylandii 'Gold Rider' Golden Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sumburn; pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Callitropsis nootkatensis] (Vergeer) Zones 6 - 10</i>		6 - 7' 7 - 8'	B&B B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cupressus sempervirens Italian Cypress <i>EVERGREEN ORNAMENTAL CONIFER; narrow evergreen with dark green needles; narrow upright habit to 60' tall by about 10' or more wide; locate in full sun & any well-drained soil; native to southern Europe; Zones 7 - 9</i>		5' 7'	5g 15g	
Daphne burkwoodii 'Carol Mackie' Variegated Burkwood Daphne <i>DECIDUOUS FLOWERING SHRUB; very fragrant light pink flowers in May; brilliant creamy edged semi-evergreen foliage; bushy spreading habit to about 3' tall by 4' wide; locate in light to medium shade & well drained moisture retentive soils of neutral pH; finicky, but worth it; European cross; Zones (6) 7 - 9</i>		15 - 18"	1g 2g 3g	
Daphne x susannae 'Lawrence Crocker' Hybrid Daphne <i>EVERGREEN FLOWERING SHRUB; very fragrant deep lavender-pink flowers in early spring with repeat blooms in summer; dark evergreen foliage in southern range, semi-evergreen elsewhere; mounding habit to about 6" tall & wide; tolerant of drought & deer browse; locate in full sun or partial shade & very well-drained organic soil [D. arbuscula x D. collina] (Lawrence Crocker) Zones 5 - 7</i>			1g	
Daphne x transatlantica Eternal Fragrance ('Blafra') Hybrid Daphne <i>DECIDUOUS FLOWERING SHRUB; intensely fragrant very pale pink flowers in spring & sporadic white flowers into fall; compact ball-like habit about to 3' tall & wide; can be semi-evergreen or evergreen in southern range; locate in light to medium shade & organic well-drained moisture retentive soils that's neutral to slightly acidic [D. caucasica x D. collina] Zones (6) 7 - 8</i>		15 - 18" 18 - 24"	1g 3g 6g	
Daphne x transatlantica 'Summer Ice' Hybrid Daphne <i>DECIDUOUS FLOWERING SHRUB; intensely fragrant pink & white flowers from spring into fall; black fruit follow flowers; dark green foliage with a thin creamy white edge; semi-evergreen or evergreen in southern range during mild winters; compact ball-like habit to about 4' tall & wide; locate in light to medium shade & organic well-drained moisture retentive soils that's neutral to slightly acidic [D. caucasica x D. collina] Zones 6 - 9</i>			2g	
Dasiphora fruticosa <i>see: Potentilla fruticosa 'Jackmanii'</i>				
Dianthus caryophyllus Sunflor® Red Allura ('Hilreal') Dwarf Dianthus <i>EVERGREEN PERENNIAL; masses of double dark red flowers from early summer through fall; good cut flower; gray green foliage; bushy habit to about 8" tall & wide; attracts butterflies & hummingbirds; resists deer browse; tolerates some drought; locate in full sin & well-drained soil that's close to neutral; native to Mediterranean region; Zones 6 - 8 (9)</i>			1g	
Dianthus 'Pinball Wizard' [Devon Cottage] ('WP15 MOW08') Dwarf Pink Dianthus <i>EVERGREEN PERENNIAL; masses of fragrant 2" dia double light pink flowers with darker stripes from late spring through early fall (longer with deadheading); good cut flower; grass-like blue-green to silvery-green foliage; bushy habit to about 8" tall & wide; attracts butterflies & hummingbirds; resists deer browse; tolerates some drought; locate in full sin & well-drained soil that's close to neutral; native to Mediterranean region (Whetman Pinks / Plant Haven) Zones 5 - 9</i>			1g	

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Diervilla lonicera Northern Bush Honeysuckle; Dwarf Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; profuse trumpet-shaped pale yellow flowers from early July to early August; woody fruit; new bronze foliage turns bright green by summer & becomes shades of yellow, orange or red in fall; densely branched spreading habit to about 2' tall by 4' wide; attracts bumblebees, butterflies, hummingbirds & a wide array of animals; resists fire because of underground stems; tolerates drought; locate in sun or medium shade & acidic to neutral well-drained soils; eastern N.American native; Zones 3 - 7</i>			3g	
Euonymus alatus 'Compactus' Compact Burning Bush; Compact Winged Euonymus <i>DECIDUOUS ORNAMENTAL SHRUB; insignificantly ornamental greenish flowers produce small red fruit in fall mostly hidden by foliage; dark green summer foliage turns bright red in fall; minimal corky bark protrusions (or wings) along the younger stems; compact spreading habit to about 3' tall by 4' wide in 10 years; considered invasive in many areas; locate in sun or shade & about any well-drained soil; not very drought tolerant; native to Asia; Zones 4 - 8</i>			1g 3g	
Euonymus alatus Fire Ball® ('Select') Dwarf Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous greenish flowers in spring; small red fruit in fall is mostly hidden by the foliage; dark green summer foliage turns bright red in fall; slightly corky bark protrusions (or wings) along the younger stems; compact rounded habit to about 6" tall & wide at maturity; considered invasive in many areas; locate in sun or shade & about any well-drained soil; not very drought tolerant; native to Asia; Zones 4 - 8</i>			1g 3g	
Euonymus fortunei 'Emerald Gaiety' Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with irregular white margins; spreading to mounding habit that can climb up walls; locate in sun or shade & any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			2g	
Euonymus fortunei Gold Splash® ('Roemertwo') Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; small inconspicuous yellowish-green flowers; small persistent orange fruit in late fall; gold foliage with irregular dark green centers; slowly spreading to mounding habit to about 18" tall by 24" or more wide that can climb structures; resists deer browse & slugs; tolerates coastal conditions; locate in full sun or shade & any well-drained soil; Asian native; Zones 5 - 8</i>			1g 2g	
Euonymus fortunei 'Green Lane' Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; small inconspicuous yellowish-green flowers; small persistent orange fruit in late fall; glossy dark green foliage all year; bushy habit to about 4' tall & wide that can climb structures; flowers attract pollinators; fruit attracts birds resists deer browse & slugs; tolerates urban & coastal conditions; locate in full sun to deep shade & any well-drained soil [sport of 'Sarcoxie'] Asian native; Zones 5 - 8 (9)</i>			2g	
Festuca ovina glauca 'Elijah Blue' Blue Fescue <i>ORNAMENTAL GRASS; low clumping grass with deep blue foliage & inflorescence; locate in full sun & well-drained soil; drought tolerant; will not tolerate soils that don't dry out; Zones 5 - 9</i>			1g	
Ficus carica 'Chicago Hardy' Ficus carica <i>FRUIT TREE; inconspicuous green flowers in spring on old & new wood; new fruit appears green before ripening to deep purple or brown with pink flesh from late summer into early fall; large leathery foliage upright bushy habit to about 15' high by 12' wide if it didn't die back in winter: stems not hardy in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in a full to mostly sunny location & organically rich well-drained moisture retentive soil; Mediterranean native; Zones (5) 6 - 10</i>			1g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Fothergilla x intermedia 'Mount Airy' Hybrid Fothergilla <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant 2" white bottle-brush flower with yellowish centers at about bud-break; blue-green summer foliage turns a mix of yellow, orange & reddish-purple in fall; bushy upright habit to about 6' tall by 5' wide; attracts bees; resists deer browse; locate in full sun to partial shade & well-drained acidic soil; US native hybrid [F. gardenii x F. major or perhaps F. gardenii x F. latifolia] (Dirr) Zones 4 - 8</i>			1g 3g	
Fragaria 'Lipstick' Ornamental Strawberry; Alpine Strawberry <i>PERENNIAL; rose-red flowers from April to June with another splash in mid fall; low spreading groundcover to 8" tall; place this stoloniferous plant in full sun to partial shade and a well drained soil; dark green foliage; Zones 3 - 8</i>			1g	
Geranium pratense 'Dark Reiter' Hardy Geranium; Cranesbill <i>PERENNIAL; lilac-blue flowers from early to late summer; cut back after flowering to prevent self-seeding; purple summer foliage; spreading mound to about 10" tall by 12" wide; self-seeds; attracts bees; resists deer & rabbit browse; locate in full sun to partial shade & well-drained moisture retentive neutral to alkaline soil; Asian & European native (Reiter & Reiter) Zones 3 - 9</i>			1g	
Hakonechloa macra 'Allgold' Golden Hakone Grass; Golden Japanese Forest Grass <i>ORNAMENTAL GRASS; golden to chartreuse foliage; clumping arching foliage to 12" tall by 18" wide; fairly slow grower; tolerates Black Walnut; locate in partial shade & organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i>			1g	
Hakonechloa macra 'Aureola' Golden Variegated Hakone Grass; Golden Japanese Forest Grass <i>ORNAMENTAL GRASS; golden foliage with narrow green longitudinal stripes; clumping habit to about 18" tall & wide; fairly slow grower; tolerates Black Walnut; locate in partial shade & organic well-drained moisture retentive soil; Japanese native; 2009 PPA; Zones (5) 6 - 8 (9)</i>			1g	
Hibiscus syriacus Lil' Kim® Red ('SHIMRR38') Dwarf Red Rose-of-Sharon; Dwarf Red Althea <i>DECIDUOUS FLOWERING SHRUB; single rosy-red flower with a darker red throat on new wood; blooms well in hot weather; foliage opens yellowish-green before becoming dark green by summer; compact bushy habit to about 4' tall & wide; attracts bees, butterflies & hummingbirds; somewhat resistant to deer browse; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (Shim / PW) Zones 5 - 8 (9)</i>			1g	
Hibiscus syriacus Purple Pillar® ('Gandini Santiago') Columnar Purple Rose-of-Sharon; Columnar Purple Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile light purple flower with darker red eye; can re-bloom; blooms well in hot weather; columnar habit to about 12' tall by 3' wide; nondescript yellowish fall foliage; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (PW) Zones 5 - 8 (9)</i>			1g 2g 3g 7g	
Hibiscus syriacus White Pillar® ('Gandini van AArt') Columnar White Rose-of-Sharon; Columnar White Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile pure white flower; can re-bloom; blooms well in hot weather; columnar habit to about 15' tall by 3' wide; medium green summer foliage turns a nondescript yellow in fall; attracts bees, butterflies & hummingbirds; resists deer browse; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils of any pH; Asian native (PW) Zones 5 - 9</i>			1g 2g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea anomala subsp. petiolaris Climbing Hydrangea <i>DECIDUOUS VINE; dull fragrant white flowers open in late June for about 2 weeks; glossy dark green summer foliage into mid-fall turns a variable yellow; exfoliating tan bark; can cover very large surfaces in time; attached to one or more stakes; needs additional support when climbing flat surfaces; locate in full sun or shade & organic well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>			3g 5g	
Hydrangea arborescens 'Annabelle' White Smooth Hydrangea <i>DECIDUOUS FLOWERING SHRUB; dull white flowers all summer on the new wood beginning in late June; broad mounding habit to about 5' high & slightly wider; dark green serrated summer foliage turns a variable yellowish to brown in fall; locate in morning sun or partial shade & organic well-drained moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is recommended; PHS Gold Metal; eastern US native; Zones (3) 4 - 9</i>			3g	
Hydrangea arborescens Incrediball ('Abetwo') White Smooth Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 12" flowers on sturdy stems that open lime green, turn pure white, then fade to pale green from mid-summer into fall; bushy grower to 5' high & wide; dark green summer foliage turns a variable yellowish to brown in fall; locate in morning sun or partial shade & organic well-drained moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is recommended; eastern US native (PW) Zones (3) 4 - 9</i>			3g	
Hydrangea macrophylla Pistachioâ„¢ ('Horwack') Bicolor Mophead Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 5" dia. mophead flowers with chartreuse, green & hot pink all summer on new & old wood; flower color varies with soil acidity (low pH yields more blue to purple); dark green summer foliage; spreading mound to about 3' tall by 5' wide; tolerates coastal conditions; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native; Zones (5) 6 - 9</i>			3g	
Hydrangea macrophylla 'Zorro' Lacecap Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; deep blue lace-cap flowers in late summer & early fall; flower color varies with soil acidity (acidic yields blue; alkaline yields pink); medium green summer foliage on black stems; compact upright habit to about 4' tall by 3' wide; tolerates coastal conditions; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native; Zones (5) 6 - 9</i>			3g	
Hydrangea paniculata Boboâ„¢ ('ILVOBO') Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with age on new wood; blooms on new wood from mid summer into fall; dark green summer foliage; compact spreading habit to about 3' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9</i>			3g	
Hydrangea paniculata Fire Light® ('SMHPFL') Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood that turn reddish pink by late summer on sturdy stems; dark green summer foliage; broadly upright habit to about 6' tall & wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			3g 7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea paniculata Fire Light Tidbit ('SMNHPK') Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse sterile flowers open lime green before becoming white by mid-summer into fall then turn pink on new wood & sturdy stems; dark green summer foliage; compact rounded habit to about 3' tall & wide; locate in full sun to partial or afternoon shade (especially in southern range) & well-drained moisture retentive soil; Asian native (Wood / PW) Zones (3) 4 - 8</i>			3g	
Hydrangea paniculata 'Limelight' Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			3g	
Hydrangea paniculata Little Lime® ('Jane') Compact Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green summer foliage; spreading habit to about 5' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			3g	
Hydrangea paniculata Little Quick Fire® ('SMHPLQF') Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green summer foliage; compact rounded habit to about 4' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			3g	
Hydrangea paniculata Pinky Winkyâ„¢ ('DVPPinky') Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse 12" white flowers turn pink as they age while pushing more white flowers at the tips, giving a two-tone effect in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			3g	
Hydrangea paniculata Quick Fire® ('Bulk') Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			3g	
Hydrangea paniculata Quick Fire Fab® ('SMNHMP') Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; creamy-white flowers appear a month earlier than older H. paniculata types on new wood & quickly turn watermelon-pink; dark green summer foliage; bushy upright habit to about 8' tall by 6' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range) & well-drained moisture retentive soil; Asian native (Mathey / PW) Zones 4 - 9</i>			3g	
Hydrangea paniculata Strawberry Sunday® ('Rensun') Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white blooms on sturdy stems transition to strawberry-red by late summer & into fall on new wood; dark green summer foliage; upright habit to about 5' tall by 4' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (Renault) Zones 4 - 9</i>			3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea quercifolia 'Ruby Slippers' Compact Pink Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 9" flowers open white on old wood, but quickly turn pale pink then rose by mid-summer; compact spreading habit to 3.5' tall by 5' wide in 7 years; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Reed / USNA) Zones 5 - 8</i>			2g	
Ilex glabra Gem Box® ('SMNIGAB17') Dwarf Inkberry <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous creamy flowers in late spring; black fruit from fall to following spring; compact globular habit to about 3' high & wide; spring flush has red-tipped foliage before turning dark green by summer; needs shearing to retain lower branches & foliage; deer & rabbit browse resistant; tolerant of air pollution & coastal locations; good for wet sites; will colonize from root suckers; locate in full sun to partial shade & neutral to slightly acidic moist organic soil; US native (PW) Zones (4) 5 - 9</i>			1g 2g	
Ilex x meserveae Blue Princess® ('Conapry') Female Blue Holly; Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; dark blue-green foliage on purple stems; upright mounding upright habit to about 10' tall by 8' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] Zones 5 - 9</i>			1g	
Ilex x meserveae Castle Spireâ„¢ ('Hachfee') Pyramidal Female Blue Holly; Pyramidal Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; red fruit clusters persist from fall into or through winter; very large glossy dark green foliage on green stems; compact pyramidal habit to about 10' tall by 5' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>			1g	
Ilex x 'Nellie R. Stevens' Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; glossy dark green foliage; dense broadly pyramidal habit to about 20' tall by 15' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. cornuta x I. aquifolium] Zones 6 - 9</i>			1g	
Itea virginica Little Henryâ„¢ ('Sprich') Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant about 4" long white racemes in late May or early June; medium bright green summer foliage turns reddish-purple in fall & is persistent into winter; bushy arching habit to about 4' tall & spreads by root suckers; locate in full sun or shade & well-drained moisture retentive acidic soils; not drought tolerant; US native (PW) Zones 5 - 9</i>			2g	
Juniperus horizontalis 'Guernsey Green' [Windwalker®] Green Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green summer & winter foliage; silver to black fruit; low spreading habit to about 6" tall by 5' or more wide; tolerates coastal locations, drought & dry shade; locate in full sun or shade & just about any well-drained soil; North American native; Zones 4 - 9</i>			2g	
Juniperus horizontalis 'Wiltonii' Blue Rug Juniper; Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; light blue cones; bluish-green summer foliage turns purplish in winter; low widely spreading habit rarely more than 12" high; tolerant of coastal locations; locate in full sun or minimal shade & just about any well-drained soil; native to North America; Zones 4 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Juniperus sabina 'Buffalo' Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; blue berries from summer into winter; wide spreading mound to about 12" tall by 8' wide at maturity if not trimmed; tolerant of urban conditions & Juniper blight; locate in full sun & well-drained neutral to alkaline soils; best in northern range; native to Europe & western Asia; Zones (2) 3 - 6 (7)</i>			1g	
Juniperus sabina 'Skandia' / 'Scandia' Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; grass-green foliage all year; brown or bluish-black cones from summer into winter; wide spreading habit to as much as 18" tall by 8' or more wide at maturity; resists deer browse & needle blight; tolerant of urban conditions; locate in full sun & well-drained neutral to alkaline soils; best in northern range; native to Europe & western Asia; Zones 3 - 7</i>			1g 3g	
Juniperus scopulorum 'Skyrocket' Narrow Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit to about 15' tall by 3' wide; Phomopsis blight a problem in areas with high humidity & summer night temps; tolerates drought, air pollution, sterile soil & Black Walnut; locate in full sun & dry well-drained soils; native to Rocky Mtns of US & Canada; Zones 3 - 6 (7)</i>			1g 5g	
Juniperus scopulorum 'Wichita Blue' Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; upright pyramid to about 15' tall by 5' wide; Phomopsis blight a problem in areas with high humidity & summer night temps; tolerates drought, air pollution, sterile soil & Black Walnut; locate in full sun & dry well-drained soils; native to Rocky Mtns of US & Canada; Zones 3 - 6 (7)</i>			1g	
Juniperus squamata 'Blue Star' Dwarf Blue Singleseed Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage all year; very compact mounding habit to about 2' tall by 3' wide in time; drought tolerant; poor performance in areas with high humidity & high evening temps; locate in full sun & just about any well-drained soil; branch sport of 'Meyeri'; Asian native; Zones 4 - 6 (7)</i>			1g	
Kalanchoe fedtschenkoi Lavender Scallops <i>HOUSE PLANT / PERENNIAL SUCCULENT; reddish-brown flowers from late spring into summer; thick grayish-green foliage with thin red edges; bushy habit to about 2' tall & wide; can be toxic to dogs, horses & cats; locate in bright indirect light & very coarse well-draining neutral to acidic potting mix; native to Madagascar; Zones 9 - 11</i>			1g	
Lavandula angustifolia 'Hidcote' English Lavender <i>EVERGREEN PERENNIAL; fragrant deep violet-blue flower from June to August; compact mounding habit to 18" tall & wide; small fragrant gray-green foliage; good cut flower; attracts butterflies; tolerant of deer & rabbit browse & air pollution; locate in full sun & neutral to alkaline well-drained soil with minimal fertility; native to western Mediterranean area; Zones (5) 6 - 8 (9)</i>			1g	
Lavandula angustifolia 'Munstead' English Lavender <i>EVERGREEN PERENNIAL; fragrant lavender-blue flower spikes with dark purple calyces from June to August; bushy mound to 56" wide; small fragrant silvery gray-green foliage; good cut flower; attracts butterflies; tolerant of deer & rabbit browse & air pollution; locate in full sun & neutral to alkaline well-drained soil with minimal fertility; native to the western Mediterranean; Zones 5 - 8 (9)</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Lavandula stoechas Papillon Deep Rose / LaDiva Papillon Deep Rose / 'Bandera Deep Rose' Spanish Lavender; Butterfly Lavender <i>EVERGREEN PERENNIAL; fragrant dark mauve flowers with pink bracts on top in summer; good cut flower; compact spreading mound to about 9" tall by 12" wide; small fragrant gray-green foliage may be deciduous in northern range; attracts butterflies; tolerant of deer & rabbit browse, drought & air pollution; can be grown from seed; locate in full sun & well-drained soil of any pH with minimal fertility; Mediterranean native; Zones 7 - 10</i>			1g 3g	
Leucanthemum x superbum 'Jane' [Sweet Daisy„¢] White Shasta Daisy <i>PERENNIAL; double white petals radiate from yellow centers all summer; good cut flower; bushy habit to about 12" tall & wide; attracts butterflies; resists deer & rabbit browse; tolerates limited drought; locate in full sun or light shade & well-drained neutral to acidic soil; formerly: Chrysanthemum maximum (Dummen Orange) Zones 5 - 9</i>			1g	
Leucanthemum x superbum 'Snow Lady' White Shasta Daisy <i>PERENNIAL; 1" white petals radiate from yellow centers all summer; compact habit to 10" tall by 12" wide; attracts butterflies; resists deer & rabbit browse; good cut flower; locate in full sun or light shade & well-drained neutral to acidic soil; drought tolerant; tends to be short lived; divide clumps every 3 years; formerly: Chrysanthemum maximum [L. x superbum] Zones 5 - 9</i>			1g	
Ligustrum x vicary Golden Vicary Privet <i>DECIDUOUS SHRUB; small oddly fragrant white flowers in late spring; dark bluish-black fruit from summer into fall; golden foliage from spring through summer in full sun & greenish-gold in shade will transition to chartreuse then reddish in fall; broadly upright habit to about 12' high by 10' wide however can be pruned to almost any size & shape; resists deer browse; locate in sun or shade & any soil that doesn't remain wet; Asian / European hybrid;; Zones 5 - 8</i>			2g 3g	
Ligustrum vulgare 'Cheyenne' Lodense Privet <i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer or early fall; dark green foliage retained into late fall; bushy well-branched habit to about 5' high by 6' wide; can be kept sheared at any size; attracts birds & butterflies; resists deer browse, coastal conditions & drought; locate in full sun or partial shade & any soil that doesn't remain wet; native to Asia & Europe (Anderson / USDA) Zones (3) 4 - 7</i>			3g	
Ligustrum vulgare 'Lodense' Lodense Privet <i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer; compact bushy habit to 4' high & wide can be sheared to any size; atrtracts birds & butterflies; resists deer browse, coastal conditions & drought; locate in full sun or partial shade & any soil that doesn't remain wet; native to Asia & Europe; Zones 4 - 7</i>			3g	
Lithodora diffusa 'Grace Ward' Lithodora; Gromwell <i>EVERGREEN FLOWERING GROUND COVER; star-shaped deep blue flowers from May to August; fuzzy dark green foliage may be deciduous in northern range; spreading habit to about 10" tall by 30" wide; resists deer browse & most diseases & pests; locate in full sun to partial shade & well-drained moisture retentive organic acidic soil; Mediteranean native; Zones 6 - 8</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Lonicera x 'Mandarin' Honeysuckle <i>DECIDUOUS VINE; profuse mandarin-orange flowers in late spring through summer; new foliage emerges coppery-brown & matures to dark green; twining habit to a structure of up to 20'; attracts butterflies & hummingbirds; locate in full to mostly sunny location & moisture retentive soil with good drainage; Zones 4 - 8</i>			1g 3g	
Lonicera tatarica 'Arnold Red' Red Tatarian Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; fragrant dark red flowers in spring; showy orange to red fruit from fall into winter; bluish-green summer foliage; broadly upright habit to about 10' tall by 12' wide; attracts pollinators; resists deer browse, drought & Black Walnut; considered invasive; locate in full sun to partial shade & just about any well-drained neutral to acidic soil; originated as a seedling of 'Latifolia'; Asian native; Zones 3 - 8</i>			2g	
Lonicera xylosteum 'Emerald Mound' Compact European Fly Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; yellowish-white flower in late May or early June; dark red non-ornamental berries in late summer; spring foliage emerges silvery-green, maturing to gray-green by summer; bushy mounding habit to about 3' tall by 6' wide; attracts pollinators; resists deer browse; tolerates drought & Black Walnut; considered very invasive in US; locate in full sun to part shade (especially in southern range) & just about any well-drained soil; native to eastern Europe & Asia; Zones 4 - 6</i>			2g	
Miscanthus sinensis 'Morning Light' Silver Slender Miscanthus <i>ORNAMENTAL GRASS; pink to reddish inflorescence in late summer become silvery as the seeds mature in fall; very narrow foliage with silver margins that usually remains upright all winter; reaches about 5' tall & turns tan in fall; clumping habit spreads by rhizomes; tolerates drought, high humidity, salt & deer browse; no pest or disease problems; can be invasive in southern range where seed matures; locate in full sun or light to partial shade & most moisture retentive well-drained soils; can be invasive in southern range; Asian native (???) Zones (4) 5 - 9</i>			1g	
Nandina domestica 'Burgundy Wine' Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flower clusters rise above the foliage in late spring; clusters of white fruit from fall through winter; bright red new growth overlays the mature darker green summer foliage before turning bright red in fall & winter; compact mound to 3' tall & wide; resistant to deer browse; protect from desiccating winter winds in northern range; locate in full sun or shade & just about any moisture retentive soil; somewhat drought tolerant when established; Chinese native; Zones 6 - 9</i>			1g	
Nandina domestica 'Firepower' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; no flowers or fruit; crimson fall & winter foliage; compact mounding habit to about 3' high & wide; resistant to deer browse; protect from desiccating winter winds in northern range; locate in full sun or shade & just about any moisture retentive soil; somewhat drought tolerant when established; Chinese native; Zones 6 - 9</i>			1g	
Nandina domestica Flirtâ„¢ ('Murasaki') Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; no flowers or fruit; vivid red new growth overlays the dark green mature foliage before turning bright red in fall through winter; very compact mound to 2' tall by 3' wide; excellent for edging or ground cover; resistant to deer browse; protect from desiccating winter winds in northern range; locate in full sun or shade & just about any moisture retentive soil; somewhat drought tolerant when established; Chinese native; Zones 6 - 9</i>			3g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Nandina domestica 'Gulf Stream' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white spring flowers seldom lead to red fruit clusters in fall; dark green foliage turns bright red in fall through winter; compact upright habit to about 4' tall by 3' wide; resistant to deer browse; protect from desiccating winter winds in northern range; locate in full sun or shade & just about any moisture retentive soil; somewhat drought tolerant when established; Chinese native; sport of 'Compacta Nana' (Hines) Zones 6 - 9</i>			1g	
Orange Pekoe ('Pek Or') Montbretia <i>PERENNIAL; reddish-orange buds open to a trilete of orange, yellow & fuschia flowers from July to (if cut back) Sept on 30" stems; dark green broad sword-like foliage; locate in full to mostly sunny locations & moisture retentive well-drained soil that's slightly acidic; native to S. Africa; Zones (6) 7 - 9</i>			1g	
Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass <i>ORNAMENTAL GRASS; off-white to pinkish plumes on 24" stems appear in late summer; narrower arching foliage than the species gets about 18" tall & wide; resists dry & wet soil, deer browse, air pollution & Black Walnut; birds eat seeds in winter; locate in full sun & neutral to acidic well-drained organic soil; Asian native; Zones 5 - 9</i>			1g	
Pennisetum alopecuroides 'Little Bunny' Dwarf Fountain Grass <i>ORNAMENTAL GRASS; very narrow green foliage to 12" tall & wide; creamy-tan bottle-brush flowers appear by late summer; resists dry & wet soil, deer browse, air pollution & Black Walnut; birds eat seeds in winter; locate in full sun & neutral to acidic well-drained organic soil; Asian native; Zones 6 - 9</i>			1g	
Perovskia atriplicifolia 'CrazyBlue' Compact Russian Sage <i>PERENNIAL; lavender-blue flowers in early summer through mid-fall on new wood; compact bushy upright habit to about 30" tall by 18" wide; grayish-green foliage; best to cut back hard before new spring growth; attracts hummingbirds; resists deer & rabbit browse, drought, air pollution & coastal locations; locate in full sun or minimal shade & any well-drained soil; Asian native (Kievit / Ball) Zones 4 - 9</i>			1g	
Philadelphus lewisii Lewis Mockorange <i>DECIDUOUS FLOWERING SHRUB; masses of very fragrant white cup-shaped flowers with prominent yellow stamens in late spring to early summer; Idaho state flower; non-ornamental wooly seeds follow; light green oval summer foliage has a rough texture; new branches emerge red before turning gray; broadly upright habit to about 12' tall & wide; locate in full sun to partial shade & just about any well-drained soil; western US native; Zones 3 - 9</i>			1g	
Physocarpus opulifolius Amber Jubilee [First Editions®] ('Jefam') Copper Ninebark <i>DECIDUOUS FLOWERING SHRUB; pinkish-white flowers in late spring; red fruit; exfoliating bark; new foliage emerges shades of yellow & orange before turning lime green in summer then purple in fall; upright rounded habit to 6' tall by 4' wide; exfoliating bark shows dark & light tan longitudinal striations; spreads by suckers; tolerates wet, dry & alkaline soils, drought & Black Walnut; locate in full sun or partial shade & most well-drained soils; US native; Zones (2) 3 - 7 (8) (Durrant) Zones 2 - 6 (7)</i>			3g	
Physocarpus opulifolius Little Devil [First Editions®] ('Donna May') Compact Purple Ninebark <i>DECIDUOUS FLOWERING SHRUB; small pinkish-white flowers in late spring; dark reddish-purple foliage; very compact habit to 4' tall & wide; disease & pest resistant; exfoliating bark shows dark & light tan longitudinal striations; spreads by suckers; tolerates wet, dry & alkaline soils, drought & Black Walnut; locate in full sun or partial shade & most well-drained soils; US native; Zones (2) 3 - 7 (8)</i>			2g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Physocarpus opulifolius Summer Wine ('Seward') Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; pinkish-white flower clusters in late spring; finely cut dark crimson-red foliage all summer; compact rounded habit to about 6' high & wide; exfoliating bark shows dark & light tan longitudinal striations; spreads by suckers; tolerates wet, dry & alkaline soils, drought & Black Walnut; locate in full sun or partial shade & most well-drained soils; US native (PW) Zones 3 - 7</i>			3g	
Physocarpus opulifolius Tiny Wine® ('SMPOTW') Dwarf Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; profuse pinkish-white flower clusters in late spring; small maroon-bronze foliage all summer; exfoliating bark shows dark & light tan longitudinal striations; compact upright habit to about 5' tall by 4' wide; spreads by suckers; tolerates wet, dry & alkaline soils, drought & Black Walnut; locate in full sun or partial shade & most well-drained soils; US native (PW) Zones 3 - 7</i>			1g	
Pieris japonica 'Flaming Silver' Variegated Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April; new foliage opens red with pink margins before maturing to green with white margins; compact bushy habit to about 3' tall & wide in 10 years; highly deer browse resistant; subject to lace bug & phytophthora; plant high; locate in dappled or afternoon shade & moisture retentive well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g	
Pieris japonica 'Katsura' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns dark glossy green by summer; broadly upright habit to 5' tall by 4' wide in 10 years; highly deer browse resistant; subject to lace bug & phytophthora; plant high; locate in dappled or afternoon shade & moisture retentive well-drained organic neutral to acidic soil; native to Japan & eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>			1g	
Pieris japonica 'Mountain Fire' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very few pendulous white racemes from late March into early April; bright red new growth appears for a long time; broadly upright habit to about 5' tall by 4' wide in 10 years; highly deer browse resistant; subject to lace bug & phytophthora; plant high; locate in dappled or afternoon shade & moisture retentive well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g 3g	
Pieris japonica 'Valley Valentine' Pink Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red buds open to dark red pendulous racemes from late March into early April; dark glossy green foliage; compact broadly upright habit to about 4' tall & wide in 10 years; highly deer browse resistant; subject to lace bug & phytophthora; plant high; locate in dappled or afternoon shade & moisture retentive well-drained organic neutral to acidic soil; native to Japan & eastern China (Tichnor) Zones 5 - 7</i>			2g	
Pinus mugo 'Mops' Dwarf Mugo Pine; Dwarf Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; short medium green needles in groups of 2; dwarf mounding habit to about 15" tall & wide in 10 years; usually grows less than 2" per year; size and shape can be maintained by pruning; locate in full sun or light shade & soils of any pH that drain; native to southeastern European mtns; witches' broom (Hooftman) Zones (2) 3 - 7</i>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pinus mugo 'Slowmound' Dwarf Mugo Pine; Dwarf Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding habit to 12" tall by 18" wide in about 10 years; short dark green needles in groups of 2; size and shape can be maintained by pruning; locate in full sun or light shade & soils of any pH that drain; native to southeastern European mtns (Iseli) Zones (2) 3 - 7</i>			1g	
Potentilla fruticosa 'Gold Drop' Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; single bright yellow flowers from early summer to frost; compact mounding shrub to 3' by 4' wide; resists deer browse & most diseases as well as highly alkaline soils; locate in full sun or light shade & most soils; US native; Zones 2 - 7</i>			2g	
Potentilla fruticosa 'Goldfinger' Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; golden yellow summer flower; upright habit; locate in full sun with ample moisture; resists deer browse & most diseases as well as highly alkaline soils; locate in full sun or light shade & most soils; US native; Zones 2 - 6 (7)</i>			2g	
Potentilla fruticosa 'Jackmanii' Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; large yellow flowers from June to frost; bushy habit to about 4' tall & wide; resists deer browse, most diseases & highly alkaline soils; attracts pollinators; tolerates drought, clay soil & air pollution locate in full sun or light shade & most moisture retentive well-drained soils [Genus recently changed to: Dasiphora] US native; Zones 2 - 6 (7)</i>			2g	
Potentilla fruticosa 'Pink Beauty' Pink Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; clear pink flowers from late spring to frost; compact mounding habit to 3' high & wide; plant in full sun; needs regular moisture, especially in the warmer regions of the range; deer browse resistant; locate in full sun & moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 3 - 6 (7)</i>			2g	
Prunus x cistena Purple-leaf Sand Cherry <i>DECIDUOUS FLOWERING SHRUB; fragrant light pink flowers in late April or early May after the foliage breaks; blackish-purple fruit in July favored by birds; purple foliage all summer; bushy upright habit to about 8' tall by 6' wide; tolerates urban conditions; locate in full sun & any well drained soil [P. pumila x P. cerasifera 'Atropurpurea'] (Hansen) Zone (2) 3 - 7 (8)</i>			3g	
Prunus laurocerasus Common Cherrylaurel; English Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer; large broadly upright habit to about 20' tall & wide at maturity; dark green foliage to 6" long & half as wide; somewhat tolerant of deer browse & salt spray; locate in full sun or moderate shade & moisture retentive well-drained pH adaptable soil; native to Europe & Asia Minor; Zones 7 - 9</i>		3 - 4' 4 - 5'	B&B B&B	
Prunus laurocerasus 'Schipkaensis' Upright Schip Laurel; Upright Schip Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer; broadly columnar habit to about 12' tall by 8' wide in time; long dark green foliage; somewhat tolerant of deer browse & salt spray; locate in full sun or moderate shade & moisture retentive well-drained pH adaptable soil; this is the upright form, there is also a lower wider growing form; native to Europe & Asia Minor; Zones (6) 7 - 8</i>		18 cell tray 4 - 5' 5 - 6' 5 - 6' Test Pla Test Pla Test Pla Test Pla Test Pla	4" pot 1g B&B 20g B&B B&B B&B B&B B&B	 N N N N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhamnus frangula Fine Line(tm) ('Ron Williams') Columnar Buckthorn; Tall Hedge <i>DECIDUOUS ORNAMENTAL SHRUB; insignificant flowers produce a black drupe which is marginally viable; very narrow dark green fern-like foliage; narrow upright habit to about 6' tall by 2' wide in 10 years; great for hedging where space is limited; seeds reported to have very low viability - 3%; locate in full sun or partial shade & any well-drained soil; tolerant of drought & urban conditions; native to Europe & western Asia (PW) Zones 3 - 7</i>			1g 3g	
Rhododendron 'Anah Krushke' Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; reddish-purple flowers with deeper purple blotch in late May; broadly upright habit to about 5' tall by 4' wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; more sun tolerant than most; locate in full sun or partial shade & deep organic well-drained moisture retentive acidic soil [R. ponticum seedling] (Kruschke) - 15Å, ° F</i>			1g	
Rhododendron 'Capistrano' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pale yellow flowers in late midseason; dark green foliage; compact mound to 5' high & slightly wider; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil; ROY 2008 (Leach) - 10Å, ° F (- 15Å, ° F)</i>			3g	
Rhododendron 'Catawbiense Grandiflorum' Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; persistent lilac flowers in late May; dark green foliage; grows to 6' tall in about 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil (Waterer) - 15Å, ° F</i>			1g	
Rhododendron 'Cerca de la Uva'			1g	
Rhododendron 'Chionoides' White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers with yellow throat in May; compact spreading habit to 4' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to light shade and deep organic well-drained acidic soils (Waterer) - 10Åfi; ½Å, ° F</i>			1g	
Rhododendron 'Cunningham's White' White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; white lax trusses of 7-8 flowers in late May; dark green foliage; compact mounding habit to about 4' tall & wide in 10 years; compact; will often flower in the fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils [R. causasicum x R. ponticum] (Cunningham) - 15Åfi; ½Å, ° F</i>			1g	
Rhododendron 'Dolores House'			1g	
Rhododendron 'Horizon Monarch' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; light yellow flowers vivid red flare in dome trusses of 15 flowers in mid-season; dark green foliage; spreading habit to about 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil [Nancy Evans' x 'Point Defiance'] (Brockenbrough) 5Åfi; ½Å, ° F</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Hotei' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; light to medium yellow flowers in loose dome trusses of 10-12 flowers in mid-season; dark green foliage; tight compact habit to about 3' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil ['Goldworth Orange' x souliei x wardiivar. wardii] (Sifferman) 5' x 1/2", ° F</i>			1g	
Rhododendron 'Nancy Evans' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; red buds open soft yellow with early orange shading in ball trusses of up to 19 flowers in May; rounded compact habit to 3' in 10 years; new foliage emerges bronze before maturing to 4" medium glossy green in summer; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Brockenbrough) 5' x 1/2", ° F</i>			1g	
Rhododendron 'PJM Elite' Compact PJM Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; lavender-pink flowers in flat ball-shaped trusses of 10-15 flowers in early to mid-April; larger burgundy winter foliage; compact upright habit to about 4' tall by 3' wide in 10 yrs; may have weakest root system of PJM cultivars; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. minus ... x R. dauricum] (Mezitt) - 25' x 1/2", ° F</i>			1g 3g	
Rhododendron 'President Roosevelt' Red Variegated Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; dark red flowers with white centers in conical trusses of about 20 flowers in early mid-season; glossy medium green & yellow foliage; spreading habit to about 5' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [Limbatus sport] 0' x 1/2", ° F</i>			1g	
Rhododendron 'Ring of Fire' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; pink flowers with yellow centers in dome trusses in late mid-season; dark glossy yellowish-green foliage; dense upright habit to about 4' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil ['Darigold' x 'Idealist'] (Thompson) 0' x 1/2", ° F</i>			1g	
Rhododendron 'Roseum Elegans' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; lilac-pink trusses of about 20 flowers in mid to late May; olive-green foliage; vigorous bushy habit to about 6' tall & wide in 10 years; does well in full sun & conditions where other varieties fail; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils [R. catawbiense] (Waterer) - 25' x 1/2", ° F</i>			1g	
Rhododendron 'Roseum Pink' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; soft rosy-lavender flowers in mid-late May; grows to about 6' in 10 years; good grower in full sun; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25' x 1/2", ° F</i>			1g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Safeway de Lebanon'			1g	_____
Rhododendron 'Scintillation' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; light pink flowers with a buff blotch in midseason; spreading habit to about 5' tall in 10 yrs.; distinctive glossy heavily textured foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils; ARS Superior Plant 1991 (Dexter) - 15Åfi; ½Å, ° F</i>			1g	_____
Rhododendron 'Spring Glory' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; wavy pink flowers with vivid red blotch in early to early mid-season; long glossy dark green foliage; gets to about 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil ['Cunningham's White' x red catawba seedling] (Shammarello) - 15Å, ° F</i>			1g	_____
Rhododendron 'Taurus' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; dark red flower buds all winter open to ball trusses of blood red flowers with black spotting in early midseason; large dark green foliage is held for 3 years; large broadly upright habit to 6'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mossman) - 5Å, ° F</i>			3g	_____
Rhus aromatica 'Gro Low' Dwarf Fragrant Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; pale yellow flowers on male plants emit a strong spicy fragrance in late March; fruit on female plants is a red drupe; orange to red fall foliage; low spreading habit to about 2' tall by 6' or more wide; excellent for stabilizing banks with limited moisture (when established); locate in full sun or moderate shade & well-drained acidic soil; native to eastern US & Canada (Synnesvedt N) Zones (3) 4 - 9</i>			2g	_____
Ribes alpinum Alpine Currant <i>DECIDUOUS ORNAMENTAL SHRUB; non-showy greenish-yellow flowers in April; scarlet fruit in fall on female plants; male plants more resistant to rust; twiggy rounded shrub to about 6' tall & wide; bright green summer foliage turns yellowish in fall; locate in sun or shade & just about any soil; native to northern Europe & Russia; Zones 2 - 7</i>			2g 3g	_____ _____
Ribes aureum Golden Currant; Buffalo Currant <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant clusters of yellow flowers thaat mature to orange in late April or early May; clusters of glossy edible black fruit appears in late summer on female plants; dark silvery-gray bark; bright green summer foliage turns yellowish in fall; bushy upright habit to about 6' tall by 5' wide; spreads by suckers to create colonies; attracts pollinators; resists rabbit browse; tolerates drought, erosion & clay soil; locate in sun or partial shade & moisture retentive well-drained soil; Northern American native; Zones 4 - 8</i>			1g	_____
Ribes uva-crispa 'Pixwell' Gooseberry <i>DECIDUOUS FRUITING SHRUB; non-ornamental reddish-green flowers in late May to early June; medium to large tart pink fruit appears in July; self fertile; almost thornless; bushy habit to about 4' tall & wide; flowers attract pollinators; fruit attracts birds; resists rabbit browse; locate in full sun to moderate shade & well-drained moisture retentive soil [R. 'Oregon Champion' x R. missouriense] (ND Exp. Sta.) Zones 4 - 6</i>			1g	_____

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa The Double Knockout[™],® ('Radtko') Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer to frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Meilland / Star) Zones 5 - 9</i>			2g	
Rosa woodsii Woods' Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant 5" dia. light pink flowers (can be white to dark pink) with yellow stamens from late spring into early summer; bright red to purple hips persist into winter; dark green compound leaves; most stems have thorns; variable upright to bushy habit to about 6' tall & wide; spreads by rhizomes; flowers attract pollinators; fruit attracts birds & animals & can be used in cooking; resists erosion; locate if full to mostly sunny locations & moisture retentive well-drained soil of any pH; native to western North America; Zones 3 - 8</i>			1g	
Rubus fruticosus 'Triple Crown' Blackberry			1g	
Rubus idaeus 'Canby Red' Red Raspberry <i>DECIDUOUS FRUITING SHRUB; small white flowers in late spring; bright red fruit appears in mass in late summer, bushy habit to about 6' tall with support; almost thornless; fruit attracts birds; locate in full sun or minimal shade & moisture retentive well-drained slightly acidic soil; European & Asian native; Zones 4 - 8</i>			1g	
Rubus idaeus 'Fall Gold' Yellow Raspberry <i>DECIDUOUS FRUITING SHRUB; small white rose-like flowers in spring; large sweet yellowish-orange fruit in June & a heavier crop in late August & September; self-fruitful; upright habit to about 5' tall by 3' wide; thorny; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive acidic to neutral soil; US native; Zones 5 - 8</i>			1g	
Rubus idaeus 'Meeker' Red Raspberry <i>DECIDUOUS FRUITING SHRUB; showy white flowers in May; large sweet red fruit in July; self-fruitful; broad loosely branched habit to as much as 10' tall & wide; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive neutral to acidic soil (Washington St U) Zones 5 - 8</i>			1g	
Rubus idaeus var. strigosus 'Heritage' American Red Raspberry <i>DECIDUOUS FRUITING SHRUB; small light pink flower in late spring to early summer; self-fruitful large bright red fruit in early summer & a heavier crop in fall; thorny stems; broadly upright habit to about 6' tall by 4' wide & perhaps larger; attracts birds & butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			1g	
Rudbeckia fulgida 'Little Goldstar' Dwarf Perennial Black-eyed Susan <i>PERENNIAL; produces masses of 2"+ gold petals with a brown eye from mid-summer through early fall; genetic dwarf habit to about 18" tall; attracts butterflies; good cut flower & container plant; resists deer browse; locate in full sun & most well-drained soils; drought tolerant; US native [R. fulgida var. sullivantii] (Jelitto) Zones 4 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Salix integra 'Flamingo' Dappled Willow; Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; yellow catkins in late April; narrow new leaves are a colorful mix of green, white & pink that turn mostly green with some white in summer then yellow in fall; young stems are dark red in winter; broad bushy shrub to about 5' tall & wide; tolerates Black Locust & dryer soils than most Willows; locate in full sun & moisture retentive organic neutral to acidic soil; eastern Asian native; Zones 4 - 7</i>			2g	
Salvia ApexÃ¶i½¢ Blue Blue Meadow Sage <i>PERENNIAL; violet-blue flower spikes in May & June are good for cutting; aromatic medium green summer foliage; bushy upright habit to about 18" tall & wide; good cut & dried flower; attracts hummingbirds & butterflies; resists deer & rabbit browse; tolerates drought, heat & humidity; locate in full sun & most well-drained moisture retentive soils; native to Europe & Asia; Zones 4 - 8 (9)</i>			1g	
Salvia Artic BlazeÃ¶i½¢ Fuchsia ('Novasalfuc') Pink Sage <i>PERENNIAL; tubular magenta flower spikes on sturdy stems from late spring into fall (mostly with dead heading); aromatic medium green summer foliage; bushy upright habit to about 2' tall & wide; good cut & dried flower; attracts hummingbirds, butterflies & other pollinators; resists deer & rabbit browse; tolerates drought, heat & humidity; locate in full sun & most well-drained moisture retentive soils; native to Europe & Asia [S. greggii 'Furman's Red' x S. 'Golden Girl'] (Darwin) Zones (6) 7 - 11</i>			1g	
Salvia Artic BlazeÃ¶i½¢ Purple Purple Sage			1g	
Salvia Artic BlazeÃ¶i½¢ Red Red Sage			1g	
Sambucus nigra Black LaceÃ¶i½¢ ('Eva') Purple Cutleaf Common Elder; Purple Cutleaf European Elder <i>DECIDUOUS FLOWERING SHRUB; lightly lemon-scented pink flowers in early summer; dark reddish-black edible fruit; very dark deeply cut lacy purple foliage spring through most of summer; broadly upright habit to about 8' high & wide; locate in full sun & moderate shade; tolerant of moist or dry soils of any alkalinity; native to Europe Zones 4 - 7</i>			3g	
Sambucus nigra Laced UpÃ¶,® ('SNR1292') Columnar Purple Cutleaf Common Elder; Columnar Purple Cutleaf E <i>DECIDUOUS FLOWERING SHRUB; dark purple deeply cut summer foliage; lightly fragrant pink flowers early to late spring; columnar habit to about 6' high by 4' wide; edible black fruit in fall with other S. nigra plant near by; locate in full sun or moderate shade & moist or dry soils of any alkalinity; native to Europe; formerly named Strait-Laced (PW) Zones 4 - 7</i>			2g	
Sambucus racemosa Lemony LaceÃ¶i½¢ ('SMNSRD4') Golden Threadleaf Elderberry <i>DECIDUOUS FLOWERING SHRUB; new foliage emerges red before turning gold; leaves are doubly dissected - more so than other Elderberries; white flowers in May; red fruit clusters in late summer attracts wildlife; irregular mounding habit to 5' tall & wide; attracts butterflies & hummingbirds; resistant to deer browse; locate in full sun or partial shade & moisture retentive to boggy soils; European native (PW) Zones 3 - 7 (8)</i>			2g 3g	
Schizachyrium scoparium 'Standing Ovation' Little Bluestem <i>ORNAMENTAL GRASS; silvery seed heads on 4' stems appear from late summer into fall; broader blue foliage with red tips becomes purplish at the base in fall before turning shades of orange, red & maroon by winter; upright habit to about 3' tall by 18" wide; self-seeds; attracts songbirds & butterflies; resists deer browse; tolerates drought, salt & heavy soil; locate in full sun & any well-drained soil; US native; thought to be a seedling of 'Prairie Blues' (North Creek N) Zones 3 - 8</i>			1g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Sedum 'Blue Elf' [Sunsparkler[™],[®]] Stonecrop			1g	_____
Sedum 'Dazzleberry' [Sunsparkler[™],[®]] Stonecrop			1g	_____
Sedum 'Flaming Carpet' Stonecrop			1g	_____
Sedum 'Knight Rider' Stonecrop			1g	_____
Sedum 'Lime Twister' [Sunsparkler[®]] Stonecrop			1g	_____
Sedum 'Lime Zinger' [Sunsparkler[®]]			1g	_____
Sedum mexicanum (rupestre ?) 'Lemon Ball' Stonecrop			1g	_____
Sedum telephium 'Autumn Charm' Stonecrop			1g	_____
Spiraea betulifolia Glow Girl[®] ('Tor Gold') Golden Birchleaf Spirea			2g	_____
Spiraea betulifolia 'Tor' Birchleaf Spirea			3g	_____
Spiraea x bumalda 'Anthony Waterer' Red Bumald Spirea <i>DECIDUOUS FLOWERING SHRUB; 4" dia reddish-pink flowers in May & June; new bronze foliage turns green in summer then shades of red in fall; grows to 4' tall & slightly wider; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			2g	_____
Spiraea x bumalda 'Goldflame' Golden Bumald Spirea <i>DECIDUOUS FLOWERING SHRUB; pink summer flowers; orange-bronze new foliage turns to yellow, then yellow-green & finally green by summer; grows to 3' tall & 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			2g	_____
Spiraea japonica 'Froebelii' Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; flat heads of carmine red flowers with a mild fragrance from late spring into early summer; new foliage emerges brownish-red before turning blue-green by summer & burgundy in fall; broad mounding habit to 4' tall by 5' wide; attracts butterflies; resists deer browse; drought tolerant; locate in full sun or light shade & just about any soil with reasonable drainage; Japanese native; Zones 4 - 8</i>			2g	_____
Spiraea japonica 'Goldmound' Golden Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in May & June; bright gold spring foliage fades to yellow-green in mid-summer's heat; fall foliage becomes orangish; low compact mound to 3' tall by 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			2g 3g	_____ _____

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Spiraea japonica 'Little Princess' Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; green foliage; compact spreading mound to 3' tall & wider; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			2g	
Spiraea japonica 'Magic Carpet' Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pinkish-purple flowers in June & July; yellow-green red-tipped foliage; dwarf spreading mound to 2'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			2g	
Spiraea japonica 'Neon Flash' Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' â€” no variegated shoots; red flowers in late spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			2g 3g	
Spiraea nipponica 'Snowmound' White Nippon Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green foliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8)</i>			2g	
Spiraea Sundrop®, [First Editions®] ('Bailcarol') Dwarf Golden Spirea <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant pink flower clusters in early summer; non-fading golden foliage that gets tinged with red in fall; low dense mounding habit to about 15" tall by 3' wide; attracts butterflies; resists deer browse; locate in sun or light shade & just about any soil with reasonable drainage (Schwartz / Bailey) Zones 3 - 8</i>			2g	
Symphoricarpos albus Snowberry <i>DECIDUOUS FLOWERING SHRUB; clusters of small white to pink flowers in early summer on new wood; green fruit matures to pure white by fall & persists into winter; dull green foliage; bushy upright habit to about 6' tall & wide; spreads by suckers; attracts butterflies, birds & mammals; resists deer browse, drought, poor soils & erosion; locate in full sun to partial shade & just about any soil; US native Zones 3 - 7</i>			1g	
Syringa Bloomerang® Dark Purple ('SMSJBP7') Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant star-like purple flowers in mid-late spring & sporadically afterward from mid-summer to frost; bushy habit to about 6' tall & wide; improved disease resistance; attracts butterflies & hummingbirds; questionable resistance to deer browse; tolerates coastal conditions; locate in full to mostly sunny areas with good air circulation & well-drained moisture retentive neutral to alkaline organic soil (PW) Zones (3) 4 - 7</i>			3g	
Syringa prestionae 'James Macfarlane' Pink Preston Lilac <i>DECIDUOUS FLOWERING SHRUB; large lightly fragrant bright pink flowers in June; bushy upright habit to about 8' tall & perhaps wider; tolerant of coastal conditions locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil (Yeager / UNH) Zones (2) 3 - 7</i>			3g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa pubescens ssp. patula 'Miss Kim' Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; dark purple buds open to masses of very fragrant light lavender blooms with lighter centers in mid to late May that may be cut; dark green pointed summer foliage turns reddish-burgundy in fall; compact rounded habit to 6' tall by 5' wide; attracts butterflies & hummingbirds; resists deer browse; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			1g 2g	
Syringa Scent and Sensibility® Pink ('SMSXPM') Compact Pink Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; dark pink buds open to fragrant re-blooming lilac-pink flowers in spring & summer (if cut back); spreading mound to about 3' tall by 6' wide; attracts butterflies & pollinators; locate in full sun or minimal shade & moisture retentive well-drained neutral to alkaline organic soil (PW) Zones 3 - 7</i>			1g	
Syringa vulgaris 'Sensation' Purple French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant single purple flowers with white edges in early May; loose upright habit to about 10' tall & wide; attracts butterflies & hummingbirds; resists deer browse; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			3g	
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrow conical habit to about 60' tall by 20' wide at maturity; very fast grower - up to 5' per year; minimal pest or disease problems; variable deer browse resistance; tolerant of coastal exposure but not persistent drought; locate in full sun or light shade & moist to well-drained soil of varying acidity; PHS Gold Metal [T. standishii x T. plicata] Asian / US cross (Poulsen) Zones 5 - 8</i>		6 - 7' 7 - 8' 8 - 10' 12 - 13'	B&B B&B B&B B&B	
Thuja occidentalis Mr. Bowling Ball® ('Bobazam') Compact Globe Eastern Arborvitae; Compact Globe White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; feathery sage-green foliage; compact globular habit to about 3' tall & wide; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7</i>			1g	
Thuja occidentalis 'Smaragd' Emerald Green Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage that doesn't bronze in winter; narrow columnar or narrowly pyramidal habit to about 10' tall by 3' wide in 10 years; matures at about 25' tall; tolerant of air pollution, Black Walnut & most soil acidity; not drought tolerant; locate in full sun or very light shade & most moisture retentive well-drained soils; eastern US & Canadian native (Poulsen N) Zones (4) 5 - 7</i>		3 - 4' 4 - 5' 4' 5 - 6' 5' 5' 5' 5' 5 - 6' 5 - 6' 6 - 7' 6 - 7' 6' 6 - 7' 7 - 8' 7' 7 - 8'	1g 5g 7g BR 20g BR BR BR BR BR B&B B&B 15g B&B BR 25g BR B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Thuja plicata Western Arborvitae; Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; rapid pyramidal grower to 50' or more; bright dark green foliage; somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones (4) 5 - 8</i>		6 - 7' 7 - 8'	B&B B&B	
Thuja plicata 'Excelsa' Western Arborvitae; Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; rapid growing pyramid with loosely borne branching if unsheared; bright green foliage bronzes in winter; tolerant of coastal exposure but not persistent drought; somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; selection from Berlin, Germany; native to northwestern US & Canada; Zones 4 - 8</i>			1g 7g	
Thuja plicata Sugar & Spice™ ('De Rakt') Compact Western Arborvitae; Compact Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; lacey green to cream foliage; compact upright pyramidal habit to about 10' tall by 3' wide; somewhat deer browse resistant; tolerant of coastal exposure but not persistent drought; locate in full sun or light shade & moist to well-drained soil of varying acidity; native to northwestern US & Canada; Zones 5 - 7 (8)</i>			1g 5g	
Thymus pseudolanuginosus Woolly Thyme			1g	
Vaccinium corymbosum Highbush Blueberry			1g 3g	
Vaccinium corymbosum 'Chandler' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; mid to late season crop; grows to 5' tall; very large fruit; foliage turns bright red in fall (good EAC sub); locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones (5) 6 - 7 (8)</i>			1g 3g	
Vaccinium corymbosum 'Duke' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; early crop; 4-6' tall; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>			1g	
Vaccinium corymbosum 'Northland' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; white bell-like flowers in late spring; broadly upright habit to 4' tall by 5' wide; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>			1g	
Vaccinium corymbosum 'Patriot' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; early to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>			1g	
Vaccinium corymbosum 'Sunshine Blue' Compact Highbush Blueberry			1g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Veronica longifolia 'Forever Blue' Blue Speedwell			1g	
Veronica spicata Snow Candles ('Joca128') White Speedwell			1g	
Viburnum cassinoides Lil' Ditty® ('SMNVCCD') Witherod Viburnum			3g	
Viburnum dentatum Blue Muffin® ('Christom') Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; compact upright habit to 6'; masses of intense blue clusters of fruit follow profuse white flowers in May; deer browse resistant; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada (PW) Zones (2) 3 - 8</i>			1g	
Viburnum lantana 'Mohican' Wayfaringtree Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse small off-white cymes in early to mid May; clusters of reddish-orange fruit in July ripen to black by Sept; heavily textured medium to dark green foliage is resistant to bacterial leaf spot; broadly upright habit to about 8' tall & wide; locate in full sun or moderate shade & neutral to alkaline well-drained soil; native to Europe & western Asia (Egolf / USNA) Zones 4 - 7 (8)</i>			3g	
Viburnum nudum Brandywine®, ¢ ('Bulk') Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; very showy fruit clusters start greenish then pink before turning blue with both colors visible in early fall; bushy grower to 5' high & wide; locate in full sun to partial shade with moist well drained soil; drought tolerant; eastern US native (Bulk) Zones 5 - 9</i>			3g	
Viburnum opulus subsp. americanum 'Bailey Compact' Compact American Cranberrybush Viburnum <i>DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May are minimal; sparse fruit changes from yellow-red to bright red in mid to late fall; red fall foliage; intermediate grower to about 6' tall and wide; locate in full sun to partial shade & moist to well-drained acidic soil; native to US & Canada (Perkins / Bailey) [newly named: V. opulus var. americanum] Zones 4 - 7</i>			2g	
Viburnum plicatum f. tomentosum 'Mariesii' Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>			3g	
Viburnum plicatum f. tomentosum 'Summer Snowflake' / 'Fujisanensis' Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; white lace-cap flowers from late spring into fall; fruit appears red before turning black; red fall foliage; upright habit to about 8' high & ultimately as wide; a little larger than 'Watanabei'; locate in full sun to light shade & well-drained moisture retentive soil; native to Japan; Zone 5 - 7 (8)</i>			1g 3g	
Viburnum trilobum <i>see: Viburnum opulus subsp. americanum 'Bailey Compact'</i>				

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Weigela florida Fine Wineâ„¢ ('Bramwell') Compact Purple Weigela <i>DECIDUOUS FLOWERING SHRUB; of deciduous purple foliage; pink flowers in late spring; compact mound to about 3' tall & wide; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			2g	
Weigela florida 'Minuet' Red Weigela <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant red flowers with a yellow throat in late spring; dwarf habit to 30" high & wide; foliage is green with a purplish tint; widely adaptable to soil and light exposure; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			2g	
Weigela florida 'Red Prince' Red Weigela <i>DECIDUOUS FLOWERING SHRUB; non-fading red flowers in June; compact habit to 6' tall; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			3g	
Weigela florida Spilled Wineâ„¢ ('Bokraspiwi') Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; magenta-pink funnel shaped flowers in late spring; dark purple foliage all season; compact spreading mound to about 2' tall by 3' wide; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			2g	
Weigela florida Very Fine Wine® ('SMNWDFPD') Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; pink flowers in late spring; deciduous purple foliage; compact mound to about 30" tall & wide; attracts hummingbirds & butterflies; some deer browse resistance; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan; Zones 4 - 8</i>			2g	
Weigela florida Wine & Roses® ('Alexandra') Red Weigela <i>DECIDUOUS FLOWERING SHRUB; profuse rosy-pink flowers in late spring & sporadically in summer; dark burgundy foliage all summer; broadly upright habit to about 5' tall & wide; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan (PW) Zones (4) 5 - 8</i>			2g	
Weigela Tuxedoâ„¢ [Date Nightâ„¢] White Weigela <i>DECIDUOUS FLOWERING SHRUB; tubular white flowers with a pink tinge in late spring; dark burgundy foliage all summer; broadly upright habit to about 5' tall by 4' wide; attracts hummingbirds & butterflies; somewhat deer browse resistant; tolerates drought; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan (Bloomin' Easy) Zones 4 - 8</i>			2g	
Wisteria macrostachya 'Blue Moon' Blue Kentucky Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; 12" fragrant lilac-blue racemes appear in 3 waves from early summer; vines can grow up to 25'; very cold hardy; not as vigorous as Asian cultivars; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; US native [W. macrostachya] (Buchite) Zones 4 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Breeden Family Farms Plant List: Fall 2023 / Spring 2024

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

N denotes new plants and/or sizes for Fall 2024 / Spring 2025

31 / April 5, 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	

32 / April 5, 2024