

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Abies balamea</b> Dwarf Balsam Fir <i>EVERGREEN ORNAMENTAL CONIFER; new needles open pale green before maturing to dark blue-green which surround the stems unlike most Abies; spreading globular habit to about 2' tall by 3' wide in 10 years; deer browse resistant; locate in full sun or minimal shade &amp; very well-drained organic moisture retentive soil; native to NE US &amp; Canada; Zones 3 - 5 (6 - 7)</i>			2g 5g	
<b>Acer x freemanii 'Armstrong'</b> Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>		1.5"c 1.75"c 2"c 2.5"c	B&B B&B B&B B&B	
<b>Acer x freemanii Armstrong Goldâ„¢ ('JFS-KW78')</b> Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage &amp; greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in fall; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; US native (Schmidt / Warren) Zones 4 - 9</i>		1.5"c 1.75"c 2"c	B&B B&B B&B	
<b>Acer griseum</b> <b>SHRUB FORM</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide; branching starts at the ground - sometimes with multiple main trunks; tolerates alkaline &amp; clay soil; not drought tolerant; locate in full sun to partial shade (preferred) &amp; most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>	Test Pla Test Pla Test Pla Test Pla Test Pla Test Pla	5 - 6' 9 - 10' 9 - 10' 9 - 10' 9 - 10' 9 - 10'	20g B&B B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Acer griseum</b> <b>TREE FORM</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide; usually a single trunk for 3' to 6'; tolerates alkaline &amp; clay soil; not drought tolerant; locate in full sun to partial shade (preferred) &amp; most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>		4 - 5' 1.75"c 2.5"c	25g B&B B&B	
<b>Acer palmatum</b> <b>SHRUB FORM</b> Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; soft green summer foliage turns vibrant orange to red in fall; upright spreading habit to about 30' or more tall &amp; wide at maturity; 3 seedlings are combined to make the clumps; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>		4 - 5'	20g	
<b>Acer palmatum</b> <b>TREE FORM</b> Japanese Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>		4' 5 - 6' 5' 5' 5' 5' 5' 5 - 6' 6 - 7' 6 - 7'	BR 20g BR BR BR BR BR B&B 15g B&B	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
		6'	BR	_____
		7 - 8'	25g	_____
		7'	BR	_____
<b>Acer palmatum 'Bloodgood'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring &amp; summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching usually starts about 12-18" above grade; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>		3 - 4'	10g	_____
		5 - 6'	10g	_____
<b>Acer palmatum Emperor 1® ('Wolff')</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i>		3 - 4'	10g	_____
		3 - 4'	15g	_____
		4 - 5'	10g	_____
		5 - 6'	15g	_____
<b>Acer palmatum 'Sango kaku'</b> Coral Bark Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright green spring &amp; summer foliage turns bright shades of yellow &amp; gold in fall; winter bark is bright electric red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; tends to grow late into the fall which can cause tip die-back from early frosts; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 6 - 7</i>		4 - 5'	B&B	_____
<b>Acer palmatum 'Tamukeyama'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage holds color well through summer before turning bright scarlet; vigorous spreading horizontal habit to about 4' tall by 6' wide &amp; larger at maturity; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7</i>		18 - 24" spr	10g	_____
		24 - 30" spr	10g	_____
		24 - 30" spr	15g	_____
		30 - 36" spr	10g	_____
		30 - 36" spr	20g	_____
		3 - 4' spr	20g	_____
		2"c - B grade	Box	_____
		2.5"c - B grade	Box	_____
		6' spr / 3"c	Box	_____
		6' spr / 2.5"c	Box	_____
<b>Acer palmatum 'Viridis'</b> Green Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; medium green deeply dissected foliage; broadly spreading mounding habit; grows slower than 'Waterfall' &amp; branches grow more horizontally; bright orange yellow &amp; gold fall foliage; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>		2.5"c - B grade	Box	_____
<b>Acer palmatum 'Waterfall'</b> Green Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright green deeply dissected foliage turns shades of gold and red in fall; cascading mounding habit that varies with staking; grows faster than 'Viridis' &amp; branches cascade more; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7</i>		30 - 36" spr	B&B	_____
		3 - 4' spr	20g	_____
<b>Acer rubrum 'Bowhall'</b> Columnar Red Maple; Columnar Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; yellowish-orange to red fall foliage; compact upright pyramidal form to about 50' tall by 15' wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Cole N) Zones 4 - 9</i>		1.5"c	B&B	_____
		1.5"c	B&B	_____
		1.75"c	B&B	_____

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; broad oval head to about 50' tall &amp; about as wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		1.5"c 1.5"c 1.75"c	B&B B&B B&B	
<b>Berberis thunbergii 'Crimson Pygmy'</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			5g	
<b>Berberis thunbergii Mini Maroon<sup>™</sup>, [Sunjoy<sup>™</sup>] ('NCBT1')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small yellow sterile flowers in late spring; seedless; small bright reddish-purple foliage in spring &amp; fall fall; compact mound to about 3' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Ranney / PW) Zones 5 - 8</i>			2g	
<b>Berberis thunbergii Sequins<sup>™</sup>, [Sunjoy<sup>™</sup>] ('Arlene')</b> Variegated Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; pale yellow flowers in spring; small red fruit; considered invasive in many areas; new foliage is a mix of white, pink &amp; mint green; summer foliage is emerald green; broadly upright habit to about 3' tall by 4' wide; resists deer browse is sheared tight; shade tolerant (minimizes variegation); locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			2g	
<b>Betula nigra</b> <b>CLUMP</b> River Birch <i>DECIDUOUS ORNAMENTAL TREE; tiny male &amp; female catkins in early spring aren't ornamental; small cone-like fruit follow in late summer; green summer foliage turns golden in fall; broadly pyramidal heads to about 40' or more tall; shaggy tan to pinkish-tan exfoliating bark; resists bronze birch borer; tolerates a wide soil range &amp; limited drought; fall dig hazard; locate in full sun or minimal shade &amp; moisture retentive neutral to acidic soil; US native; Zones 4 - 9</i>		8 - 10'	B&B	
<b>Betula pendula 'Youngii'</b> <b>TWISTED</b> Weeping European Birch <i>DECIDUOUS ORNAMENTAL TREE; white bark on mature trunks darkens with age; dark green summer foliage turns yellowish in fall; strictly weeping habit whose size is determined by staking; leaf minor &amp; bronze birch borer are biggest problems in southern range; fall dig hazard; locate in full sun &amp; moisture retentive soil; northern European native; Zones 2 - 6 (7)</i>		1.75"c 2"c 2.5"c	B&B B&B B&B	
<b>Betula utilis var. jacquemonti</b> <b>CLUMP</b> Whitebarked Himalayan Birch <i>DECIDUOUS ORNAMENTAL TREE; exceptionally white bark appears at an early age; dark green summer foliage turns yellowish in the fall; pyramidal to oval habit to about 40' tall by 25' wide; borers and Japanese Beetles are a problem; fall dig hazard; 3 or more main trunks; locate in full sun to minimal shade &amp; well-drained moisture retentive soil; not tolerant of drought or areas with warm summer nights; native to western Himalayas; Zones 5 - 6 (7)</i>		8 - 10'	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Betula utilis var. jacquemonti</b>  <b>TREE FORM</b>  Whitebarked Himalayan Birch <i>DECIDUOUS ORNAMENTAL TREE; exceptionally white bark appears at an early age; dark green summer foliage turns yellowish in the fall; pyramidal to oval habit to about 40' tall by 25' wide; borers and Japanese Beetles are a problem; fall dig hazard; locate in full sun to minimal shade &amp; well-drained moisture retentive soil; not tolerant of drought or areas with warm summer nights; native to western Himalayas; Zones 5 - 6 (7)</i>		1.75"c 2"c 2.5"c 3"c	B&B B&B B&B B&B	
<b>Buxus x Chicagoland Green</b> <b>Spreading Hybrid Boxwood</b> <i>BROADLEAF EVERGREEN SHRUB; compact spreading evergreen to 3' tall; 2 winter tests in Kansas (-13Å,° &amp; -10Å,°) indicates this has the best winter color retention; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. sempervirens x B. sinica var. insularis] Zones (4) 5 - 8</i>			5g	
<b>Buxus x 'Green Mountain'</b>  <b>CONICAL</b>  Pyramidal Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		18 - 24" 18 - 24" 18 - 24" 24 - 30" 30 - 36" 30 - 36"	1g 3g 10g 15g B&B B&B 15g B&B	
<b>Buxus x 'Green Velvet'</b> <b>Compact Spreading Hybrid Boxwood</b> <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			2g	
<b>Buxus microphylla 'Green Beauty'</b> <b>Japanese Littleleaf Boxwood</b> <i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact globular mound to about 3' &amp; wide; suitable in all sun exposures; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9)</i>			2g	
<b>Buxus sempervirens 'Green Pillar'</b> <b>Columnar Common Boxwood</b> <i>BROADLEAF EVERGREEN SHRUB; dark green foliage all year; narrow columnar habit to about 10' tall by 3' wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 7</i>			1g 3g	
<b>Buxus sempervirens North Star</b> <b>Dwarf Common Boxwood</b> <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; bred in Michigan to retain good winter foliage color; slow growing compact globular habit reaches about 30" x 30" at maturity; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Katerberg) Zones 5 - 7</i>			2g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buxus sempervirens 'Schmidt'</b> Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage with minimal to no winter bronzing; upright columnar habit to about 6' tall by 4' wide at maturity; subject to several foliar diseases; resists deer &amp; rabbit browse &amp; drought; not tolerant of wet soils; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>			1g	
<b>Buxus sempervirens 'Suffruticosa'</b> Dwarf English Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium to dark green foliage; very slow broadly upright habit to about 2' tall by 18" wide in 10 or more years; broadens with age; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>			1g	
<b>Buxus sempervirens 'Vardar Valley'</b> Dwarf Spreading Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark blue-green evergreen foliage; low compact spreading habit to about 4' tall by 6'+ wide in time; one of the most resistant to boxwood diseases &amp; insects; resists deer &amp; rabbit browse; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>			1g	
<b>Buxus sinica var. insularis 'Winter Gem'</b> Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>			1g	
<b>Callitropsis nootkatensis</b> <i>see: Chamaecyparis nootkatensis</i>				
<b>Calocedrus decurrens</b> Incense Cedar <i>EVERGREEN CONIFER; columnar habit to about 50' in eastern US, much more out west; bright green foliage; locate in full sun or light shade with well-drained organic soils; quite drought &amp; heat tolerant when established; not tolerant of urban conditions; native to western US; Zones 5 - 10</i>		5 - 6'	20g	
<b>Carex oshimensis 'Evergold'</b> Variegated Oshima Sedge <i>ORNAMENTAL GRASS; creamy-white new foliage with green margins matures to creamy-yellow &amp; keeps the thin dark green margin; dense clumping arching habit to about 12" tall by 18" wide; good groundcover or in containers; plants spread by short rhizomes; resists deer browse; tolerates limited drought; locate is partial to filtered shade &amp; well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i>			1g	
<b>Cedrus atlantica</b> Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green to bluish-green needles; somewhat open &amp; upright when young; matures to a large pyramid or has an irregular flat-top to about 60' or more tall by about 40' wide; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>			15g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cedrus atlantica 'Glaucia'</b> Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles; somewhat open &amp; upright when young; matures to a large pyramid or irregular flat-topped to about 60'+ tall by 40' wide; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>		1.5" c 2.5" c	B&B B&B	
<b>Cedrus atlantica 'Glaucia Pendula'</b> Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight; tops will have varying shapes, but will weep toward, if not all the way to, the ground; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>		4 - 5'	B&B	
<b>Cedrus deodara Blue Velvet</b> <del>1 1/2 c</del> ('Sander's Blue') Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			1g	
<b>Cedrus deodara 'Electra' / 'Electra Blue' / 'Bush's Electra'</b> Compact Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal evergreen with steel-blue needles; horizontal lateral branches are fairly close together to create a full pyramidal tree; grows 6 - 12" per year; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya (Bush) Zones 6 - 9</i>			1g	
<b>Cercis canadensis 'Forest Pansy'</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Forest N) Zones (4) 5 - 9</i>		5 - 6' 6 - 7' 8 - 10'	B&B B&B B&B	
<b>Cercis canadensis Lavender Twist</b> <del>1 1/2 c</del> ('Covey') Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit; height determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Brotzman) Zones 4 - 9</i>		4 - 5'	B&B	
<b>Cercis canadensis 'Little Woody'</b> Dwarf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; smaller than normal spring foliage emerges reddish before turning dark green by summer then yellow in fall; broadly upright to vase-shaped habit to about 12' tall by 10' wide; branching starts at the ground; attracts hummingbirds &amp; butterflies; tolerates Black Walnut; resists deer browse; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Woody) Zones (3) 4 - 9</i>		5 - 6'	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chamaecyparis lawsoniana Pinpoint<sup>™</sup>,® Blue</b> Blue Lawson Cypress <i>EVERGREEN ORNAMENTAL CONIFER; soft feathery gray-blue foliage; narrowly upright pyramidal habit to about 6' tall by 3' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; excellent drainage is critical; challenging to establish on East Coast; native to SW Oregon; Zones 5 - 7</i>			2g	
<b>Chamaecyparis nootkatensis 'Glauca Pendula'</b> Blue Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flattened sprays of blue-green foliage; pronounced single leader with branchlets hanging downward from horizontal lateral branches; open layered pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i>		3 - 4' 4 - 5'	B&B B&B	
<b>Chamaecyparis nootkatensis 'Pendula'</b> Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flattened sprays of medium green foliage; pronounced single leader; appears to be several forms with branches arching out &amp; downward from the trunk or weeping from horizontal secondary branches; irregular pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i>		3 - 4' 6 - 7'	B&B B&B	
<b>Chamaecyparis obtusa 'Compacta'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		6 - 7'	B&B	
<b>Chamaecyparis obtusa 'Fernspray Gold'</b> Golden Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; flat golden fishbone-like foliage; compact bushy pyramidal habit to about 5' tall by 4' wide at the base in 10 years; 'Filicoides Gold' is probably the same plant; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Duncan &amp; Davies) Zones 5 - 8</i>			2g	
<b>Chamaecyparis obtusa 'Nana Gracilis'</b> Dwarf Hinoki Cypress (Super Compact Hinoki) <i>EVERGREEN ORNAMENTAL CONIFER; dark bright green foliage is mostly vertical; irregular broadly upright habit to about 2' tall &amp; wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		30 - 36" 3 - 4'	B&B B&B	
<b>Chamaecyparis pisifera 'Boulevard' ('Cyano Viridis')</b> <div>POM POM</div> Boulevard Blue Moss Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; broadly upright to conical habit to about 4' tall by 3' wide in 10 years; sheared round balls at the ends of selectively retained branches radiating out from the central trunk; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; sport of 'Squarrosa'; Zones 5 - 8</i>		4 - 5'	20g	
<b>Chamaecyparis pisifera 'Boulevard' ('Cyano Viridis')</b> <div>SPIRAL</div> Boulevard Blue Moss Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; broadly upright to conical habit to about 4' tall by 3' wide in 10 years; wide band of foliage swirls around the central stem; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; sport of 'Squarrosa'; Zones 5 - 8</i>		4 - 5'	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chamaecyparis pisifera 'Sungold'</b> Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; gold thread-like foliage in full sun on new growth; will become more green by summer with golden highlights; compact spreading mound to about 3' tall by 4' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; seedling of 'Filifera Aurea' (Goddard) Zones 5 - 8</i>			1g 3g 5g	
<b>Cornus x Celestial Shadow™ ('Michael Steinhardt')</b> Variegated Rutgers Hybrid Dogwood; Variegated Stellar® Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy white bracts in mid to late May; yellow &amp; green variegated spring &amp; summer foliage turns shades of pink orange &amp; red in fall; broadly upright habit to 20' tall &amp; 20' wide; locate in full sun to partial shade with good organic well-drained soil that's neutral to slightly acidic; US / Asian cross; sport of 'Celestial' (Shadow) Zones 5 - 7</i>		5 - 6' 6 - 7'	B&B B&B	
<b>Cornus florida 'Cherokee Chief'</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>		5 - 6'	B&B	
<b>Cornus florida 'Cloud Nine'</b> White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy overlapping white bracts in May; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		4 - 5' 6 - 7'	B&B B&B	
<b>Cornus florida 'Pendula'</b> Weeping Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy white flower bracts are upside down in late April or early May; red fruit in late summer is devoured by birds; variably bright to dark red fall foliage; weeping branches from the main trunk that needs to be staked upright; height &amp; width varies with staking; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		4 - 5'	20g	
<b>Cornus florida rubra</b> Pink Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy pink bracts in May; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		4 - 5' 5 - 6'	B&B B&B	
<b>Cornus kousa 'Milky Way'</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; dark green summer foliage turns reddish-orange in fall; mottled gray &amp; tan exfoliating bark; more horizontal &amp; tree-form than the species to about 20' tall by 25 wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		5 - 6'	B&B	
<b>Cornus kousa Radiant Rose ('Hanrose')</b> Pink Kousa Dogwood; Pink Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy pink to white bracts from late May into June; color intensity varies year to year; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native (Handy) Zones 5 - 8</i>		4 - 5'	20g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cornus kousa 'Summer Fun'</b> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red &amp; orange with pink margins; mottled gray &amp; tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		5 - 6'	B&B	
<b>Cornus kousa 'Summer Gold'</b> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; medium green foliage has prominent gold margins all summer which turn pink before the entire leaf becomes bright red in fall; mottled gray &amp; tan exfoliating bark; upright habit to about 10' tall &amp; wide in 10 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Silva) Zones 5 - 8</i>		4 - 5' 5 - 6'	20g B&B	
<b>Cornus sericea Arctic Fire® ('Farrow')</b> Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bushy habit to 5' tall &amp; wide; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7</i>			2g 5g	
<b>Cornus sericea Arctic Sun® ('Cato')</b> Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bushy habit to 5' tall &amp; wide; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7</i>			2g	
<b>Cotinus coggygia Winecraft Black® ('NCCO1')</b> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on new wood come masses of puffy purplish-pink hairs in early summer giving a smoky appearance; purple spring foliage turns darker in summer before reds &amp; oranges take over in fall; compact rounded habit to about 6' tall &amp; wide; resists deer browse &amp; clay soils; tolerates drought &amp; shade; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; native to southern Europe &amp; Asia (PW) Zones (4) 5 - 8</i>			2g	
<b>Cotinus coggygia Winecraft Gold® ('MINCOJAU3')</b> Gold Smokebush <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on old wood come masses of puffy greenish-pink hairs in early summer giving a smoky appearance; new foliage unfurls orange to chartreuse then becomes lime-green by summer before turning clear yellow in fall; compact upright habit to about 6' tall by 4' wide; resists deer browse &amp; clay soils; tolerates drought &amp; shade; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; native to southern Europe &amp; Asia (Liquiere / PW) Zones 5 - 8</i>			2g	
<b>Cupressus leylandii 'Gold Rider'</b> Golden Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sumburn; pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Vergeer) Zones 6 - 10</i>		5 - 6' E 7 - 8'	B&B 25g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Fagus sylvatica 'Purple Fountain'</b> Weeping Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage loses intensity in summer; upright pyramidal habit that usually has a dominant single leader; some narrowly irregular pyramids &amp; others broader at the base; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native (Grootendorst) Zones 4 - 7</i>		4 - 5' 5 - 6' 5 - 6' 6 - 7' 7 - 8'	B&B 20g B&B B&B B&B	_____ _____ _____ _____ _____
<b>Fagus sylvatica 'Riversii'</b> Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage turns greenish-purple by mid summer; upright somewhat open habit when young matures to about 50' tall by 40' wide when mature; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		1.75"c	25g	_____ _____
<b>Fagus sylvatica 'Roseo-marginata'</b> Tricolor European Beech <i>DECIDUOUS ORNAMENTAL TREE; dazzling pink &amp; white margins around a purple center that matures to purple with white margins then greenish-purple; afternoon shade helps retain colors; upright somewhat open habit to about 30' tall by 20' wide; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		1.5"c 1.75"c	B&B B&B	_____ _____
<b>Juniperus chinensis 'Blue Point'</b> Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; female cones usually light blue &amp; male cones tannish; gray-blue scale-like needles; compact pyramidal habit to about 5' tall by 3' wide in 10 years; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 4 - 9</i>		4 - 5'	B&B	_____ _____
<b>Juniperus chinensis 'Sea Green'</b> Spreading Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; female cultivar with cones light blue cones; bright green arching foliage; compact spreading habit to about 4' high by 6' wide; easily trimmed to desired size; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 5g	_____ _____
<b>Juniperus chinensis 'Sea Green'</b> Spreading Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit; bright green evergreen arching foliage; grows to 6' high by 8' wide; sheared balls on the ends of selectively retained branches; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>	POM POM		5g 15g	_____ _____
<b>Juniperus chinensis 'Spartan'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; female cones usually light blue &amp; male cones tannish; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 5 - 9</i>		4 - 5'	B&B	_____ _____
<b>Juniperus chinensis 'Spartan'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; foliage is trimmed around a central stem in an upward spiral; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>	SPIRAL		20g	_____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus sabina 'Buffalo'</b> Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; blue berries from summer into winter; wide spreading mound to about 12" tall by 8' wide at maturity if not trimmed; tolerant of urban conditions &amp; Juniper blight; locate in full sun &amp; well-drained neutral to alkaline soils; best in northern range; native to Europe &amp; western Asia; Zones (2) 3 - 6 (7)</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus scopulorum 'Medora'</b> Male Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; male, no fruit; dense, silvery gray-blue foliage turns silvery shade of plum in winter; narrowly columnar to pyramidal form reaching about 15' tall by 5' wide; Phomopsis blight a problem in areas with high humidity &amp; summer night temps; tolerates drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; dry well-drained soils; native to Rocky Mtns of US &amp; Canada (NDSU) Zones 3 - 6 (7)</i>		4 - 5'	B&B	_____
<b>Juniperus scopulorum 'Moonglow'</b> Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to about 15' tall by 5' wide; Phomopsis blight a problem in areas with high humidity &amp; summer night temps; tolerates drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; dry well-drained soils; native to Rocky Mtns of US &amp; Canada; Zones 3 - 6 (7)</i>		4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B	_____ _____ _____
<b>Juniperus virginiana 'Blue Arrow'</b> Columnar Blue Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; light blue fruit appearing in summer is a valuable bird food; gray-blue summer foliage exhibits some bronzing in winter; very narrow column or pyramid with upright branching to 15' tall by 3' wide; tolerant of drought, air pollution, sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America (Pine Grove N) Zones (3) 4 - 9</i>		30 - 36" 3 - 4' 4 - 5'	B&B B&B B&B	_____ _____ _____
<b>Picea abies 'Little Gem'</b> Dwarf Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i>		10 - 12" spr 12 - 15" spr 12 - 15" spr	2g 2g 3g	_____ _____ _____
<b>Picea abies 'Little Gem'</b> <div style="text-align: right;"><b>STANDARD</b></div> Dwarf Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; usually grafted about 18-24" above the ground on a straight stem; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i>		15 - 18" spr	10g B&B	_____ _____
<b>Picea abies 'Nidiformis'</b> Bird's Nest Spruce <i>EVERGREEN ORNAMENTAL CONIFER; densely spreading nest-like habit to about 18" tall by 3' or more wide in 10 years; dark green needles; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe (Rulemann Grisson N) Zones 2 - 7</i>		12 - 15" spr 15 - 18" spr 18 - 21" spr 21 - 24" spr 24 - 30" spr	3g 3g 5g 5g 10g	_____ _____ _____ _____ _____

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Picea abies 'Pendula'</b>  <b>STAKED WEEPING</b>  Weeping Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright then allowed to weep downward; can develop a broad skirt in time; height &amp; shape varies with staking &amp; source; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		3 - 4' 4 - 5'	5g B&B 15g	
<b>Picea abies 'Pumila'</b>  Dwarf Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; compact globose habit when young becomes a broad mound with maturity to about 18" tall by 4' wide; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		15 - 18" 21 - 24"	1g 5g 10g	
<b>Picea glauca 'Conica'</b>  Alberta Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very short medium green needles; compact broadly pyramidal habit rarely exceeds 10' in height by 6' wide; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada; Zones 2 - 6 (7)</i>		18 - 24" 24 - 30" 36 - 42"	3g 3g 15g	
<b>Picea glauca 'Conica'</b>  <b>POM POM</b>  Alberta Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very short medium green needles; compact broadly pyramidal habit rarely exceeds 10' in height by 6' wide; sheared balls at the ends of selectively retained branches radiating out from the central trunk; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada; Zones 2 - 6 (7)</i>			10g 25g	
<b>Picea glauca 'Conica'</b>  <b>SPIRAL</b>  Alberta Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very short medium green needles; compact broadly pyramidal habit rarely exceeds 10' in height by 6' wide; narrow band of foliage swirls around the central stem; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada; Zones 2 - 6 (7)</i>			10g 15g 20g	
<b>Picea omorika 'Nana'</b>  <b>STANDARD</b>  Dwarf Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; blue &amp; green bicolor needles; broadly pyramidal or rounded habit to about 8' tall &amp; wide; sheared into round globes; protect from winter wind in northern range; adapts to poor air quality; locate in full sun or partial shade &amp; moisture retentive well-drained soil of any pH; native to southern Europe; Zones 4 - 7</i>		15 - 18" spr	B&B	
<b>Picea pungens</b>  Colorado Spruce <i>EVERGREEN CONIFER; variable green to gray-green needles; compact pyramidal habit to about 60' tall by 20' wide; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>		4 - 5' 4 - 5'	10g 20g B&B	

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Picea pungens 'Bakeri' / 'Bacheri'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; longer dark silvery-blue needles; pyramidal habit to about 8' tall by 4' wide in 10 years; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>		3 - 4' 4 - 5'	B&B B&B	
<b>Picea pungens 'Fat Albert'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue needles; uniform broadly pyramidal habit to about 10' tall by 6' wide in 10 years; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (Iseli) Zones 3 - 7 (8)</i>		3 - 4' 4 - 5'	B&B B&B	
<b>Picea pungens 'Glauca'</b> Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; variable bright blue to gray-green needles; conical habit to 60' or more &amp; about 1/3 as wide; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>		30 - 36" 4 - 5'	20g B&B	
<b>Picea pungens 'Glauca Globosa'</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>		12 - 15" spr 15 - 18" spr 15 - 18" spr 15 - 18" spr 24 - 30" spr	10g 3g 5g 10g B&B B&B	
<b>Picea pungens 'Glauca Globosa'</b> <div>STANDARD</div> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; usually grafted between 18" &amp; 3' on top of a clear trunk; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>		15 - 18" spr 18 - 24" spr 30 - 36" spr	B&B B&B B&B	
<b>Picea pungens 'Hoopsii'</b> Silver Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; the most silvery-blue needles; narrow layered to open pyramidal habit to about 8' tall by 4' wide in 10 years; must be trimmed to get fullness &amp; eliminate competing leaders; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (Hoops N) Zones 3 - 7 (8)</i>		3 - 4'	B&B	
<b>Pinus aristata</b> Bristlecone Pine <i>EVERGREEN ORNAMENTAL CONIFER; short bluish-green needles in bundles of 5 with resin spots; very slow bushy upright habit to about 5' tall in 10 years; deer browse resistant; not tolerant of atmospheric pollution; short lived in humid regions; long lived in native high desert mountainous habitat; drought tolerant; locate in full sun &amp; any well-drained soil; native to southwestern US Mtns; not to be confused with P. longaeva (from CA); Zones 4 - 7</i>		3 - 4'	B&B	
<b>Pinus mugo</b> Mugo Pine; Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; medium green needles in groups of 2; compact widely variable mounding habit to as much as 20' tall by 30' wide but rarely that big; size and shape can be maintained by pruning; locate in full sun or light shade &amp; soils of any pH that drain; native to southeastern European mtns; Zones 3 - 7</i>		heavy 10 - 12" spr 12 - 15" spr 12 - 15" spr 15 - 18" spr 15 - 18" spr	1g 1g 2g 2g 3g 3g 5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
		18 - 21" spr	10g	_____
		18 - 24" spr	20g	_____
		24 - 30" spr	B&B	_____
		30 - 36" spr	B&B	_____
<b>Pinus mugo</b>  Mugo Pine; Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; medium green needles in groups of 2; compact widely variable mounding habit to as much as 20' tall by 30' wide but rarely that big; size and shape can be maintained by pruning; locate in full sun or light shade &amp; soils of any pH that drain; native to southeastern European mtns; Zones 3 - 7</i>	<b>STANDARD</b>	15 - 18" spr	B&B	_____
<b>Pinus nigra 'Aurea'</b> Golden Austrian Pine			3g	_____
<b>Pinus nigra 'Aurea'</b>  Golden Austrian Pine	<b>POM POM</b>	5 - 6'	25g	_____
<b>Pinus strobus 'Contorta'</b> Contorted Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; stems &amp; soft green needles in groups of 5 are both twisted / contorted; upright loosely pyramidal habit to about 12' tall by 5' wide in 10 years; not tolerant of windy winter locations in northern range; locate in full sun or very light shade &amp; acidic well-drained moisture retentive soil; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		3 - 4' 7 - 8' 7 - 8' 8 - 10'	B&B 25g 35g B&B	_____ _____ _____ _____
<b>Pinus strobus 'Pendula'</b> Weeping Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; soft medium green needles in groups of 5; plants are staked to size with leader continuing mostly upward; not tolerant of windy winter locations in northern range; locate in full sun or very light shade &amp; acidic well-drained moisture retentive soil; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____
<b>Rhamnus frangula Fine Lineâ„¢ ('Ron Williams')</b> Columnar Buckthorn; Tall Hedge <i>DECIDUOUS ORNAMENTAL SHRUB; insignificant flowers produce a black drupe which is marginally viable; very narrow dark green fern-like foliage; narrow upright habit to about 6' tall by 2' wide in 10 years; great for hedging where space is limited; seeds reported to have very low viability - 3%; locate in full sun or partial shade &amp; any well-drained soil; tolerant of drought &amp; urban conditions; native to Europe &amp; western Asia (PW) Zones 3 - 7</i>			2g 5g	_____ _____
<b>Salix integra 'Flamingo'</b>  Dappled Willow; Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; yellow catkins in late April; narrow new leaves are a colorful mix of green, white &amp; pink that turn mostly green with some white in summer then yellow in fall; young stems are dark red in winter; broad bushy shrub to about 5' tall &amp; wide; tolerates Black Locust &amp; dryer soils than most Willows; locate in full sun &amp; moisture retentive organic neutral to acidic soil; eastern Asian native; Zones 4 - 7</i>	<b>SHRUB FORM</b>		2g	_____
<b>Salix integra 'Hakuro-nishiki' / 'Albomaculata'</b>  Dappled Willow; Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; yellow catkins in late April; narrow new leaves are a colorful mix of green, white &amp; pink that turn mostly green with some white in summer then yellow in fall; young stems are dark red in winter; broad bushy shrub to about 5' tall &amp; wide; tolerates Black Locust &amp; dryer soils than most Willows; locate in full sun &amp; moisture retentive organic neutral to acidic soil; eastern Asian native; Zones 4 - 7</i>	<b>SHRUB FORM</b>		2g	_____

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Don Marjama Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Salix integra 'Hakuro-nishiki' / 'Albomaculata'</b> <b>STANDARD</b> Dappled Willow; Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; yellow catkins in late April; narrow new leaves are a colorful mix of green, white &amp; pink that turn mostly green with some white in summer then yellow in fall; young stems are dark red in winter; broad bushy shrub to about 5' tall &amp; wide; branching starts at about 3-4' on a single stem; tolerates Black Locust &amp; dryer soils than most Willows; locate in full sun &amp; moisture retentive organic neutral to acidic soil; eastern Asian native; Zones 4 - 7</i>		5'	15g 20g	 
<b>Thuja occidentalis 'Hetz Midget'</b> Dwarf Globe American Arborvitae; Dwarf Globe White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dense green globe; 3-4' maximum height; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Hetz) Zones 3 - 7</i>			1g 2g 3g 5g	   
<b>Thuja occidentalis 'Smaragd'</b> <b>SPIRAL</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; broadly twisting band around a central stem; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Poulsen N) Zones (4) 5 - 7</i>			25g	 
<b>Tsuga canadensis 'Pendula'</b> Sargent Weeping Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; small light brown cones in late summer; short dark green needles; graceful wide-spreading habit whose shape will be somewhat determined by staking; will be much wider than tall if left alone; adelgid can be controlled by reducing stress with adequate moisture; resists deer browse and Black Walnut; protect from winter winds in colder areas; locate in full sun or full shade &amp; moisture retentive well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>		4 - 5' 5 - 6'	B&B B&B	 

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	

## 16 / December 15, 2023