

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.           | SIZE   | ROOTS                                  | QNTY                           |
|---|------------------|--|--|--------------------------------|
| <b>Acer circinatum 'Burgundy Jewel'</b><br>Oregon Vine Maple<br><i>DECIDUOUS ORNAMENTAL TREE; spring foliage opens orange with yellow veins before maturing to dark red in summer - especially in full sun; bushy upright habit to about 6' tall by 4' wide in 10 years; red samaras in late spring; fall foliage is a mix of bright orange &amp;/or red; locate in full or morning sun &amp; moist organic well-drained soil; native to Pacific northwest; Zones 5 - 6 (7)</i>   |                  | 4 - 5'<br>5 - 6'   | B&B<br>B&B                             | <br>N<br>N                     |
| <b>Acer griseum</b><br>Paperbark Maple<br><i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide or larger; there is a single trunk for 3' to 6' or possibly more; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>  | <b>TREE FORM</b> | 6 - 7' / 1.75"c<br>7 - 8' / 2"c<br>8 - 10' / 2.25"c          | B&B<br>B&B<br>B&B                      | <br>N<br>N                     |
| <b>Acer japonicum 'Aconitifolium'</b><br>Full Moon Maple; Dancing Peacock Maple<br><i>DECIDUOUS ORNAMENTAL TREE; large deeply dissected green leaves in spring &amp; summer; brilliant variable red to orange fall color for an extended period; prominent maroon samaras in fall; broadly upright habit to 30'+ tall &amp; usually wider; locate in partial shade or full sun &amp; moist organic well-drained slightly acidic soil; Japanese native; Zones 5 - 7</i>  |                  | 4 - 5'<br>5 - 6'<br>6 - 7'                                   | B&B<br>B&B<br>B&B                      | <br>N<br>N                     |
| <b>Acer palmatum 'Bloodgood'</b><br>Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; dark red spring &amp; summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching usually starts about 12-18" above grade; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>  |                  | 3 - 4'<br>4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'<br>7 - 8'     | 10g<br>B&B<br>20g<br>B&B<br>B&B<br>B&B | <br>N<br>N<br>N<br>N<br>N<br>N |
| <b>Acer palmatum 'Crimson Queen'</b><br>Red Laceleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage into mid-summer; summer foliage is reddish-green; fall foliage is scarlet; compact mounding spreading habit to about 10' tall by 15' wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>  |                  | 24 - 30" spr<br>30 - 36" spr<br>36 - 42" spr<br>36 - 42" spr | B&B<br>B&B<br>15g<br>B&B               | <br><br>N<br><br>              |
| <b>Acer palmatum Emperor 1® ('Wolff')</b><br>Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i>   |                  | 3 - 4'<br>4 - 5'<br>4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'     | 10g<br>10g<br>B&B<br>15g<br>B&B<br>B&B | <br>N<br>N<br>N<br>N<br><br>   |
| <b>Acer palmatum 'Gable Glory'</b><br>Chameleon Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; new growth opens a bright orange-red that is effective for about 8 weeks; during the summer the foliage changes colors like a chameleon; bark is a yellowish-orange all year &amp; is especially ornamental in winter; irregular upright habit that will be half to a third as wide as tall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Kraxberger) Zones 6 - 7</i> | <b>BUSH</b>      | 3 - 4'<br>4 - 5'<br>5 - 6'                                   | B&B<br>B&B<br>B&B                      | <br>N<br>N<br>N                |
| <b>Acer palmatum 'Gable Glory'</b><br>Chameleon Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; new growth opens a bright orange-red that is effective for about 8 weeks; during the summer the foliage changes colors like a chameleon; bark is a yellowish-orange all year &amp; is especially ornamental in winter; irregular upright habit that will be half to a third as wide as tall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Kraxberger) Zones 6 - 7</i> | <b>TREE FORM</b> | 3 - 4'<br>4 - 5'<br>5 - 6'                                   | B&B<br>B&B<br>B&B                      | <br>N<br>N<br>N                |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE         | ROOTS | QNTY  |          |
|---|--------|--------------|-------|-------|----------|
| <b>Acer palmatum 'Mikawa yatsubusa'</b><br>Dwarf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; compact upright spreading habit to about 10' tall &amp; equally wide at maturity; very tightly layered foliage emerges yellowish before turning dark green by summer; fall foliage is yellow to orange or reddish; brilliant red samaras appear in late spring; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>   |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
|   |        | 36 - 42"     | B&B   | _____ | <b>N</b> |
|   |        | 42 - 48"     | 10g   | _____ | <b>N</b> |
|   |        | 42 - 48"     | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Orangeola'</b><br>Laceleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summer; a second summer flush of orange-red foliage contrasts beautifully with the darker green mature foliage; persistent bright orange-red fall foliage; compact weeping mound to about 10' tall by 7-8' wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Kraxberger) Zones 5 - 7</i>  |        | 24 - 30" spr | B&B   | _____ | <b>N</b> |
|   |        | 30 - 36" spr | B&B   | _____ |          |
|   |        | 36 - 42" spr | B&B   | _____ |          |
| <b>Acer palmatum 'Pixie'</b><br>Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; deeply cut reddish-pink spring foliage matures to deep red by summer &amp; bright scarlet in fall; sport of 'Bloodgood'; compact upright habit to about 6' tall by 5' wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>  |        | 5 - 6'       | B&B   | _____ | <b>N</b> |
|   |        | 6 - 7'       | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Pung Kil'</b><br>Red Strapleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; emerging foliage is bright red with deeply cut lobes to the petiole; summer color is retained before turning bright red in fall; bushy upright habit to about 6' tall by 4' wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; introduced from Korea; Japanese native; Zones 5 - 7</i>  |        | 4 - 5'       | 10g   | _____ | <b>N</b> |
|   |        | 4 - 5'       | B&B   | _____ | <b>N</b> |
|   |        | 5 - 6'       | B&B   | _____ | <b>N</b> |
|   |        | 6 - 7'       | 10g   | _____ | <b>N</b> |
|   |        | 6 - 7'       | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Purple Ghost'</b><br>Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; bright red, deeply lobed, spring foliage turns darker red to purplish-green in summer; darker venation in spring is not evident in summer; fall color will range from orange to scarlet; broadly upright than 'Bloodgood'; will reach 20' or more tall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Buchholz) Zones 5 - 7</i> |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
|   |        | 3 - 4'       | B&B   | _____ | <b>N</b> |
|   |        | 5 - 6'       | B&B   | _____ | <b>N</b> |
|   |        | 6 - 7'       | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Red Dragon'</b><br>Red Laceleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; foliage opens bright scarlet maturing to deep red with a silvery cast in summer; fall foliage is again scarlet; slow to moderate compact spreading habit to about 5' high &amp; wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Duncan &amp; Davies) Zones 5 - 7</i>   |        | 24 - 30" spr | 15g   | _____ | <b>N</b> |
|   |        | 24 - 30" spr | B&B   | _____ |          |
|   |        | 30 - 36" spr | 15g   | _____ | <b>N</b> |
|   |        | 30 - 36" spr | B&B   | _____ |          |
|   |        | 36 - 42" spr | B&B   | _____ | <b>N</b> |
|   |        | 42 - 48" spr | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Rhode Island Red'</b><br>Dwarf Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; new foliage is dark purple-red which becomes greenish-red in summer; fall exhibits bright crimson to orange foliage; dark red stems add winter interest; very compact bushy habit to 6' tall by 5' wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 8</i>                                    |        | 18 - 24"     | B&B   | _____ |          |
|   |        | 24 - 30"     | B&B   | _____ | <b>N</b> |
|   |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
| <b>Acer palmatum 'Sango kaku' / 'Senkaki'</b><br>Coral Bark Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; bright green spring &amp; summer foliage turns bright shades of yellow &amp; gold in fall; winter bark is bright electric red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; tends to grow late into the fall which can cause tip die-back from early frosts; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 6 - 7</i>             |        | 5 - 6'       | B&B   | _____ | <b>N</b> |
|   |        | 6 - 7'       | B&B   | _____ | <b>N</b> |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE   | ROOTS   | QNTY |  |
|--|--------|--|---|------|--|
| <b>Acer palmatum 'Shishigashira'</b><br>Lion's Head Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; crinkly green layered foliage all spring &amp; summer turns shades of gold &amp; crimson in fall; green bark; slow broadly upright to vase-shaped habit that will be as wide or wider than tall; natural bonsai look; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>   |        | 30 - 36"<br>36 - 42"<br>42 - 48"   | B&B<br>B&B<br>B&B                             |      | <br><b>N</b><br><b>N</b>                                     |
| <b>Acer palmatum 'Sister Ghost'</b><br>Variegated Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; deeply dissected foliage has narrow lobes that open very light green with darker veins, sometimes with a little light pink; summer foliage is mostly green; foliage turns shades of bright orange &amp; yellow with some red; upright habit; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Buchholz) Zones 5 - 9</i>  |        | 3 - 4'<br>4 - 5'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Acer palmatum 'Tamuke yama'</b><br>Red Laceleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage holds color well through summer before turning bright scarlet; vigorous spreading horizontal habit to about 4' tall by 6' wide &amp; larger at maturity; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7</i>   |        | 24 - 30" spr<br>30 - 36" spr<br>30 - 36" spr<br>36 - 42" spr<br>36 - 42" spr<br>42 - 48" spr<br>42 - 48" spr | B&B<br>15g<br>B&B<br>15g<br>B&B<br>15g<br>B&B |      | <b>N</b><br><b>N</b><br><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Acer palmatum 'Twombly's Red Sentinel'</b><br>Fastigiate Red Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; this sport of 'Bloodgood' is more upright with slightly lighter burgundy foliage; it's a moderate grower which will mature about 20' with a spread of about 15'; foliage turns shades of crimson in fall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>   |        | 4 - 5'<br>5 - 6'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Acer palmatum 'Viridis'</b><br>Green Laceleaf Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; medium green deeply dissected foliage; broadly spreading mounding habit; grows slower than 'Waterfall' &amp; branches grow more horizontally; bright orange yellow &amp; gold fall foliage; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>  |        | 24 - 30" spr<br>30 - 36" spr<br>30 - 36" spr<br>36 - 42" spr   | B&B<br>15g<br>B&B<br>B&B                      |      | <br><b>N</b><br><b>N</b><br><b>N</b>                         |
| <b>Acer palmatum 'Winter Orange'</b><br>Orange Bark Japanese Maple<br><i>DECIDUOUS ORNAMENTAL TREE; inconspicuous red &amp; white flowers in spring; small winged samaras appear in late spring &amp; mature in fall; orange 5-lobed orange leaves appear in spring before turning lime green by summer then turning bright yellow &amp; orange in fall; in late fall the younger branches turn reddish-orange, putting on a show until spring; upright spreading habit to about 12' by 8' wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil that's neutral to acidic; Japanese native; Zones 5 - 7</i> |        | 5 - 6'<br>6 - 7'<br>7 - 8'   | B&B<br>B&B<br>B&B                             |      | <b>N</b><br><b>N</b><br><b>N</b>                             |
| <b>Acer shirasawanum Moonriseâ„¢ ('Munn 001')</b><br>Golden Full Moon Maple<br><i>DECIDUOUS ORNAMENTAL TREE; carmine red new foliage in spring with lime green venation; summer foliage is chartreuse;; fall brings shades of yellow, orange &amp; red; more sun tolerant than 'Aureum'; rapid grower to about 20'; locate in full to partial sun &amp; well-drained moisture retentive soil; may be more heat &amp;/or cold tolerant than other A. shirasawanum cultivars; Asian native (Munn) Zones 5 - 7</i>  |        | 4 - 5'<br>4 - 5'<br>5 - 6'   | 15g<br>B&B<br>B&B                             |      | <b>N</b><br><br><b>N</b>                                     |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL.       | SIZE   | ROOTS  | QNTY |  |
|--|--------------|--|--|------|--|
| <b>Azalea 'Golden Lights'</b><br>Yellow Northern Lights Azalea<br><i>DECIDUOUS FLOWERING SHRUB; yellow flowers; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; - 40Å, ° F</i>   |              |  | 7g   |      | <b>N</b>   |
| <b>Azalea 'Lemon Lights'</b><br>Yellow Northern Lights Azalea<br><i>DECIDUOUS FLOWERING SHRUB; yellow flowers in mid May; sterile flowers don't produce seeds; compact habit to 4'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 4 - 7</i>  |              |  | 7g   |      | <b>N</b>   |
| <b>Buxus x 'Green Gem'</b><br>Dwarf Hybrid Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark glossy green summer foliage tends to bronze in winter; rounded mound to about 2' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>  |              | 12 - 15" spr<br>15 - 18" spr<br>18 - 21" spr<br>21 - 24" spr<br>24 - 30" spr     | B&B<br>B&B<br>B&B<br>B&B<br>B&B              |      | <b>N</b>   |
| <b>Buxus x 'Green Mountain'</b><br>Pyramidal Hybrid Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i> | <b>BUSH</b>  | 24 - 30"<br>30 - 36"<br>36 - 42"   | 3g<br>B&B<br>B&B<br>B&B                      |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                                     |
| <b>Buxus x 'Green Mountain'</b><br>Pyramidal Hybrid Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>           | <b>CONE</b>  | 18 - 21"<br>21 - 24"<br>24 - 30"<br>24 - 30"<br>30 - 36"<br>36 - 42"<br>42 - 48" | B&B<br>B&B<br>6g<br>B&B<br>B&B<br>B&B<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Buxus x 'Green Mountain'</b><br>Pyramidal Hybrid Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into formal round globes; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>         | <b>GLOBE</b> | 21 - 24"<br>24 - 30"<br>30 - 36"   | B&B<br>B&B<br>B&B                            |      | <b>N</b>   |
| <b>Buxus x 'Green Velvet'</b><br>Hybrid Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>  |              | 15 - 18" spr<br>18 - 21" spr<br>21 - 24" spr<br>24 - 30" spr                     | B&B<br>B&B<br>B&B<br>B&B                     |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                                     |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.                 | SIZE         | ROOTS     | QNTY |          |
|---|------------------------|--------------|-----------|------|----------|
| <b>Buxus microphylla 'Green Beauty'</b>   |                        | 18 - 21"     | B&B       |      | <b>N</b> |
|   | <b>GLOBE</b>           | 21 - 24"     | B&B       |      | <b>N</b> |
| Japanese Littleleaf Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact globular mound to about 3' &amp; wide; suitable in all sun exposures; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9)</i>  |                        | 24 - 30"     | B&B       |      | <b>N</b> |
| <b>Buxus microphylla 'John Baldwin'</b>   |                        | 18 - 24"     | B&B       |      | <b>N</b> |
|   | <b>CONE</b>            | 24 - 30"     | B&B       |      |          |
| Columnar Littleleaf Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; small bluish spring foliage matures to blue-green; compact pyramidal habit to about 4' tall by 3' wide at maturity; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>  |                        | 30 - 36"     | B&B       |      |          |
|   |                        | 36 - 42"     | B&B       |      |          |
|   |                        | 42 - 48"     | B&B       |      | <b>N</b> |
| <b>Buxus microphylla 'John Baldwin'</b>   |                        | 24 - 30"     | B&B       |      |          |
|   | <b>OBELISK</b>         |              |           |      |          |
| Columnar Littleleaf Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; small bluish spring foliage matures to blue-green; compact pyramidal habit to about 4' tall by 3' wide at maturity; sheared into narrow upright 4-sided pyramids; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>  |                        |              |           |      |          |
| <b>Buxus microphylla 'Little Missy'</b>   |                        | 12 - 15" spr | 2g<br>B&B |      | <b>N</b> |
| Japanese Littleleaf Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; small lustrous dark green foliage through the winter; tight spreading mound to about 2' tall by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japanese native (Cole) Zones (5) 6 - 9</i>  |                        | 15 - 18" spr | B&B       |      |          |
| <b>Buxus sempervirens</b>   |                        | 30 - 36"     | 7g        |      | <b>N</b> |
|   | <b>2 - BALL POODLE</b> |              |           |      |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; two balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |                        |              |           |      |          |
| <b>Buxus sempervirens</b>   |                        | 15 - 18" spr | 10g       |      | <b>N</b> |
|   | <b>2' STANDARD</b>     |              |           |      |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; rounded heads on a single trunk at 24" above the ground; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>           |                        |              |           |      |          |
| <b>Buxus sempervirens</b>   |                        | 42 - 48"     | 7g        |      | <b>N</b> |
|   | <b>3 - BALL POODLE</b> | 42 - 48"     | 15g       |      | <b>N</b> |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; three balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i> |                        |              |           |      |          |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.         | SIZE     | ROOTS | QNTY     |
|---|----------------|----------|-------|----------|
| <b>Buxus sempervirens</b>   | <b>BUSH</b>    | 30 - 36" | B&B   |          |
|   |                | 36 - 42" | B&B   |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |                | 42 - 48" | B&B   | <b>N</b> |
| <b>Buxus sempervirens</b>   | <b>COLUMN</b>  | 36 - 42" | B&B   |          |
|   |                | 42 - 48" | B&B   |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; sheared into an upright column that's about half as wide as high; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |                | 48 - 54" | B&B   |          |
|   |                | 54 - 60" | B&B   | <b>N</b> |
| <b>Buxus sempervirens</b>   | <b>CONE</b>    | 24 - 30" | B&B   |          |
|   |                | 30 - 36" | B&B   |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; sheared into tight formal rounded cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>  |                | 36 - 42" | B&B   |          |
|   |                | 42 - 48" | B&B   | <b>N</b> |
|   |                | 48 - 54" | B&B   | <b>N</b> |
|   |                | 54 - 60" | B&B   | <b>N</b> |
| <b>Buxus sempervirens</b>   | <b>GLOBE</b>   | 18 - 21" | B&B   |          |
|   |                | 21 - 24" | 7g    |          |
| Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; sheared into round balls; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |                | 24 - 30" | B&B   |          |
| <b>Buxus sempervirens</b>   | <b>OBELISK</b> | 48 - 54" | 20g   | <b>N</b> |
| Common Boxwood; American Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; sheared into tight formal cones with square sides; the base is about 1/4 the width of the height; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i> |                |          |       |          |
| <b>Buxus sempervirens 'Dee Runk'</b>  |                | 42 - 48" | B&B   |          |
| Columnar Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>   |                | 48 - 54" | B&B   |          |
|   |                | 54 - 60" | B&B   | <b>N</b> |
|   |                | 60 - 66" | B&B   | <b>N</b> |
|   |                | 66 - 72" | B&B   | <b>N</b> |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL.        | SIZE     | ROOTS | QNTY  |          |
|--|---------------|----------|-------|-------|----------|
| <b>Buxus sempervirens 'Dee Runk'</b><br>Columnar Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark evergreen foliage; sheared into tight formal spirals; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i> | <b>SPIRAL</b> | 48 - 54" | B&B   | _____ | <b>N</b> |
|  |               | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               | 5 - 6'   | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Graham Blandy'</b><br>Columnar Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark green foliage; very narrow upright habit to about 10' tall by 2' wide; narrower but more susceptible to disease &amp; insects than other columnar forms; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 7</i>   |               | 42 - 48" | B&B   | _____ | <b>N</b> |
|  |               | 48 - 54" | B&B   | _____ | <b>N</b> |
|  |               | 54 - 60" | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Highlander'</b><br>Upright Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; slightly larger foliage than the species with good winter color; rapid upright to pyramidal habit attaining about 7' height by 3' width in 5 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Cole) Zones 5 - 9</i>   | <b>COLUMN</b> | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               | 60 - 66" | B&B   | _____ | <b>N</b> |
|  |               | 5 - 6'   | B&B   | _____ | <b>N</b> |
|  |               | 6 - 7'   | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Newport Blue'</b><br>Blue Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; blue-green foliage that doesn't bronze in winter; compact upright habit to about 4' tall &amp; wide in 10 years; sheared to be about half as wide as tall; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Boulevard N) Zones 5 - 8</i>  | <b>COLUMN</b> | 42 - 48" | B&B   | _____ | <b>N</b> |
|  |               | 48 - 54" | B&B   | _____ | <b>N</b> |
|  |               | 54 - 60" | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Newport Blue'</b><br>Blue Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; blue-green foliage that doesn't bronze in winter; compact upright habit to about 4' tall &amp; wide in 10 years; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Boulevard N) Zones 5 - 8</i>  | <b>CONE</b>   | 18 - 24" | B&B   | _____ | <b>N</b> |
|  |               | 24 - 30" | B&B   | _____ |          |
|  |               | 30 - 36" | B&B   | _____ |          |
|  |               | 36 - 42" | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Pyramidalis'</b><br>Columnar Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; glossy oval dark green foliage without winter bronzing; narrow columnar upright habit to about 14' tall by 6' wide at 40 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |               | 3 - 4'   | B&B   | _____ | <b>N</b> |
|  |               | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               | 54 - 60" | B&B   | _____ | <b>N</b> |
|  |               | 5 - 6'   | B&B   | _____ | <b>N</b> |
|  |               | 6 - 7'   | B&B   | _____ | <b>N</b> |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL.        | SIZE     | ROOTS | QNTY  |          |
|--|---------------|----------|-------|-------|----------|
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; two balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>           | <b>2-BALL</b> | 30 - 36" | B&B   | _____ | <b>N</b> |
|  |               | 3 - 4'   | B&B   | _____ | <b>N</b> |
|  |               | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; three balls sheared about the same size with a stem between each of them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i> | <b>3-BALL</b> | 3 - 4'   | B&B   | _____ | <b>N</b> |
|  |               | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   | <b>BUSH</b>   | 30 - 36" | B&B   | _____ | <b>N</b> |
|  |               | 36 - 42" | B&B   | _____ | <b>N</b> |
|  |               | 42 - 48" | B&B   | _____ | <b>N</b> |
|  |               | 48 - 54" | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; sheared into an upright column that's about half as wide as high; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>         | <b>COLUMN</b> | 42 - 48" | B&B   | _____ |          |
|  |               | 4 - 5'   | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
|  |               |          |       |       |          |
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   | <b>CONE</b>   | 30 - 36" | B&B   | _____ | <b>N</b> |
|  |               | 36 - 42" | B&B   | _____ | <b>N</b> |
|  |               | 42 - 48" | B&B   | _____ | <b>N</b> |
|  |               | 48 - 54" | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Rotundifolia'</b><br><br>Roundleaf Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; sheared into tight round balls; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   | <b>GLOBE</b>  | 21 - 24" | B&B   | _____ | <b>N</b> |
|  |               | 24 - 30" | B&B   | _____ | <b>N</b> |
|  |               |          |       |       |          |
|  |               |          |       |       |          |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE         | ROOTS | QNTY  |          |
|---|--------|--------------|-------|-------|----------|
| <b>Buxus sempervirens 'Vardar Valley'</b><br>Dwarf Spreading Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; dark blue-green evergreen foliage; low compact spreading habit to about 4' tall by 6'+ wide in time; one of the most resistant to boxwood diseases &amp; insects; resists deer &amp; rabbit browse; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |        | 15 - 18" spr | B&B   | _____ | <b>N</b> |
|   |        | 18 - 21" spr | B&B   | _____ | <b>N</b> |
|   |        | 21 - 24" spr | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30" spr | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Variegata'</b><br>3 - BALL POODLE<br>Variegated Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; three balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i> |        | 30 - 36"     | 10g   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Variegata'</b><br>BUSH<br>Variegated Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>  |        | 21 - 24"     | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30"     | B&B   | _____ | <b>N</b> |
|   |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Variegata'</b><br>COLUMN<br>Variegated Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; sheared into an upright column that's about half as wide as high; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>          |        | 21 - 24"     | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30"     | B&B   | _____ | <b>N</b> |
|   |        | 30 - 36"     | 10g   | _____ | <b>N</b> |
|   |        | 30 - 36"     | B&B   | _____ |          |
|   |        | 36 - 42"     | B&B   | _____ |          |
| <b>Buxus sempervirens 'Variegata'</b><br>CONE<br>Variegated Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>  |        | 21 - 24"     | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30"     | B&B   | _____ |          |
|   |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
|   |        | 36 - 42"     | B&B   | _____ | <b>N</b> |
| <b>Buxus sempervirens 'Variegata'</b><br>GLOBE<br>Variegated Common Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; sheared into round balls; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>   |        | 21 - 24"     | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30"     | B&B   | _____ | <b>N</b> |
|   |        | 36 - 42"     | B&B   | _____ | <b>N</b> |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE  | ROOTS                                  | QNTY   |
|--|--------|---|--|--|
| <b>Buxus sinica var. insularis 'Tide Hill'</b><br>Dwarf Korean Littleleaf Boxwood<br><i>BROADLEAF EVERGREEN SHRUB; medium green foliage will sunburn in summer without afternoon or filtered shade; slow growing broadly spreading habit to about 15" tall &amp; much wider; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones (5) 6 - 9</i>  |        |   | 1g<br>3g                               | <b>N</b>                                     |
| <b>Cedrus atlantica 'Blue Cascade'</b><br>Weeping Blue Atlas Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; horizontal to weeping habit; blue evergreen needles; plant's characteristics will vary according to staking; these plants are staked between 3' &amp; 5' &amp; allowed to spread; in 5 to 8 years, they will have the same profile as a low grafted Laceleaf Japanese Maple; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i> |        | horizontal  | 15g                                    |  |
|  |        |   |  | <b>LOW STAKED</b>                            |
| <b>Cedrus atlantica 'Fastigiata'</b><br>Columnar Atlas Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; bluish-green needle; narrowly pyramidal habit to about 12" tall by 6' wide in 10 years; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>  |        | 5 - 6'<br>6 - 7'  | B&B<br>B&B                             | <b>N</b><br><b>N</b>                         |
| <b>Cedrus atlantica 'Glauca'</b><br>Blue Atlas Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; dark blue evergreen needles; somewhat open &amp; upright when young; matures to a large pyramid or irregular flat-topped shape; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>  |        | 5 - 6'<br>6 - 7'<br>6 - 7'<br>7 - 8'<br>8 - 9'<br>9 - 10' | B&B<br>20g<br>B&B<br>B&B<br>B&B<br>B&B | <b>N</b><br><b>N</b><br><br><br><br><b>N</b> |
| <b>Cedrus atlantica 'Glauca Pendula'</b><br>Weeping Blue Atlas Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>   |        | 4 - 5'<br>5 - 6'  | B&B<br>B&B                             |  |
|  |        |   |  | <b>SERPENTINE</b>                            |
| <b>Cedrus atlantica 'Horstmann'</b><br>Compact Blue Atlas Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles on a compact upright plant; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>  |        | 4 - 5'<br>5 - 6'<br>6 - 7'<br>7 - 8'                      | B&B<br>B&B<br>B&B<br>B&B               | <b>N</b><br><b>N</b>                         |
| <b>Cedrus deodara 'Electra' / 'Electra Blue' / 'Bush's Electra'</b><br>Compact Blue Deodara Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal evergreen with steel-blue needles; horizontal lateral branches are fairly close together to create a full pyramidal tree; grows 6 - 12" per year; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya (Bush) Zones 6 - 9</i>   |        | 5 - 6'<br>6 - 7'<br>7 - 8'                                | B&B<br>B&B<br>B&B                      | <b>N</b><br><b>N</b>                         |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE  | ROOTS                           | QNTY                |
|--|--------|---|---------------------------------|---------------------|
| <b>Cedrus deodara 'Karl Fuchs'</b><br>Hardy Blue Deodara Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; steel blue foliage; large grower en excess of 60'; slightly pendulous branching; narrower profile than the species; very hardy selection from the mountains of Afghanistan; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; selection from Afghanistan (Fuchs) Zones (5) 6 - 9</i>     |        | 6 - 7'<br>7 - 8'                                | B&B<br>B&B                      | <br>N               |
| <b>Cedrus deodara 'Kashmir'</b><br>Hardy Deodara Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; hardy strain with long dark evergreen needles; open habit when young; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya (Styer) Zones (6) 7 - 9</i>   |        | 5 - 6'<br>6 - 7'<br>7 - 8'<br>8 - 9'<br>9 - 10' | B&B<br>B&B<br>B&B<br>B&B<br>B&B | <br><br>N<br>N<br>N |
| <b>Cedrus deodara 'Snow Sprite'</b><br>Compact Golden Deodara Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; compact upright or vase shaped; creamy-white new growth matures to a creamy yellow; best with some light or afternoon shade to prevent burned foliage; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya (Goddard N) Zones (6) 7 - 9</i> |        | 24 - 30"  | 7g                              | N                   |
| <b>Cedrus deodara 'Well's Golden'</b><br>Golden Deodara Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; compact upright pyramidal habit; locate in full to mostly sunny locations with good organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya (Wells) Zones (6) 7 - 9</i>   |        | 5 - 6'<br>6 - 7'<br>7 - 8'                      | B&B<br>B&B<br>B&B               | <br><br>N           |
| <b>Cedrus libani 'Pendula'</b><br>Weeping Cedar-of-Lebanon<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; prominent cones; strictly weeping habit whose shape is mostly dependent on how it's staked; good for narrow spaces; somewhat tolerant of deer browse &amp; drought; not tolerant of air pollution; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive acidic soil; protect from winter winds in northern range; native to Asia Minor; Zones (5) 6 - 7</i>           |        | 7 - 8'<br>8 - 9'<br>9 - 10'                     | B&B<br>B&B<br>B&B               | <br>N<br>N          |
| <b>Cephalotaxus harringtonia 'Duke Gardens'</b><br>Spreading Plum Yew<br><i>EVERGREEN CONIFER; medium to dark green needles; fairly slow growing compact spreading mound, getting about as wide as high; locate in full sun to moderate shade &amp; any soil with reasonable drainage; PHS Gold Metal winner; Asian native; Zones 6 - 8 (9)</i>  |        |   | 3g                              |                     |
| <b>Cephalotaxus harringtonia 'Fastigiata'</b><br>Fastigate Plum Yew<br><i>EVERGREEN CONIFER; narrow upright when young; gets much wider at maturity; new yellowish spring foliage turns dark green when mature; slow grower; resistant to deer browse; locate in full sun to moderate shade &amp; most soils with reasonable drainage; Asian native; Zones 6 - 9</i>   |        |   | 3g                              | N                   |
| <b>Chamaecyparis nootkatensis 'Glauca Pendula'</b><br>Blue Weeping Alaskan Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of blue-green foliage; pronounced single leader with branchlets hanging downward from horizontal lateral branches; open layered pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i>                       |        | 5 - 6'<br>6 - 7'<br>7 - 8'                      | B&B<br>B&B<br>B&B               | <br><br>N           |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.         | SIZE     | ROOTS | QNTY  |          |
|---|----------------|----------|-------|-------|----------|
| <b>Chamaecyparis nootkatensis 'Green Arrow'</b><br>Narrow Weeping Alaskan Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader with all branches hanging almost straight downward; very narrow profile to about 18' tall &amp; 3' wide in 10 years; sometimes develops a broad skirt at the base; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native (Bentham &amp; Buchholz) [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i> |                | 5 - 6'   | B&B   | _____ | <b>N</b> |
|   |                | 6 - 7'   | B&B   | _____ | <b>N</b> |
|   |                | 7 - 8'   | B&B   | _____ | <b>N</b> |
|   |                | 8 - 9'   | B&B   | _____ | <b>N</b> |
|   |                |          |       |       |          |
| <b>Chamaecyparis obtusa 'Aurea'</b><br>Compact Golden Hinoki Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal upright habit, but not dwarf; bright gold foliage can burn in full sun; provide good drainage &amp; adequate moisture; Zones 5 - 8</i>   |                | 24 - 30" | B&B   | _____ | <b>N</b> |
|   |                | 30 - 36" | B&B   | _____ | <b>N</b> |
|   |                | 3 - 4'   | B&B   | _____ | <b>N</b> |
|   |                | 4 - 5'   | B&B   | _____ | <b>N</b> |
|   |                | 5 - 6'   | B&B   | _____ | <b>N</b> |
| <b>Chamaecyparis obtusa 'Filicoides'</b><br>Fernspray Hinoki Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; flat dark green fish bone-like evergreen foliage; pyramidal with central leader; will be loose without shearing; provide good drainage &amp; adequate moisture; Zones 5 - 8</i>  |                | 30 - 36" | B&B   | _____ | <b>N</b> |
|   |                | 3 - 4'   | B&B   | _____ | <b>N</b> |
|   |                | 4 - 5'   | B&B   | _____ | <b>N</b> |
|   |                | 5 - 6'   | B&B   | _____ | <b>N</b> |
| <b>Chamaecyparis obtusa Night Light<sup>®</sup> (Conschlecht')</b><br>Golden Hinoki Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; golden spring &amp; summer foliage turns bronze in winter; rounding mounding habit to about 4' tall &amp; wide in 10 years; best color in full sun; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Star / So. Living) Zones 5 - 8</i>   |                |          | 10g   | _____ | <b>N</b> |
| <b>Chamaecyparis obtusa 'Verdon'</b><br>Dwarf Golden Hinoki Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; very slow compact broadly upright habit; bright gold evergreen foliage tends not to burn in full hot sun with adequate moisture; provide good drainage &amp; adequate moisture; Zones 5 - 8</i>   |                | 24 - 30" | 15g   | _____ | <b>N</b> |
|   |                | 30 - 36" | 15g   | _____ | <b>N</b> |
|   |                | 36 - 42" | 15g   | _____ | <b>N</b> |
| <b>Chamaecyparis obtusa 'Well's Special'</b><br>Hinoki Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; fairly rapid upright form; dark evergreen foliage and vigorous growth are similar to the species, but it's not quite as vigorous; provide good drainage &amp; adequate moisture; Zones 5 - 8</i>   |                | 3 - 4'   | B&B   | _____ | <b>N</b> |
|   |                | 4 - 5'   | 20g   | _____ | <b>N</b> |
|   |                | 4 - 5'   | B&B   | _____ | <b>N</b> |
|   |                | 5 - 6'   | B&B   | _____ |          |
| <b>Chamaecyparis pisifera 'Cyano Viridis' / 'Boulevard'</b><br>Boulevard Blue Moss Cypress; Blue Sawara Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; sheared balls at the ends of selectively retained branches radiating out from the central trunk; locate in full to mostly sunny location with neutral to acidic organic moisture retentive soil that drains well; Japanese native; Zones 4 - 8</i>  |                | 3 - 4'   | 10g   | _____ |          |
|   | <b>POM POM</b> | 4 - 5'   | 15g   | _____ |          |
| <b>Chamaecyparis pisifera filifera 'Aurea Nana'</b><br>Dwarf Golden Sawara Cypress; Dwarf Gold Thread Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; flat scale-like sprays of golden foliage on the outside of the plant; inner foliage is green; very compact broadly upright habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location &amp; neutral to acidic organic well-drained moisture retentive soil; Japanese native; Zones 4 - 8</i>  |                |          | 3g    | _____ |          |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE                                 | ROOTS                    | QNTY                             |
|--|--------|--------------------------------------|--------------------------|----------------------------------|
| <b>Chamaecyparis pisifera 'Golden Mop'</b><br>Bright Gold Thread Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage; compact broadly spreading habit; can take some shade; likes full sun or light shade and well drained soils; Zones 4 - 8</i>  |        |                                      | 1g<br>3g<br>7g           | <b>N</b>                         |
| <b>Chamaecyparis pisifera 'Minima'</b><br>Dwarf Sawara Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; blue-green foliage; very compact spreading mound to about 1' tall by 18" wide in 10 years ; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>  |        |                                      | 3g<br>6g                 | <b>N</b>                         |
| <b>Chamaecyparis pisifera 'Minima Variegated'</b><br>Variegated Dwarf Sawara Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; blue-green foliage with irregular flecks of creamy yellow; very compact spreading mound to about 1' tall by 18" wide in 10 years ; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>   |        |                                      | 3g                       |                                  |
| <b>Cryptomeria japonica 'Black Dragon'</b><br>Compact Japanese Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; light green new growth matures to a very dark green; slow upright to irregular pyramidal habit to about 5' tall by 2-3' wide in 10 years; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; native to China &amp; Japan (Iseli) Zones (5) 6 - 8</i>  |        | 3 - 4'                               | 7g<br>7g<br>10g          |                                  |
| <b>Cryptomeria japonica 'Yoshino'</b><br>Pyramidal Japanese Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; bright green spring &amp; summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; tolerates deer browse &amp; drought; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; PHS Gold Metal; native to China &amp; Japan; Zones (5) 6 - 8</i> |        | 5 - 6'                               | 15g                      | <b>N</b>                         |
| <b>Cupressus glabra 'Blue Ice' / 'Blue Pyramid'</b><br>Blue Arizona Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; powder-blue foliage; loose lateral branching; pyramidal to columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun &amp; any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>  |        | 5 - 6'                               | 10g                      |                                  |
| <b>Cupressus leylandii</b><br>Leyland Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage all year; fast-growing pyramidal habit to as much as 50' tall by 20' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] Zones 6 - 10</i>  |        | 5 - 6'<br>6 - 7'<br>7 - 8'<br>8 - 9' | 10g<br>B&B<br>B&B<br>B&B | <b>N</b><br><b>N</b><br><b>N</b> |
| <b>Cupressus leylandii 'Gold Rider'</b><br>Golden Leyland Cypress<br><i>EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sumburn; pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Vergeer) Zones 6 - 10</i>                      |        | 5 - 6'<br>6 - 7'<br>7 - 8'           | B&B<br>B&B<br>B&B        | <b>N</b><br><b>N</b><br><b>N</b> |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE   | ROOTS                           | QNTY |  |
|--|--------|--|---------------------------------|------|--|
| <b>Daphne x burkwoodii 'Carol Mackie'</b><br>Variegated Burkwood Daphne<br><i>DECIDUOUS FLOWERING SHRUB; very fragrant light pink flowers in May; brilliant creamy edged semi-evergreen foliage; bushy spreading habit to about 3' tall by 4' wide; locate in light to medium shade &amp; well drained moisture retentive soils of neutral pH; finicky, but worth it; European cross; Zones (6) 7 - 9</i>  |        | 18 - 24"                                       | 7g                              |      | <b>N</b>   |
| <b>Daphne x transatlantica Eternal Fragranceã„¢ ('Blafra')</b><br>Hybrid Daphne<br><i>DECIDUOUS FLOWERING SHRUB; intensely fragrant very pale pink flowers in spring &amp; sporadic white flowers into fall; compact ball-like habit about to 3' tall &amp; wide; can be semi-evergreen or evergreen in southern range; locate in light to medium shade &amp; organic well-drained moisture retentive soils that's neutral to slightly acidic [D. caucasica x D. collina] Zones (6) 7 - 8</i>  |        | 18 - 24"<br>24 - 30"                           | 7g<br>7g                        |      | <b>N</b><br><b>N</b>                                     |
| <b>Euonymus fortunei 'Moonshadow'</b><br>Variegated Wintercreeper Euonymus<br><i>BROADLEAF EVERGREEN SHRUB; narrow dark green edged leaves with prominent golden centers; spreading to mounding mound to about 2' tall that can climb up walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; sport of 'Sunspot'; native to China (Dugan N) Zones 5 - 8</i>  |        |  | 2g                              |      |  |
| <b>Fagus sylvatica 'Dawyck Gold'</b><br>Golden Columnar European Beech<br><i>DECIDUOUS ORNAMENTAL TREE; golden spring foliage becomes dark green in summer before turning yellowish-tan in the fall; smooth medium gray bark; dense columnar profile to about 50' tall by 10' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; selected seedling from Trompenburg Arboretum; European native (van Hoey Smith) Zones 4 - 7</i> |        | 4 - 5'<br>5 - 6'<br>6 - 7'<br>7 - 8'<br>8 - 9' | B&B<br>B&B<br>B&B<br>B&B<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Fagus sylvatica 'Dawyck Purple'</b><br>Purple Columnar European Beech<br><i>DECIDUOUS ORNAMENTAL TREE; purple spring &amp; summer foliage turns coppery-tan in fall; smooth medium gray bark; very narrow profile to about 60' tall by 15' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; selected seedling from Trompenburg Arboretum; European native (van Hoey Smith) Zones 4 - 7</i>                                 |        | 4 - 5'<br>5 - 6'<br>7 - 8'                     | B&B<br>B&B<br>B&B               |      | <b>N</b><br><b>N</b><br><b>N</b>                         |
| <b>Fagus sylvatica 'Purple Fountain'</b><br>Weeping Purple European Beech<br><i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage loses intensity in summer; upright pyramidal habit that usually has a dominant single leader; some develop into fairly narrow irregular pyramids while others are quite broad at the base; locate in sun (to enhance foliage color) or shade with well-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7</i>  |        | 5 - 6'<br>6 - 7'                               | B&B<br>B&B                      |      | <b>N</b><br><b>N</b>                                     |
| <b>Fagus sylvatica 'Red Obelisk'</b><br>Columnar Purple European Beech<br><i>DECIDUOUS ORNAMENTAL TREE; narrow columnar habit with slightly dissected dark purple foliage; can reach 50' or more; locate in sun (to enhance foliage color) or shade with well-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7</i>   |        | 5 - 6'<br>6 - 7'                               | B&B<br>B&B                      |      | <b>N</b><br><b>N</b>                                     |
| <b>Fargesia robusta 'Cambell'</b><br>Tall Clumping Bamboo<br><i>CLUMPING BAMBOO; grows from 12 to 15' tall; more upright and narrow than the species, making it better for narrow spaces; dark green foliage and light green culms; not tolerant of hot, humid climates; locate in full sun or partial shade &amp; loamy slightly acidic soil with good drainage &amp; organic content; mulching &amp;/or a low shade tolerant ground cover is very advantageous; native of China; Zones 7 - 9</i>   |        |  | 7g<br>15g                       |      | <b>N</b>   |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE                       | ROOTS             | QNTY |          |
|---|--------|----------------------------|-------------------|------|----------|
| <b>Fargesia sp. 'Rufa'</b><br>Clumping Bamboo<br><i>CLUMPING BAMBOO; vigorous broadly weeping habit to 8' high &amp; wide; long, narrow, dark green foliage on pinkish branchlets; 1/2" diameter culms; needs protection from hot afternoon sun in warmer range; soil should be loamy &amp; slightly acidic with good drainage &amp; organic content; mulching &amp;/or a low shade tolerant ground cover is very advantageous; the correct name is now F. dracocephala 'Rufa'; Chinese native; Zones (5) 6 - 9</i>   |        |                            | 10g<br>15g        |      | <b>N</b> |
| <b>Fargesia sp. 'Scabrida'</b><br>Sweeash Bamboo<br><i>CLUMPING BAMBOO; one of the most cold hardy &amp; sun tolerant clumpers; upright habit to about 15' with culm widths averaging 1/2" diameter; new shoots emerge with orange hues before blue &amp; lavender &amp; ultimately olive green; considered the most colorful variety; narrow dark green foliage; locate in partial or afternoon shade; soil should be loamy &amp; slightly acidic with good drainage &amp; organic content; mulching &amp;/or a low shade tolerant ground cover is very advantageous; doesn't like prolonged heat &amp; humidity of the SE USA; Chinese hybrid; Zones 6 - 8 (9)</i>  |        |                            | 10g<br>15g        |      | <b>N</b> |
| <b>Ginkgo biloba 'Goldspireâ„¢ ('Fastigiata Blagon')</b><br>Columnar Ginkgo; Columnar Maidenhair Tree<br><i>DECIDUOUS CONIFER; ornamentally insignificant flower in April followed by very obnoxious smelling fruit on female trees in fall; distinctive 2-lobed medium green summer foliage turns clear bright golden yellow in fall; upright columnar habit to about 15' tall by 5' wide in 10 years; female trees produce fruit with a very bad odor when crushed; highly resistant to pests &amp; diseases; tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil with good drainage; thought to be extinct when found in China; in prehistoric times was native to the US; Zones (3) 4 - 8 (9)</i> |        | 5 - 6'<br>6 - 7'<br>7 - 8' | B&B<br>B&B<br>B&B |      | <b>N</b> |
| <b>Hibiscus syriacus Purple Pillar® ('Gandini Santiago')</b><br>Columnar Purple Rose-of-Sharon; Columnar Purple Althea<br><i>DECIDUOUS FLOWERING SHRUB; semi-double sterile light purple flower with darker red eye; can re-bloom; blooms well in hot weather; columnar habit to about 12' tall by 3' wide; nondescript yellowish fall foliage; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (PW) Zones 5 - 8 (9)</i>   |        | 5 - 6'<br>6 - 7'           | B&B<br>B&B        |      |          |
| <b>Hibiscus syriacus White Pillar® ('Gandini van AArt')</b><br>Columnar White Rose-of-Sharon; Columnar White Althea<br><i>DECIDUOUS FLOWERING SHRUB; semi-double sterile pure white flower; can re-bloom; blooms well in hot weather; columnar habit to about 15' tall by 3' wide; medium green summer foliage turns a nondescript yellow in fall; attracts bees, butterflies &amp; hummingbirds; resists deer browse; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils of any pH; Asian native (PW) Zones 5 - 9</i>  |        | 5 - 6'<br>6 - 7'           | B&B<br>B&B        |      |          |
| <b>Hydrangea paniculata Boboâ„¢ ('ILVOBO')</b><br>Dwarf Late Panicle Hydrangea<br><i>DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with age on new wood; blooms on new wood from mid summer into fall; dark green summer foliage; compact spreading habit to about 3' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9</i>   |        |                            | 10g               |      |          |
| <b>Hydrangea paniculata Limelight Prime® ('SMNHPPH')</b><br>Late Panicle Hydrangea<br><i>DECIDUOUS FLOWERING SHRUB; large profuse bright greenish-white flowers in mid-summer on new wood then turn reddish-pink by late summer into fall on sturdy stems; dark green summer foliage; compact upright habit to about 6' tall by 4' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>  |        |                            | 10g               |      |          |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE                                   | ROOTS                    | QNTY   |
|---|--------|--|--------------------------|--|
| <b>Hydrangea paniculata Little Quick Fire® ('SMHPLQF')</b><br>Dwarf Late Panicle Hydrangea<br><i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green summer foliage; compact rounded habit to about 4' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>   |        |  | 10g                      |  |
| <b>Hydrangea quercifolia 'Munchkin'</b><br>Dwarf Pink Oakleaf Hydrangea<br><i>DECIDUOUS FLOWERING SHRUB; 6" pyramidal white blooms in June &amp; July on old wood turn medium pink then rose-pink by early summer on sturdy stems above the foliage; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; compact spreading habit about to 3' tall by 5' wide in 10 years; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; seedling of 'Sikes Dwarf'; US native (Reed / USNA) Zones 5 - 8</i>              |        |  | 5g                       | <b>N</b>                                     |
| <b>Ilex crenata 'Sky Pencil'</b><br>Columnar Japanese Holly<br><i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; very narrow columnar habit to about 10'tall by 2' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native (USNA) Zones (5) 6 - 7 (8)</i>  |        |  | 6g                       |  |
| <b>Ilex x meserveae Blue Maid® ('Mesid')</b><br>Upright Female Blue Holly; Upright Female Meserve Holly<br><i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; dark blue-green foliage on purple stems; columnar to pyramidal habit to about 10' tall by 6' wide; sheared conical; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; PHS Gold Metal [I. rugosa x I. aquifolium] Zones 5 - 8</i>  |        | 4 - 5'                                 | B&B                      | <b>N</b>                                     |
|   |        | <b>PYRAMID</b>                         |                          |  |
| <b>Ilex x meserveae Castle Spireâ„¢ ('Hachfee')</b><br>Pyramidal Female Blue Holly; Pyramidal Female Meserve Holly<br><i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; red fruit clusters persist from fall into or through winter; very large glossy dark green foliage on green stems; compact pyramidal habit to about 10' tall by 5' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>   |        | 4 - 5'<br>5 - 6'                       | 10g<br>B&B               | <b>N</b>                                     |
| <b>Ilex x meserveae 'Honey Maid'</b><br>Variegated Blue Holly; Variegated Meserve Holly<br><i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; irregular patches of creamy gold accentuate the blue-green foliage; broadly upright to somewhat pyramidal habit to 8' tall by 8' wide; sheared into tight formal pyramids; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; sport of 'Blue Maid' [I. rugosa x I. aquifolium] Zones 5 - 8</i> |        | 3 - 4'<br>4 - 5'                       | B&B<br>B&B               | <b>N</b>                                     |
|   |        | <b>PYRAMID</b>                         |                          |  |
| <b>Ilex x 'Nellie R. Stevens'</b><br>Pyramidal Holly<br><i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; glossy dark green foliage; dense broadly pyramidal habit to about 20' tall by 15' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. cornuta x I. aquifolium] Zones 6 - 9</i>  |        | 3 - 4'<br>4 - 5'<br>4 - 5'<br>5 - 6'   | B&B<br>20g<br>B&B<br>20g | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Ilex x Red Beauty® ('Rutzan')</b><br>Compact Pyramidal Hybrid Holly<br><i>BROADLEAF EVERGREEN SHRUB; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; small to medium dark green spiny foliage; compact pyramidal habit to about 7' tall by 4' wide in 10 years; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade &amp; well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>     |        | 3 - 4'<br>3 - 4'<br>36 - 42"<br>4 - 5' | 20g<br>B&B<br>B&B<br>B&B | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE                       | ROOTS             | QNTY                             |
|---|--------|----------------------------|-------------------|----------------------------------|
| <b>Juniperus chinensis 'Spartan'</b><br>Upright Chinese Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; female cones usually light blue &amp; male cones tannish; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 5 - 9</i>  |        | 5 - 6'                     | 15g               |                                  |
| <b>Juniperus chinensis 'Trautman'</b><br>Narrow Columnar Chinese Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; prominent light blue female berries in fall; bluish-green needles seldom bronze in winter; narrowly columnar habit to about 6' tall by 2' wide in 10 years; resists deer browse &amp; tip blight; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Trautman) Zones 5 - 9</i>   |        | 5 - 6'                     | 25g               | <b>N</b>                         |
| <b>Juniperus communis 'Gold Cone'</b><br>Golden Common Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; prickly bright gold new spring foliage turns greenish upon maturing in summer &amp; can bronze in winter in northern range; the narrow columnar to pyramidal habit to about 8' tall by 2' wide in 10 years; resists deer browse; very tolerant of coastal conditions &amp; poor soils; locate in full sun &amp; neutral to acidic well-drained soil; soil must drain well; native to Earth (Kordes N) Zones 2 - 7</i>  |        | 30 - 36"<br>3 - 4'         | B&B<br>B&B        | <b>N</b><br><b>N</b>             |
| <b>Juniperus scopulorum 'Moonglow'</b><br>Blue Rocky Mountain Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to about 15' tall by 5' wide; Phomopsis blight a problem in areas with high humidity &amp; summer night temps; tolerates drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; dry well-drained soils; native to Rocky Mtns of US &amp; Canada; Zones 3 - 6 (7)</i>   |        | 5 - 6'                     | 15g               | <b>N</b>                         |
| <b>Juniperus scopulorum 'Woodward'</b><br>Columnar Blue Rocky Mountain Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green summer foliage turns gray-blue in winter; narrowly upright to about 20' tall by 4' wide; Phomopsis blight a problem in areas with high humidity &amp; summer night temps; tolerates drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; dry well-drained soils; native to Rocky Mtns of US &amp; Canada; Zones 3 - 6 (7)</i>  |        | 5 - 6'<br>6 - 7'<br>7 - 8' | B&B<br>B&B<br>B&B | <b>N</b><br><b>N</b><br><b>N</b> |
| <b>Juniperus squamata 'Blue Star'</b><br>Dwarf Blue Singleseed Juniper<br><i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage all year; very compact mounding habit to about 2' tall by 3' wide in time; drought tolerant; poor performance in areas with high humidity &amp; high evening temps; locate in full sun &amp; just about any well-drained soil; branch sport of 'Meyeri'; Asian native; Zones 4 - 6 (7)</i>   |        |                            | 3g                |                                  |
| <b>Juniperus virginiana 'Taylor'</b><br>Columnar Eastern Red Cedar<br><i>EVERGREEN CONIFER; narrow pyramid habit reaching about 25' tall by 4' wide; gray-green summer foliage bronzes a little in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; Zones (3) 4 - 9</i>  |        | 5 - 6'<br>6 - 7'           | B&B<br>B&B        |                                  |
| <b>Ligustrum vulgare 'Cheyenne'</b><br>Lodense Privet<br><i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer or early fall; dark green foliage retained into late fall; bushy well-branched habit to about 5' high by 6' wide; can be kept sheared at any size; attracts birds &amp; butterflies; resists deer browse, coastal conditions &amp; drought; locate in full sun or partial shade &amp; any soil that doesn't remain wet; native to Asia &amp; Europe (Anderson / USDA) Zones (3) 4 - 7</i> |        |                            | 10g<br>15g        | <b>N</b>                         |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE   | ROOTS                                  | QNTY                         |
|---|--------|--|--|------------------------------|
| <b>Osmanthus heterophyllus 'Goshiki'</b><br>Compact Variegated False-holly<br><i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold &amp; cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; compact bushy grower to 6' tall &amp; wide; deer browse resistant; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>  |        |  | 7g                                     |                              |
| <b>Osmanthus heterophyllus 'Gulftide'</b><br>Hardy False-holly<br><i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>  |        | 3 - 4'<br>36 - 42"<br>4 - 5'<br>4 - 5'<br>5 - 6'<br>6 - 7' | B&B<br>B&B<br>10g<br>B&B<br>25g<br>25g | <br><br><br><br><br><b>N</b> |
| <b>Paeonia 'Bartzella'</b><br>Yellow Itoh Peony<br><i>PERENNIAL; profuse fragrant golden-yellow double &amp; semi-double flowers with a slightly red center on strong 32" stems above the foliage in late spring; glossy dark green summer foliage; bushy habit to about 2' tall by 3' wide; attracts butterflies; resists deer &amp; rabbit browse; tolerates minimal drought &amp; salt; flower can be cut &amp; dried; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH (Anderson) Zones 4 - 9</i>                             |        |  | 5g                                     |                              |
|   |        |  |  | <b>WITH RING</b>             |
| <b>Paeonia 'Canary Brilliants'</b><br>Yellow Itoh Peony<br><i>PERENNIAL; lightly fragrant yellow to apricot double &amp; semi-double flowers with varying amounts of pink in the center on strong 32" stems above the foliage in late spring; dissected green summer foliage; bushy habit to about 28" tall by 36" wide; attracts butterflies; resists deer &amp; rabbit browse; tolerates minimal drought &amp; salt; flower can be cut &amp; dried; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH (Anderson) Zones 4 - 9</i> |        |  | 5g                                     |                              |
|   |        |  |  | <b>WITH RING</b>             |
| <b>Paeonia 'Cora Louise'</b><br>White Itoh Peony<br><i>PERENNIAL; lightly fragrant 8-10" white semi-double flowers with light purple centers &amp; gold stamens on strong stems above the foliage from late spring into early summer; dark green dissected summer foliage; bushy habit to about 3' tall by 4' wide; attracts butterflies; resists deer &amp; rabbit browse; tolerates minimal drought &amp; salt; flower can be cut &amp; dried; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; Zones 4 - 9</i>                |        |  | 5g                                     | <b>N</b>                     |
|   |        |  |  | <b>WITH RING</b>             |
| <b>Paeonia 'First Arrival'</b><br>Pink Itoh Peony<br><i>PERENNIAL; lightly fragrant 6-8" lavender-pink semi-double flowers with golden centers on strong 30" stems above the foliage in mid to late spring; dark green dissected summer foliage; bushy habit to about 30" tall by 36" wide; attracts butterflies; resists deer &amp; rabbit browse; tolerates minimal drought &amp; salt; flower can be cut &amp; dried; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; Zones 4 - 9</i>  |        |  | 5g                                     |                              |
|   |        |  |  | <b>WITH RING</b>             |
| <b>Phyllostachys aureosulcata 'Spectabilis'</b><br>Spectabilis Yellow Grove Bamboo<br><i>BAMBOO; new growth is red in full sun; some stems are crooked; all are yellow with a vertical green stripe; rapid upright grower to 25' with 2" diameter culms; Zones 5 - 10</i>   |        |  | 15g<br>25g                             | <b>N</b><br><b>N</b>         |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.                | SIZE                                 | ROOTS                    | QNTY   |
|---|-----------------------|--------------------------------------|--------------------------|--|
| <b>Phyllostachys bissetii</b><br>David Bisset Bamboo; Running Bamboo<br><i>BAMBOO; running form; vigorous grower to 25' with densely packed culms, which are dark green; good for hedges; Zones (5) 6 - 7</i>   |                       |                                      | 7g<br>15g                | <b>N</b>                                     |
| <b>Phyllostachys nigra</b><br>Black Bamboo<br><i>BAMBOO; running form; large grower to 50' with graceful habit; culms emerge green and turn black over the next 2 to 3 years; culms reach 3" diameter; grows in full sun to partial shade; Zones (6) 7 - 10</i>   |                       |                                      | 15g                      |  |
| <b>Picea abies 'Cupressina'</b><br>Fastigiate Norway Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>  |                       | 4 - 5'<br>5 - 6'<br>6 - 7'<br>7 - 8' | B&B<br>B&B<br>B&B<br>B&B | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Picea abies 'Little Gem'</b><br>Dwarf Norway Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i>   |                       |                                      | 3g                       |  |
| <b>Picea abies 'Little Gem'</b><br>Dwarf Norway Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; usually grafted about 18-24" above the ground on a straight stem; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i> | <b>24" STANDARD</b>   | 18 - 24" spr<br>21 - 24" spr         | B&B<br>B&B               |  |
| <b>Picea abies 'Nidiformis'</b><br>Bird's Nest Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; densely spreading nest-like habit to about 18" tall by 3' or more wide in 10 years; dark green needles; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe (Rulemann Grisson N) Zones 2 - 7</i>  |                       |                                      | 3g<br>6g                 | <b>N</b><br><b>N</b>                         |
| <b>Picea abies 'Pendula'</b><br>Weeping Norway Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright then allowed to weep downward; can develop a broad skirt in time; height &amp; shape varies with staking &amp; source; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>   | <b>STAKED WEEPING</b> | 3 - 4'<br>4 - 5'<br>5 - 6'           | B&B<br>B&B<br>B&B        | <b>N</b><br><b>N</b><br><b>N</b>             |
| <b>Picea abies 'Pumila'</b><br>Dwarf Norway Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; compact globose habit when young becomes a broad mound with maturity to about 18" tall by 4' wide; dark green needles; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>  |                       |                                      | 3g                       |  |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE     | ROOTS    | QNTY  |          |
|--|--------|----------|----------|-------|----------|
| <b>Picea abies 'Suncrest Pyramid'</b><br>Compact Pyramidal Norway Spruce<br><i>EVERGREEN CONIFER; medium green needles persist for several years; compact pyramidal habit to about 10' tall by 8' wide in 15 years; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 - 7</i>   |        | 3 - 4'   | B&B      | _____ | <b>N</b> |
|  |        | 4 - 5'   | B&B      | _____ |          |
|  |        | 5 - 6'   | B&B      | _____ |          |
|  |        | 6 - 7'   | B&B      | _____ |          |
| <b>Picea engelmannii 'Blue Magoo'</b><br>Compact Engelmann Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit to 6' tall by 4' wide in 10 years; short gray-blue needles; new growth arches out and downward until maturing; small purple cones in spring turn brown by summer; locate in full sun &amp; loamy well-drained moisture retentive soil; native to northwestern US &amp; Canada (Buchholz) Zones 1 - 5 (6 - 7)</i>                       |        | 3 - 4'   | B&B      | _____ | <b>N</b> |
|  |        | 4 - 5'   | B&B      | _____ | <b>N</b> |
|  |        | 5 - 6'   | B&B      | _____ | <b>N</b> |
| <b>Picea glauca 'Conica'</b><br>Alberta Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit with short green needles; becomes broadly pyramidal when mature; rarely exceeds 10' in height; locate in full sun or light shade &amp; moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>   |        | 18 - 24" | 2g<br>6g | _____ | <b>N</b> |
|  |        | 24 - 30" | 6g       | _____ |          |
|  |        | 30 - 36" | 6g       | _____ |          |
|  |        |          |          | _____ |          |
| <b>Picea glauca 'Densata'</b><br>Black Hill Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; slower grower &amp; more dense than the species with shorter cones &amp; brighter green to blue-green needles; pyramidal habit to about 40' tall by 15' wide; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; discovered in S. Dakota, US; Zones 2 - 6 (7)</i> |        | 24 - 30" | 7g       | _____ |          |
| <b>Picea glauca 'Montrose Spire'</b><br>Columnar White Spruce<br><i>EVERGREEN CONIFER; short gray-green needles; narrowly pyramidal habit to about 10' tall by 4' wide; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada (W Montrose Farms) Zones 3 - 6 (7)</i>   |        | 4 - 5'   | B&B      | _____ |          |
| <b>Picea glauca 'Pendula'</b><br>Weeping White Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; the very narrow profile is great for tight spaces; the leader goes straight up and the lateral branches hang almost straight down; gray-green evergreen needles; considered deer browse resistant in most areas; locate in full sun or light shade &amp; moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>                    |        | 4 - 5'   | B&B      | _____ | <b>N</b> |
|  |        | 5 - 6'   | B&B      | _____ |          |
|  |        | 6 - 7'   | B&B      | _____ |          |
| <b>Picea glauca 'Whiskey Blue Hills'</b><br>Blue White Spruce<br><i>EVERGREEN CONIFER; blue needles; semi-compact pyramidal habit to about 15' tall by 12' wide in 10 years; tolerant of coastal situations; resists deer browse; tolerates many soil conditions; locate in full sun or minimal shade &amp; moist organic soils, native to northern US &amp; Canada; Zones 2 - 6 (7)</i>   |        | 4 - 5'   | B&B      | _____ | <b>N</b> |
|  |        | 5 - 6'   | B&B      | _____ |          |
| <b>Picea mariana 'Aureovariegata'</b><br>Variegated Black Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; gold tipped needles mix with typical bluish-green needles in spring before turning all bluish; compact pyramidal habit to about 5' tall by 3' wide in 10 years; often found in bogs; locate in full sun &amp; moisture retentive soil; northern North American native; may be the same cultivar as 'Aurea' or 'Golden'; Zones 3 - 5 (6 - 7)</i>                 |        | 30 - 36" | B&B      | _____ | <b>N</b> |
|  |        | 3 - 4'   | B&B      | _____ | <b>N</b> |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE   | ROOTS   | QNTY |  |
|---|--------|--|---|------|--|
| <b>Picea mariana 'Nana'</b><br>Dwarf Black Spruce; Blue Nest Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; steel-blue needles; horizontal nest-like habit; locate in full sun; tolerant of dry &amp; moist soils if well drained; native to northern US &amp; Canada; Zones 3 - 5 (6 - 7)</i>  |        | 10 - 12" spr   | 3g  |      | <b>N</b>   |
| <b>Picea mariana 'Wellspire'</b><br>Columnar Black Spruce<br><i>EVERGREEN CONIFER; small cones appear purple in spring before turning tan to brown by maturity; dark green needles; columnar habit with ascending branches to about 10' tall by 3' wide in 10 years; tolerates temporary flooding; locate in full sun &amp; moisture retentive soil; northern North American native; Zones 3 - 5 (6)</i>  |        | 3 - 4'<br>4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'<br>6 - 7'<br>7 - 8' | B&B<br>B&B<br>25g<br>B&B<br>25g<br>B&B<br>25g |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Picea omorika 'Bruns'</b><br>Columnar Serbian Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; blue &amp; green bicolor needles; narrow pyramidal form that will be about 4' wide at 14' tall in 10 years; protect from winter wind in northern range; adapts to poor air quality; locate in full sun or partial shade &amp; moisture retentive well-drained soil of any pH; native to southern Europe; Zones 4 - 7</i>  |        | 4 - 5'<br>5 - 6'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Picea orientalis 'Deer Run'</b><br>Columnar Oriental Spruce<br><i>EVERGREEN CONIFER; small bright red male flowers in spring; young cones reddish-purple; short glossy blue-green needles lay against the branches; narrowly pyramidal habit to about 20' tall by 10' wide; protect from winter wind in northern range; locate in full sun or partial shade &amp; moisture retentive well-drained acidic or alkaline soil; native to Asia Minor (Wells) Zones (4) 5 - 7</i>                                |        | 5 - 6'<br>6 - 7'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Picea orientalis 'Nigra Compacta'</b><br>Compact Oriental Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; typical glossy dark green needles; very broad compact pyramidal habit; locate in full sun or very light shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7</i>  |        | 24 - 30"<br>30 - 36"<br>3 - 4'<br>36 - 42"                         | B&B<br>B&B<br>B&B<br>B&B                      |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                                     |
| <b>Picea pungens 'Baby Blue Eyes'</b><br>Select Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 6' tall by 3' wide in 10 years; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; seedling of 'Moerheimii' (Holden) Zones 4 - 7 (8)</i>   |        | 3 - 4'<br>4 - 5'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Picea pungens 'Bacheri'</b><br>Select Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit growing to 50' or more in time; gray-blue needles; deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>   |        | 4 - 5'<br>5 - 6'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |
| <b>Picea pungens 'Blue Totem'</b><br>Fastigiate Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; good blue color; narrow upright profile when young; deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>   |        | 3 - 4'<br>4 - 5'<br>5 - 6'   | B&B<br>B&B<br>B&B                             |      | <b>N</b>   |
| <b>Picea pungens 'Fastigiata' / 'Iseli Fastigiata'</b><br>Columnar Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; steel-blue needles; narrow columnar habit when young to about 10' tall by 3' wide in 10 years; gets wider at the base with age (like us); tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (Iseli) Zones 3 - 7 (8)</i> |        | 3 - 4'<br>5 - 6'   | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>   |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE   | ROOTS   | QNTY |  |
|---|--------|--|---|------|--|
| <b>Picea pungens 'Glauca'</b><br>Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; variable bright blue to gray-green needles; conical habit to 60' or more &amp; about 1/3 as wide; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>  |        | 4 - 5'<br>5 - 6'<br>6 - 7'                               | B&B<br>B&B<br>B&B                             |      |  |
| <b>Picea pungens 'Globosa'</b><br>Dwarf Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>   |        | 15 - 18" spr<br>18 - 21" spr<br>21 - 24" spr<br>24 - 30" | B&B<br>B&B<br>B&B<br>B&B                      |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Picea pungens 'Hoopsii'</b><br>Silver Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; the most silvery-blue needles; narrow layered to open pyramidal habit to about 8' tall by 4' wide in 10 years; must be trimmed to get fullness &amp; eliminate competing leaders; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (Hoops N) Zones 3 - 7 (8)</i> |        | 4 - 5'<br>5 - 6'<br>6 - 7'                               | B&B<br>B&B<br>B&B                             |      | <b>N</b><br><b>N</b><br><b>N</b>             |
| <b>Picea pungens 'The Blues'</b><br>Weeping Blue Colorado Spruce<br><i>EVERGREEN ORNAMENTAL CONIFER; bright silvery-blue needles; weeping habit; shape will vary with staking; habit similar to P. abies 'Pendula'; needles; deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US (Stanley) Zones 3 - 7 (8)</i>   |        | 30 - 36"<br>3 - 4'<br>36 - 42"                           | B&B<br>B&B<br>B&B                             |      | <b>N</b><br><b>N</b><br><b>N</b>             |
| <b>Pinus contorta var. latifolia 'Chief Joseph'</b><br>Winter Gold Lodgepole Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; medium green needles turn deep golden-yellow in winter; slow growing irregular pyramidal habit; very difficult to propagate; locate in full sun &amp; moist well-drained soil; native to higher elevations of western US; doesn't adapt well to areas with hot humid summers without cool nights; Zones (3) 4 - 7</i>   |        | 3 - 4'   | B&B   |      | <b>N</b>                                     |
| <b>Pinus mugo 'Tannenbaum'</b><br>Compact Pyramidal Mugo Pine; Compact Pyramidal Swiss Mountain P<br><i>EVERGREEN ORNAMENTAL CONIFER; bright green needles in groups of 2; compact broadly pyramidal habit with single leader to about 10' tall by 6' wide in 25 years; locate in full sun or light shade &amp; soils of any pH that drain; native to southeastern European mtns (SDSU / Iseli) Zones 2 - 7</i>   |        | 36 - 42"<br>42 - 48"                                     | B&B<br>B&B                                    |      | <b>N</b><br><b>N</b>                         |
| <b>Pinus mugo var. mughus</b><br>Mugo Pine; Swiss Mountain Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; compact mounding growth that can attain some size in time if not pruned; medium green needles in groups of 2; locate if full sun or light shade &amp; most soils that drain; tolerant of a wide pH range; native to Europe; Zones 3 - 7</i>   |        |  | 3g  |      |  |
| <b>Pinus nigra</b><br>Austrian Pine<br><i>EVERGREEN CONIFER; dark green needles in groups of 2; prominent whitish patches on mature trunks; upright or pyramidal habit to about 50' tall by 25' wide; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun &amp; just about any well-drained moisture retentive soils; European native; Zones 4 - 6 (7)</i>   |        | 4 - 5'<br>5 - 6'<br>6 - 7'<br>7 - 8'                     | 10g<br>15g<br>25g<br>B&B<br>B&B<br>B&B<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL. | SIZE         | ROOTS | QNTY  |          |
|---|--------|--------------|-------|-------|----------|
| <b>Pinus nigra 'Arnold Sentinel'</b><br>Columnar Austrian Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; dense columnar habit to about 12' tall by 3' wide in 10 years; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun &amp; just about any well-drained moisture retentive soils; European native [P. n. var. pallasiana] (Arnold Arb.) Zones 4 - 6 (7)</i>   |        | 3 - 4'       | B&B   | _____ | <b>N</b> |
|   |        | 4 - 5'       | B&B   | _____ |          |
|   |        | 5 - 6'       | B&B   | _____ |          |
|   |        |              |       |       |          |
| <b>Pinus nigra Brepo® ('Pierrick Bregeon')</b><br>Dwarf Austrian Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2 surround white buds; orange bark; broadly mounding habit to about 18" tall by 24" wide in 10 years; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun &amp; just about any well-drained moisture retentive soils; European native [P. densiflora x P. nigra] (Bregeon) Zones 4 - 6 (7)</i>           |        | 24 - 30"     | B&B   | _____ | <b>N</b> |
|   |        | 30 - 36"     | B&B   | _____ |          |
|   |        | 36 - 42"     | B&B   | _____ |          |
|   |        | 3 - 4'       | B&B   | _____ |          |
| <b>Pinus nigra 'Compacta'</b><br>Compact Austrian Pine<br><i>EVERGREEN CONIFER; dark green needles in groups of 2; prominent whitish patches on mature trunks; upright or pyramidal habit to about 20' tall by 15' wide; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun &amp; just about any well-drained moisture retentive soils; European native; Zones 4 - 6 (7)</i>  |        | 3 - 4'       | B&B   | _____ | <b>N</b> |
|   |        | 4 - 5'       | B&B   | _____ |          |
|   |        | 5 - 6'       | B&B   | _____ |          |
| <b>Pinus nigra 'Oregon Green'</b><br>Compact Austrian Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; prominent off-white buds in winter; broadly upright habit to about 10' tall by 6' wide in 10 years; habit similar to P. thunbergii 'Thunderhead'; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun &amp; just about any well-drained moisture retentive soils; European native (VanMeter) Zones 4 - 6 (7)</i> |        | 30 - 36"     | B&B   | _____ | <b>N</b> |
|   |        | 3 - 4'       | B&B   | _____ |          |
|   |        | 4 - 5'       | B&B   | _____ |          |
|   |        | 5 - 6'       | B&B   | _____ |          |
| <b>Pinus parviflora 'Cleary'</b><br>Blue Japanese White Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; upright somewhat open branching habit when young; broadens significantly with age and becomes more densely branched, growing to 50' tall and wide; very dark blue-green needles in groups of 5; locate in full sun &amp; very well-drained soils of varying pH; salt tolerant; Japanese native; Zones 4 - 7</i>  |        | 3 - 4'       | B&B   | _____ |          |
|   |        | 4 - 5'       | B&B   | _____ |          |
| <b>Pinus strobus 'Blue Shag'</b><br>Dwarf Blue Eastern White Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; dark blue-green needles in groups of 5; compact mounding habit; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>  |        | 18 - 24" spr | B&B   | _____ | <b>N</b> |
|   |        | 24 - 30" spr | B&B   | _____ |          |
|   |        | 30 - 36" spr | B&B   | _____ |          |
| <b>Pinus strobus 'Fastigiata'</b><br>Fastigate Eastern White Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columnar when mature; soft green needles in groups of 5; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; PHS Gold Metal; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>   |        | 4 - 5'       | B&B   | _____ | <b>N</b> |
|   |        | 5 - 6'       | B&B   | _____ |          |
|   |        | 6 - 7'       | B&B   | _____ |          |
|   |        | 7 - 8'       | B&B   | _____ |          |
| <b>Pinus strobus 'Pendula'</b><br>Weeping Eastern White Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; feathery appearance but full, soft medium green needles in groups of 5; weeping habit varies with staking; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>  |        | 3 - 4'       | B&B   | _____ | <b>N</b> |
|   |        | 4 - 5'       | B&B   | _____ |          |
|   |        | 5 - 6'       | B&B   | _____ |          |
|   |        | 6 - 7'       | B&B   | _____ |          |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.                 | SIZE   | ROOTS   | QNTY |  |
|---|------------------------|--|---|------|--|
| <b>Pinus strobus 'Stowe Column'</b><br>Columnar Eastern White Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; narrower upright habit than 'Fastigiata'; more rigid branching handles snow loads better; intermediate grower to about 8' tall by 3' wide in 10 years; soft green needles in groups of 5; may be the same as 'Stowe Pillar'; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada (Williams) Zones 3 - 7 (8)</i>  |                        | 4 - 5'<br>5 - 6'<br>6 - 7'   | B&B<br>B&B<br>B&B                                   |      | <b>N</b><br><b>N</b><br><b>N</b>   |
| <b>Pinus thunbergii 'Thunderhead'</b><br>Dwarf Japanese Black Pine<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in bundles of 2 with prominent white buds in winter; broadly upright mounding irregular pyramidal habit; locate in full sun &amp; well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to Japan &amp; Korea; Zones (5) 6 - 8</i>  | <b>UPRIGHT</b>         | 3 - 4'<br>4 - 5'   | B&B<br>B&B  |      | <b>N</b>   |
| <b>Prunus laurocerasus 'Anbri'</b><br>Compact Upright Schip Laurel; Compact Upright Schip Cherrylaure<br><i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; compact upright habit to 6' tall by 4' wide; new growth is glossy reddish-bronze which turns bright green then dark green by mid-summer; more dense with shorter &amp; darker foliage than P.I. 'Nana'; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; same plant as Etna A,®; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i> |                        | 4 - 5'<br>5 - 6'   | B&B<br>B&B  |      | <b>N</b><br><b>N</b>   |
| <b>Prunus laurocerasus 'Schipkaensis'</b><br>Upright Schip Laurel; Upright Schip Cherrylaurel<br><i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>   | <b>WEST COAST FORM</b> | 3 - 4'<br>4 - 5'<br>4 - 5'<br>6 - 7'                               | 6g<br>B&B<br>10g<br>B&B<br>B&B                      |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                                     |
| <b>Prunus laurocerasus Skinny Skipā,¢ ('Mariblon')</b><br>Upright Schip Laurel; Upright Schip Cherrylaurel<br><i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; very narrow upright habit growing 10' tall by 2-3' wide; narrow dark green foliage; similar to 'Schipkaensis' but much narrower habit; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; same plant as Genolia; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>  |                        | 3 - 4'<br>4 - 5'<br>4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'<br>7 - 8' | 6g<br>B&B<br>15g<br>B&B<br>15g<br>B&B<br>B&B<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Prunus lusitanica</b><br>Portuguese Laurel<br><i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black to black fruit in summer that are poisonous; bushy broadleaf evergreen to about 25' tall; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to southern Europe; Zones (6) 7 - 8</i>   |                        | 30 - 36"<br>3 - 4'<br>4 - 5'<br>5 - 6'<br>6 - 7'                   | B&B<br>B&B<br>B&B<br>B&B<br>B&B                     |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                         |
| <b>Syringa pubescens ssp. patula 'Miss Kim'</b><br>Manchurian Lilac<br><i>DECIDUOUS FLOWERING SHRUB; dark purple buds open to masses of very fragrant light lavender blooms with lighter centers in mid to late May that may be cut; dark green pointed summer foliage turns reddish-burgundy in fall; compact rounded habit to 6' tall by 5' wide; branching starts 3-4' above a single stem; attracts butterflies &amp; hummingbirds; resists deer browse; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>  | <b>4' STANDARD</b>     | 18 - 21"<br>21 - 24"<br>24 - 30"                                   | 7g<br>B&B<br>B&B<br>B&B                             |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                                     |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE   | ROOTS                                  | QNTY |  |
|--|--------|--|--|------|--|
| <b>Syringa vulgaris</b><br>Common Lilac<br><i>DECIDUOUS FLOWERING SHRUB; fragrant lavender flower in early May; upright vase-shaped habit to 15'; habit; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 2 - 7</i>  |        | 3 - 4'<br>4 - 5'   | 10g<br>B&B<br>B&B                      |      | <b>N</b><br><b>N</b><br><b>N</b>                                     |
| <b>Taxus baccata 'Fastigiata'</b><br>Columnar Irish Yew<br><i>EVERGREEN SHRUB; dark green needles; narrow upright habit to as much as 30' tall by 8' wide; all branches are strictly upright; locate in full sun to full shade &amp; moist well-drained soil; just about any pH is acceptable; native to Europe &amp; southwestern Asia; Zones (6) 7</i>   |        | 30 - 36"<br>36 - 42"                                     | B&B<br>B&B                             |      | <b>N</b><br><b>N</b>   |
| <b>Taxus cuspidata 'Emerald Spreader® ('Monloo')</b><br>Spreading Japanese Yew<br><i>EVERGREEN SHRUB; inconspicuous male or female flowers in spring; female flowers produce bright red fruit that's poisonous if ingested (as are the needles); may be a male cultivar (no fruit); bright green foliage; smaller &amp; more densely arranged foliage than other cultivars &amp; normally darker green winter foliage; scaly reddish-brown bark on older trunks; very compact spreading habit to about 2' tall by 6' or more wide (if not sheared); locate in full sun to partial shade &amp; most well-drained soils that have neutral to slightly acidic pH; Asian native (Monrovia) Zones 4 - 7</i> |        |  | 3g                                     |      |  |
| <b>Taxus x media 'Densiformis'</b><br>Spreading Anglo-Jap Yew<br><i>EVERGREEN SHRUB; dark green needles; compact spreading mound; grows twice as wide as high; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas &amp; moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>   |        | 30 - 36" spr<br>3 - 4' spr                               | B&B<br>B&B                             |      | <b>N</b>   |
| <b>Taxus x media 'Flushing'</b><br>Fastigate Anglo-Jap Yew<br><i>EVERGREEN SHRUB; dark green needles; very narrow upright intermediate grower to 10' or more with age; bright red fruit in fall; locate in full sun to full shade &amp; moist well-drained slightly alkaline to acidic soil; Zones 4 - 7</i>   |        | 24 - 30"<br>30 - 36"<br>36 - 42"<br>42 - 48"             | 3g<br>B&B<br>B&B<br>B&B<br>B&B         |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>             |
| <b>Taxus x media 'H.M. Eddie'</b><br>Upright Anglo-Jap Yew<br><i>EVERGREEN SHRUB; new needles opens bright green before turning dark green by summer; minimal fruit production; upright habit to about 15' tall by 4' wide in 10 years; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas &amp; moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>  |        | 3 - 4'<br>4 - 5'   | B&B<br>B&B                             |      | <b>N</b><br><b>N</b>   |
| <b>Thuja x 'Green Giant'</b><br>Hybrid Western Arborvitae; Hybrid Giant Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 15' wide; bright evergreen foliage; minimal pest or disease problems; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada; PHS Gold Metal [T. plicata x T. standishii] Zones 5 - 7</i>  |        | 4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'<br>7 - 8'<br>8 - 9' | B&B<br>10g<br>B&B<br>B&B<br>B&B<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Thuja koraiensis 'Glauca Prostrata'</b><br>Prostrate Blue Korean Arborvitae<br><i>EVERGREEN CONIFER; purplish pollen cones in spring followed by yellowish green seed cones; whitish underside of the needles contrasts with the dark bluish-green above; spreading habit to about 2' tall by 3' or more wide; tolerates Black Walnut; locate in full sun or light shade &amp; neutral to alkaline well-drained soil; Korean native; Zones 3 - 7</i>  |        |  | 6g                                     |      | <b>N</b>   |

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME   | AVAIL. | SIZE   | ROOTS  | QNTY |  |
|--|--------|--|--|------|--|
| <b>Thuja occidentalis 'Degroot's Spire'</b><br>Fastigiatae American Arborvitae; Fastigiatae White Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; plants have been side pruned to the top forming a narrow pyramid; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>                          |        | 3 - 4'<br>3 - 4'<br>3 - 4'<br>4 - 5'<br>4 - 5'<br>5 - 6'<br>5 - 6' | 7g<br>10g<br>B&B<br>10g<br>B&B<br>15g<br>B&B |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b> |
| <b>Thuja occidentalis 'Emerald' / 'Smaragd'</b><br>Emerald Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>   |        | 4 - 5'<br>5 - 6'<br>5 - 6'<br>6 - 7'<br>7 - 8'                     | 5g<br>10g<br>10g<br>B&B<br>B&B<br>b&b        |      | <b>N</b><br><b>N</b><br><b>N</b><br><b>N</b><br><b>N</b>                         |
| <b>Thuja occidentalis 'Emerald' / 'Smaragd'</b><br>Emerald Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 2 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i> |        | 3 - 4'   | 10g  |      | <b>N</b>   |
| <b>Thuja occidentalis 'Emerald' / 'Smaragd'</b><br>Emerald Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i> |        | 3 - 4'<br>4 - 5'   | 10g<br>10g                                   |      | <b>N</b>   |
| <b>Thuja occidentalis 'Emerald' / 'Smaragd'</b><br>Emerald Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; broadly twisting band around a central stem; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>  |        | 5 - 6'<br>6 - 7'   | 20g<br>20g                                   |      | <b>N</b>   |
| <b>Thuja occidentalis Mr. Bowling Ball® ('Bobazam')</b><br>Compact Globe Eastern Arborvitae; Compact Globe White Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; feathery sage-green foliage; compact globular habit to about 3' tall &amp; wide; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>  |        |  | 3g   |      |  |
| <b>Thuja occidentalis 'Sunkist'</b><br>Golden Eastern Arborvitae; Golden White Cedar<br><i>EVERGREEN ORNAMENTAL CONIFER; broad compact pyramidal habit with good golden foliage; grows to about 8' or 10' tall; tolerant of air pollution &amp; Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>   |        | 3 - 4'   | 10g  |      |  |
| <b>Thuja plicata 'Excelsa'</b><br>Western Arborvitae; Giant Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; rapid growing pyramid with loosely borne branching if unsharped; bright green foliage bronzes in winter; selection from Berlin, Germany; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada; Zones 4 - 8</i>          |        | 6 - 7'<br>7 - 8'<br>8 - 9'   | B&B<br>B&B<br>b&b                            |      | <b>N</b>   |

# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME  | AVAIL.        | SIZE   | ROOTS          | QNTY     |
|---|---------------|--------|----------------|----------|
| <b>Thuja plicata Forever Goldyâ„¢ ('4EVER')</b><br>Golden Western Arborvitae; Golden Giant Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; golden foliage all year - even in hot summer sun; turns orange-gold in fall &amp; contrasts with red stems in winter; tight columnar to narrow pyramidal habit to about 20' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade &amp; organic well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada (Ball) Zones 5 - 8 (9)</i>  |               |        | 7g             | <b>N</b> |
| <b>Thuja plicata 'Grune Kugel'</b><br>Dwarf Western Arborvitae; Dwarf Giant Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; very slow growing spreading evergreen mound to 18" tall by 30" wide; dark green foliage will bronze somewhat in winter; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not drought; native to northwestern US &amp; Canada; Zones 5 - 9</i>   |               |        | 3g<br>6g<br>7g | <b>N</b> |
| <b>Thuja plicata 'Northern Spire'</b><br>Compact Western Arborvitae; Compact Giant Arborvitae<br><i>EVERGREEN ORNAMENTAL CONIFER; dark green summer foliage turns reddish-bronze in late fall through winter; narrowly compact pyramidal habit to about 15' tall by 3' wide in 10 years; reported deer browse resistant; tolerant of coastal exposure but not persistent drought; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; native to northwestern US &amp; Canada; sport of T. p. 'Emerald Giant' (Hicks) Zones (4) 5 - 7 (8)</i>   |               | 5 - 6' | 10g<br>15G     | <b>N</b> |
| <b>Wisteria floribunda 'Honbeni' / 'Pink Ice'</b><br>Pink Japanese Wisteria<br><i>DECIDUOUS TWINING FLOWERING VINE; fragrant pink racemes up to 18" long in mid to late spring; twines clockwise; can grow in excess of 20' tall; sometimes listed as 'Pink Ice'; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Japanese native [W. floribunda] Zone 5 - 9</i>   | <b>STAKED</b> |        | 5g             |          |
| <b>Wisteria floribunda 'Snow Showers'</b><br>White Japanese Wisteria<br><i>DECIDUOUS TWINING FLOWERING VINE; up to 24" long fragrant white racemes; vigorous grower; twines clockwise; locate in full sun &amp; well drained neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Japanese native [W. floribunda] Zones 5 - 9</i>  | <b>STAKED</b> |        | 5g             |          |
| <b>Wisteria frutescens 'Amethyst Falls'</b><br>Lavender American Wisteria<br><i>DECIDUOUS TWINING FLOWERING VINE; mildly fragrant lilac-blue flowers from June to August; not as vigorous as Asian cultivars; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; US native [W. frutescens] (Head-Lee N) Zones 5 - 9</i>   | <b>STAKED</b> |        | 5g             |          |
| <b>Wisteria macrostachya Summer Cascadeâ„¢ [First Editions®] ('Betty Matthews')</b><br>Lavender Kentucky Wisteria<br><i>DECIDUOUS TWINING FLOWERING VINE; flowers open as 12" dark lavender racemes on new wood before fading to a lighter shade by June; it will rebloom during the summer; if planted by a structure it can climb to about 20' tall; foliage turns yellow in fall; not as vigorous as Asian cultivars; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over-fertilization can reduce flowering; US native [W. macrostachya] (McNamara &amp; Hokansan) Zones 4 - 8</i> | <b>STAKED</b> |        | 5g             | <b>N</b> |

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Colony Nursery, Inc. Plant List: Fall 2025 / Spring 2026

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY |
|----------------|--------|------|-------|------|
|                |        |      |       |      |

## Delivery Instructions

Company Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

Contact(s): \_\_\_\_\_

Phone Numbers: OFFICE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

ALTERNATE: \_\_\_\_\_ FAX: \_\_\_\_\_

Email Address: \_\_\_\_\_

Requested Delivery Weeks(s): \_\_\_\_\_

Delivery Days / Time: MON  TUE  WED  THU  FRI  SAT  SUN  FROM \_\_\_\_\_ am / pm TO \_\_\_\_\_ am / pm

Special Instructions: \_\_\_\_\_

\_\_\_\_\_