

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer campestre Streetside® ('JFS-Schichtel2')</b> Hedge Maple <i>DECIDUOUS SHADE TREE; dark green summer foliage turns yellow in fall; upright oval heads to about 35' tall by 18' wide; tolerates heavy shearing for hedging; tolerates urban conditions; locate in full sun to partial shade &amp; about any well-drained soil; native to Europe &amp; western Asia; Zones (4) 5 - 8</i>		2" c 3" c 3.5" c	B&B B&B B&B	
<b>Acer x Crimson Sunset® ('JFS-KW202')</b> Redleafed Hybrid Shantung Maple; Redleafed Hybrid Purpleblow Ma <i>DECIDUOUS SHADE TREE; inconspicuous yellow flowers in early spring; purple spring foliage is maintained all summer before turning reddish-bronze in fall; compact upright pyramidal or oval habit to about 35' tall by 25' wide; very tolerant of summer heat not suitable to other purple foliage plants; locate in full sun to minimal shade &amp; just about any soil pH with reasonable drainage; Asian / European cross [A. truncatum x A. platanoides] (Warren / Schmidt) Zones 4 - 9</i>		1.5" c 1.75" c 2" c 3.5" c 4" c	25g B&B B&B B&B B&B	    <b>N</b>
<b>Acer x freemanii Autumn Blaze® ('Jeffersred')</b> Freeman Maple <i>DECIDUOUS SHADE TREE; minimal small inconspicuous red to yellowish-green flowers; orange-red to scarlet red fall foliage; broadly upright habit to about 55' tall by 40' wide at maturity; adaptable to a wide range of conditions; tolerates extended wet soils; locate in full sun or light shade &amp; most any soil regardless of acidity or moisture but not continually wet; native US cross [A. rubrum x A. saccharinum] (Jeffers) Zones 3 - 7</i>		1.5" c 1.75" c 2" c 2.5" c 3" c 3.5" c	25g B&B B&B B&B B&B B&B	     <b>N</b> <b>N</b>
<b>Acer ginnala 'Ruby Slippers'</b> <i>see: Acer tataricum ssp. ginnala 'Ruby Slippers'</i>				
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide; branching starts at the ground &amp; sometimes with multiple main trunks; tolerates alkaline &amp; clay soil; not drought tolerant; locate in full sun to partial shade (preferred) &amp; most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>	<b>SHRUB</b>	5' 6' 7' 8'	B&B B&B B&B B&B	    <b>N</b>
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide; usually a single trunk for 3' to 6'; tolerates alkaline &amp; clay soil; not drought tolerant; locate in full sun to partial shade (preferred) &amp; most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>	<b>TREE</b>	1.5" c 1.75" c 2" c	B&B B&B B&B	
<b>Acer palmatum 'Bloodgood'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring &amp; summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching usually starts about 12-18" above grade; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>	<b>SHRUB</b>	5' 7'	15g B&B B&B	  <b>N</b>
<b>Acer rubrum 'Armstrong'</b> Columnar Red Maple; Columnar Swamp Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>			25g	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer rubrum Armstrong Goldä,,ç ('JFS-KW78')</b> <b>LOW BRANCHED</b> Columnar Red Maple <i>DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage &amp; greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in fall; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; US native (Schmidt / Warren) Zones 4 - 9</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c	25g B&B B&B B&B B&B B&B	     <b>N</b> <b>N</b>
<b>Acer rubrum Armstrong Goldä,,ç ('JFS-KW78')</b> <b>TREE FORM</b> Columnar Red Maple <i>DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage &amp; greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in fall; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; US native (Schmidt / Warren) Zones 4 - 9</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c	25g B&B B&B B&B B&B B&B	      
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; broad oval head to about 50' tall &amp; about as wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c 4"c 4.5"c	B&B B&B B&B B&B B&B B&B B&B B&B	        <b>N</b>
<b>Acer rubrum Red Sentinel® ('WWWarren')</b> Columnar Red Maple; Columnar Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; dark green summer foliage turns bright firey red in fall; upright oval habit to about 40' tall by 18' wide; strong central leader &amp; good branch angles; locate in full sun &amp; moisture retentive well-drained neutral to slightly acidic soil; US native (Warren / JFS) Zone 5 - 9</i>		1.5"c 1.75"c	B&B B&B	  <b>N</b> <b>N</b>
<b>Acer rubrum Red Sunset® ('Franksred')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head to about 50' tall; showy orange to red fall foliage; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>		3.5"c 4"c 4.5"c	25g B&B B&B B&B	      
<b>Acer rubrum Redpointe® ('Frank Jr')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal habit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright red in early fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Schmidt) Zones 4 - 9</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c 4"c	15g 25g B&B B&B B&B B&B B&B	        <b>N</b> <b>N</b>   <b>N</b> <b>N</b> <b>N</b>
<b>Acer saccharinum Symatreeä,,ç ('JFS H1')</b> Compact Silver Maple <i>DECIDUOUS SHADE TREE; greenish-yellow to red flowers in very early spring; green samaras in late spring; medium green summer foliage is silvery below &amp; turns various shades of yellow to coppery in fall; compact rounded habit to about 30' tall by 20' wide; slower grower than the species means the wood is not as subject to breakage in storms; tolerates most soil types; locate in full sun &amp; moisture retentive to well-drained slightly acidic soil; US native (Hock / JFS) Zones 3 - 9</i>		4"c	10g B&B	  <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer saccharum Fall Fiesta® ('Bailsta')</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick glossy green summer foliage resists leaf tatter &amp; leafhopper damage; fall foliage is more red &amp; orange than most other cultivars; rapid upright grower to about 60' tall by 50' wide; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Bailey) Zones 4 - 7</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c	25g B&B B&B B&B B&B B&B	     <b>N</b>
<b>Acer saccharum 'Green Mountain'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch &amp; leaf tatter; variable yellow to orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8</i>		1.75" c 2" c 2.5" c 3" c 3.5" c	25g B&B B&B B&B B&B	    <b>N</b>
<b>Acer saccharum Powder Keg® ('Whit XLIX')</b> Sugar Maple <i>DECIDUOUS SHADE TREE; leathery green summer foliage turns orange-red in fall; compact upright habit to 35' tall by 25' wide in time; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Lacebark) Zones 5 - 9</i>		1.5" c 1.75" c 2" c 2.5" c	B&B B&B B&B B&B	   <b>N</b>
<b>Acer tataricum ssp. ginnala 'Ruby Slippers'</b> Amur Maple <i>DECIDUOUS SHADE TREE; persistent bright red samaras in profusion in June; glossy green summer foliage turns shades of yellow &amp; green in fall; compact rounded heads to 25' high &amp; wide; good under utility lines; locate in full sun to light shade &amp; moist well-drained soil of any acidity; Asian native (Princeton Ns) Zones 3 - 8</i>		2" c 3" c 3.5" c 4" c	B&B B&B B&B B&B	   <b>N</b>
<b>Acer truncatum</b> Shantung Maple; Purpleblow Maple <i>DECIDUOUS SHADE TREE; spring foliage emerges purplish before turning medium green by summer then turns shades of yellow orange &amp; sometimes red in fall; compact upright rounded heads reaching 25' tall by 20' wide; good heat &amp; drought tolerance; locate in full sun or light to partial shade &amp; acidic well-drained moisture retentive soil; native to China; Zones 4 - 8</i>			25g	<b>N</b>
<b>Acer truncatum Main Street® ('WF-AT1')</b> Shantung Maple; Purpleblow Maple <i>DECIDUOUS SHADE TREE; compact oval heads reaching up to 30' tall by 25' wide; spring foliage emerges purplish before turning medium green by summer then consistent orange-red in fall; good heat &amp; drought tolerance for urban areas; locate in full sun or light to partial shade &amp; acidic well-drained moisture retentive soil; native to China (Worthington) Zones 4 - 8 (9)</i>		1.75" c 2" c 2.5" c	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Aesculus glabra</b> <b>TREE FORM</b> Ohio Buckeye <i>DECIDUOUS SHADE TREE; upright greenish-yellow panicles to 12" tall in mid-spring can have unpleasant aroma; brown seed pod follows; bright green summer foliage usually turns fragrant &amp; yellow in fall but sometimes there are shades of orange &amp; red; variable wide-spreading habit (shrub or tree) from 20-40' tall &amp; wide; attracts hummingbirds &amp; butterflies; tolerates rabbits &amp; Black Walnut; not drought tolerant; has taproot; locate in full sun to light shade &amp; rich organic slightly acidic well-drained moisture retentive soil; US native; Zones 4 - 8 (9)</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c	B&B B&B B&B B&B B&B B&B	    <b>N</b> <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Aesculus glabra Early Glow<sup>®</sup> (‘JN Select’)</b> Ohio Buckeye <i>DECIDUOUS SHADE TREE; upright greenish-yellow panicles to 12" tall in mid-spring can have unpleasant aroma; minimal brown seed pods follows; bright green summer foliage turns fragrant bright red in fall before the species; upright spreading habit to about 45' tall by 25' wide; attracts hummingbirds &amp; butterflies; resists leaf blotch &amp; leaf scotch; tolerates urban conditions, rabbits &amp; Black Walnut; not drought tolerant; has taproot; locate in full sun to light shade &amp; rich organic slightly acidic well-drained moisture retentive soil; US native (Yanney) Zones (3) 4 - 8 (9)</i>		1.5" c 1.75" c 2.5" c 3" c	B&B B&B B&B B&B		<b>N</b> <b>N</b>
<b>Aesculus parviflora</b> Bottlebrush Buckeye <i>DECIDUOUS FLOWERING SHRUB; upright white panicles to 12" tall in early summer; shrubby wide-spreading habit to 10' high; suckering shrub that can get as wide as allowed; locate in full sun to light shade &amp; rich organic slightly acidic well-drained moisture retentive soil; PHS Gold Metal; southeast US native; Zones 4 - 8 (9)</i>	<b>BUSH</b>	1	15g 25g		<b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright habit to about 25' tall &amp; wide; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	<b>SHRUB</b>		5' 6' 7' 8' 9' 10 - 12'	B&B B&B B&B B&B B&B B&B	<b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright habit to about 25' tall &amp; wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	<b>TREE</b>		1.5" c 1.75" c	B&B B&B	<b>N</b>
<b>Amelanchier laevis 'Cumulus'</b> Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; profuse flowers are 4" white panicles in early April; sweet black edible fruit in June is loved by birds; green summer foliage transitions to a persistent yellow to orange-red in fall; upright habit to as much as 30' tall by 15' wide; locate in full sun or partial shade &amp; soil &amp; pH adaptable; eastern US native (Flemer) Zones 4 - 8 (9)</i>	<b>TREE FORM</b>		25g		
<b>Amelanchier laevis Lustre<sup>®</sup> (‘Rodgers’)</b> Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright open habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil &amp; pH adaptable; US native; Zones 4 - 8</i>			1.5" c 1.75" c	25g B&B B&B	<b>N</b> <b>N</b>
<b>Amelanchier laevis Spring Flurry<sup>®</sup> (‘JFS-Arb’)</b> Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in April; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; upright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant single leader; locate in full sun or light shade &amp; pH adaptable well-drained soil; US native; Zones 4 - 8</i>	<b>TREE FORM</b>		1.5" c 1.75" c 2" c 2.5" c 3.5" c	B&B B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Asimina triloba</b> Common Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large yellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; locate in full sun or shade &amp; moist to wet soils, although is being seen in dryer sites; eastern US native; Zones 5 - 8</i>		1.5" c 2" c	B&B B&B		
<b>Betula nigra Heritage® ('Cully')</b> CLUMP River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; resists drought, leaf spot &amp; borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>		9' 10 - 12'	25g B&B B&B		N N
<b>Betula nigra Heritage® ('Cully')</b> SINGLE STEM River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 45' tall by 30' wide; resists drought, leaf spot &amp; borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>			25g		N
<b>Carpinus betulus 'Fastigiata'</b> HIGH BRANCHED Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching normally starts about 4' above the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		1.75" c 2" c 4.5" c	15g 25g B&B B&B B&B		N N N
<b>Carpinus betulus 'Fastigiata'</b> LOW BRANCHED Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		1.75" c	15g 25g B&B		N
<b>Carpinus betulus 'Franz Fontaine'</b> HIGH BRANCHED Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		2.5" c	B&B		N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Carpinus betulus 'Franz Fontaine'</b> <b>LOW BRANCHED</b> Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		1.75"c	25g B&B	<u>    </u> <u>    </u> <u>    </u> <b>N</b> <b>N</b>
<b>Carpinus betulus 'Lucas'</b> <b>HIGH BRANCHED</b> Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns shades of yellow or orange in fall; narrow columnar habit to about 25' tall by 10' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts 3' or more above the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		1.75"c 2"c	B&B B&B	<u>    </u> <u>    </u> <b>N</b> <b>N</b>
<b>Carpinus betulus 'Lucas'</b> <b>LOW BRANCHED</b> Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns shades of yellow or orange in fall; narrow columnar habit to about 25' tall by 10' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>		1.75"c 2"c 2.5"c	15g B&B B&B B&B	<u>    </u> <u>    </u> <u>    </u> <u>    </u> <b>N</b> <b>N</b> <b>N</b>
<b>Carpinus caroliniana Fire King<sup>®</sup>,♣ ('JM Select A')</b> American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; rounded heads to about 20' tall &amp; wide; consistent orange-red fall foliage; smooth irregularly fluted gray bark; locate in full sun or full shade; very adaptable to many soil conditions including urban locations; US native (Yanny / Upshoot) Zones (3) 4 - 9</i>		1.75"c 2"c 2.5"c	B&B B&B B&B	<u>    </u> <u>    </u> <u>    </u> <b>N</b> <b>N</b>
<b>Carpinus caroliniana Native Flame<sup>®</sup> ('JFS-KW6')</b> American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; new foliage emerges with purplish tints before maturing to dark green by summer then variable shades of yellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 30' tall &amp; wide; tolerant of heavy shearing; branching starts at or near the ground; locate in full sun or full shade &amp; just about soil condition; US native; Zones 3 - 9</i>		1.75"c	25g B&B	<u>    </u> <u>    </u> <b>N</b> <b>N</b>
<b>Carpinus caroliniana Palisade<sup>®</sup> ('CCSQU')</b> <b>HIGH BRANCHED</b> Columnar American Hornbeam; Columnar Ironwood; Columnar Muscle <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; dark green summer foliage turns shades of yellow in fall; smooth irregularly fluted gray bark; upright habit to about 30' tall by 15' wide; tolerant of heavy shearing; branching starts at about 4' above the ground; locate in full sun or full shade &amp; just about soil condition; US native; Zones 3 - 9</i>		1.75"c 2"c	B&B B&B	<u>    </u> <u>    </u> <u>    </u> <b>N</b>
<b>Carpinus caroliniana Palisade<sup>®</sup> ('CCSQU')</b> <b>LOW BRANCHED</b> Columnar American Hornbeam; Columnar Ironwood; Columnar Muscle <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; dark green summer foliage turns shades of yellow in fall; smooth irregularly fluted gray bark; upright habit to about 30' tall by 15' wide; tolerant of heavy shearing; branching starts at about 4' above the ground; locate in full sun or full shade &amp; just about soil condition; US native; Zones 3 - 9</i>		1.75"c 2"c 2.5"c 3"c 3.5"c	B&B B&B B&B B&B B&B	<u>    </u> <u>    </u> <u>    </u> <u>    </u> <u>    </u> <u>    </u> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Carpinus x Skylark<sup>®</sup> (‘Shelby’)</b> Hybrid Columnar Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; fairly inconspicuous yellowish-green catkins in early spring; deep green serrated summer foliage; retains columnar habit; compact upright habit to about 35' tall by 15' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; resists disease &amp; drought; locate in full sun or part shade &amp; any soil with moderate drainage; US / European cross [C. caroliniana x C. betulus 'Fastigiata] (Pellett / Heritage) Zones 5 - 8</i>			25g	<b>N</b>
<b>Catalpa speciosa</b> Northern Catalpa <i>DECIDUOUS SHADE TREE; showy 2" white flower clusters in large upright panicles in June or early July; long narrow brown seed pods in fall; large heart-shaped green summer foliage turns yellowish-green in fall; rapid growing upright habit to about 70' tall by 40' or more wide; tolerates deer, wet &amp; dry soil, air pollution &amp; heavy soil; locate in sun or partial shade &amp; just about any soil with reasonable drainage; US native; Zones 4 - 8 (9)</i>		3" 4"	B&B B&B	
<b>Catalpa speciosa Heartland<sup>®</sup> (‘Hiawatha2’)</b> Northern Catalpa <i>DECIDUOUS SHADE TREE; showy 2" white flower clusters in large upright panicles in June or early July; long narrow brown seed pods in fall; large heart-shaped dark green summer foliage turns yellowish-green in fall; rapid growing upright somewhat columnar habit to about 50' tall by 25' wide; tolerates deer, wet &amp; dry soil, air pollution &amp; heavy soil; locate in sun or partial shade &amp; just about any soil with reasonable drainage; US native (Schmidt) Zones 4 - 8 (9)</i>		2" 2.5" 3.5"	B&B B&B B&B	
<b>Celtis occidentalis</b> Common Hackberry; Northern Hackberry <i>DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple; green summer foliage turns yellowish-tan in fall; oval or rounded heads to about 50' tall &amp; wide; tolerates urban conditions &amp; occasional flooding; resists drought, limited salt exposure &amp; most pests; locate in full sun &amp; prefers neutral to alkaline moisture retentive soil that isn't wet for extended periods; native to US &amp; Canada; Zones 3 - 7 (8)</i>		1.5" 1.75" 2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B B&B B&B	
<b>Cercidiphyllum japonicum</b> Katsura <i>DECIDUOUS SHADE TREE; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young to about 50' or more tall becomes as wide as tall at maturity; locate in full sun or partial shade &amp; well-drained moisture retentive soil; not drought tolerant; native to Japan &amp; China; Zones 4 - 8</i>			15g 25g	
<b>Cercidiphyllum japonicum 'Amazing Grace'</b> Weeping Katsura <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; broadly very graceful arching heads will be wider than tall; probably the same as 'Pendulum'; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade &amp; well-drained moisture retentive soil; native to Japan &amp; China; Zones 4 - 8</i>			15g 25g 45g	<b>N</b> <b>N</b> <b>N</b>
<b>Cercidiphyllum japonicum 'Churchill Dwarf'</b>			45g	<b>N</b>
<b>Cercidiphyllum japonicum 'Churchill Weeping'</b>			45g	<b>N</b>
<b>Cercidiphyllum japonicum Claim Jumper<sup>®</sup> (‘HSI1’)</b> Golden Katsura <i>DECIDUOUS SHADE TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; golden foliage with a pink blush emerges in spring before maturing to light yellow to lime green by summer then turns bright yellow in fall; fallen fall foliage has a sweet smell; upright habit to about 30' by 20' wide at maturity; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade &amp; well-drained moisture retentive soil; not drought tolerant; native to Japan &amp; China (Heritage S) Zones 5 - 8</i>			10g 15g 25g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercidiphyllum japonicum 'Fox Upright'</b>			15g	<input type="checkbox"/> <b>N</b>
<b>Cercidiphyllum japonicum 'Hanna's Heart'</b> Compact Upright Katsura <i>DECIDUOUS SHADE TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; compact upright habit to about 25' by about 12' wide at maturity; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade &amp; well-drained moisture retentive soil; named for Hanna Birknger who had a heart defect but was cured; native to Japan &amp; China; Zones 4 - 8</i>			15g 25g 45g	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <b>N</b>
<b>Cercidiphyllum japonicum 'Morika Weeping'</b> Weeping Katsura <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; larger foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young matures to an irregular broadly arching habit; height somewhat dependent on staking when young; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade &amp; well-drained moisture retentive soil; native to Japan &amp; China (Brookside Gdns) Zones 4 - 8</i>			10g 15g	<input type="checkbox"/> <input type="checkbox"/> <b>N</b>
<b>Cercis canadensis</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	<b>SHRUB</b>	5' 6' 7' 8' 9' 10 - 12'	25g B&B B&B B&B B&B B&B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<b>Cercis canadensis</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	<b>TREE</b>	1.75"c 2"c 2.5"c 3"c	10g 15g 25g B&B B&B B&B B&B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <b>N</b>
<b>Cercis canadensis 'Ace of Hearts'</b> Compact Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; compact habit to 10' high &amp; wide; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Woody) Zones 4 - 9</i>	<b>SHRUB</b>		15g	<input type="checkbox"/>
<b>Cercis canadensis 'Ace of Hearts'</b> Compact Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; compact habit to 10' high &amp; wide; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Woody) Zones 4 - 9</i>	<b>TREE</b>	1.75"c	10g 15g B&B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cercis canadensis 'Alley Cat'</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April; green leaves with streaks of white from spring through fall; broadly spreading heads to about 20' tall &amp; wide; slow grower; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Bush / Hidden Hollow N) Zones 5 - 9</i>		1.5" 1.75" 2"	15g B&B B&B B&B		   <b>N</b> <b>N</b> <b>N</b>
<b>Cercis canadensis 'Appalachian Red'</b> Pink Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Byrkit) Zones 4 - 9</i>			10g		<b>N</b>
<b>Cercis canadensis Black Pearl<sup>™</sup> (JN16)</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April before the foliage; foliage is a very dark (almost black) purple through summer then chartreuse yellow in fall; wide-spreading habit to about 20' tall by 25' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native [Ruby Falls x The Rising Sun] (Garden Debut) Zones 4 - 9</i>		1.75" 2"	15g B&B B&B		  <b>N</b> <b>N</b>
<b>Cercis canadensis 'Carolina Sweetheart<sup>™</sup> (NCCC1)</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright pink &amp; soon add green &amp; white before maturing to mostly green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Star) Zones 4 - 9</i>			15g		
<b>Cercis canadensis 'Cotton Candy<sup>™</sup> (Sjo)</b> Pink Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to very pale pink flowers with some lavender straking in April; green spring &amp; summer foliage turn shades of yellow in fall; upright habit to about 25' tall by 15' wide; attracts pollinators; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; well-drained moisture retentive soil of any pH; US native (Sjo) Zones 4 - 9</i>		1.5"	15g B&B		 <b>N</b>
<b>Cercis canadensis f. alba</b> White Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; creamy white blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones 4 - 9</i>		1.5" 2"	B&B BB		 <b>N</b> <b>N</b>
<b>Cercis canadensis f. alba 'Royal White'</b> White Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse pure white flowers are larger and appear just prior to "f. alba"; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; compact rounded habit to about 20' tall &amp; wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (McDaniel) Zones 4 - 9</i>		2"	B&B		

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercis canadensis Flame Thrower® ('NC2016-2')</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow &amp; green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Werner / Star) Zones 4 - 9</i>		2"c	15g B&B	
<b>Cercis canadensis Golden Falls® ('NC2015-12')</b> Golden Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating &amp; retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9</i>		1.5"c 1.75"c 2"c 2.5"c 3"c	15g B&B B&B B&B B&B	
<b>Cercis canadensis 'Green Machine'</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse pink flowers in April; dark green summer foliage turns a striking red in fall; weeping habit; height is determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i>		1.5"c 1.75"c 2"c	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Cercis canadensis Lavender Twistâ„¢ ('Covey')</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit; height determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Brotzman) Zones 4 - 9</i>		2"c	B&B	
<b>Cercis canadensis 'Merlot'</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark glossy green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; parentage makes it more heat &amp; drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i>		1.5c	15g B&B	
<b>Cercis canadensis 'Midnight Expressâ„¢ ('RNI-RCC3')</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage; upright oval heads to about 30' tall by 20' wide; attracts hummingbirds; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Robinson / PW) Zones 4 - 9</i>			15g	
<b>Cercis canadensis 'Pink Heartbreaker'</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; broadly weeping habit; height is determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Eaton) Zones 4 - 9</i>			7g 25g	

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercis canadensis 'Purple Rain' (JN104)</b> Weeping Purple-leaf Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright lavender-pink flowers in April; spring foliage emerges purple then becomes purplish-green by summer &amp; shades of yellow in fall; upright arching habit to about 10' tall &amp; wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i>		1.5" 2"	15g B&B B&B	N
<b>Cercis canadensis 'Ruby Falls'</b> Weeping Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring foliage emerges purple then becomes purplish-green by summer &amp; variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native [C.c. 'Covey' x C.c. 'Forest Pansy'] (Byrkit / Werner) Zones 4 - 9</i>		1.75" 2"	15g B&B B&B	N N
<b>Cercis canadensis ssp. texensis 'Pink Pom Poms'</b> Pink Oklahoma Redbud <i>DECIDUOUS ORNAMENTAL TREE; masses of double pink flowers in April before the foliage; seedless; thick glossy dark green drought resistant foliage; compact rounded habit to about 12' tall &amp; wide in 8 years; locate in sun or part shade &amp; most well-drained moisture retentive soil; US native (Werner / Star) Zones 6 - 9</i>		1.75" 2" 3"	B&B B&B B&B	N
<b>Cercis canadensis 'The Rising Sun' (JN2)</b> Gold-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse rosy-lavender flowers appear in spring before the leaves; spring foliage break is a wow as the new leaves unfurl bright orange-pink before turning chartreuse &amp; finally lime green by summer; fall reintroduces the bright gold to orange tones; rounded habit to about 25' tall &amp; wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Jackson) Zones (5) 6 - 9</i>			15g	
<b>Cercis canadensis 'Vanilla Twist'</b> Weeping White Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit whose size is determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native [C. Royal White x C. Lavender Twist] (Brotzman) Zones 5 - 9</i>		1.5" 1.75" 2.5"	B&B B&B B&B	N N N
<b>Cercis canadensis Zig Zag® ('Seirb')</b> Contorted Redbud <i>DECIDUOUS ORNAMENTAL TREE; magenta buds open to masses of lavender-pink blooms along all the branches in April; green summer foliage turns variable shades of yellow in fall; very distinct &amp; unique zig zagging of the branches increases winter interest; broadly upright habit to about 25' tall by 30' wide; branching usually starts about 3' to 5' above the ground from a single stem; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native; Zones (3) 4 - 9</i>			15g	N
<b>Chionanthus retusus</b> Chinese Fringetree <i>DECIDUOUS FLOWERING SHRUB; fragrant snow-white flowers in June; most plants are male or female but some are both; female flowers produce blueberry-like fruit in fall; glossy leathery dark green summer foliage turns yellow in fall; variable exfoliating cinnamon bark; slow upright or spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; not drought tolerant; native to eastern Asia; Zones 5 - 8</i>	SHRUB	5' 6' 7' 8' 9'	B&B B&B B&B B&B B&B	N N N N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chionanthus retusus 'China Snow'</b> Chinese Fringetree <i>DECIDUOUS FLOWERING SHRUB; masses of fragrant snow-white flowers in late May or June; black blueberry-like fruit in fall; glossy leathery dark green summer foliage turns yellow in fall; furrowed bark on mature trunks; slow upright or spreading habit to about 25' tall &amp; wide; tolerates heat, acidic &amp; alkaline soils; not drought tolerant; locate in full sun to partial shade &amp; moisture retentive well-drained neutral to acidic soil; native to eastern Asia; Zones 5 - 8</i>		1.75" c 2" c	B&B B&B	N
<b>Chionanthus retusus 'Tokyo Tower'</b> Columnar Chinese Fringetree <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant snow-white flowers from May to June; blueberry-like fruit in fall contrasts nicely with yellow fall foliage; summer foliage is glossy dark green; variable exfoliating cinnamon bark; slow upright habit to about 25' tall by 6' wide at maturity; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; not drought tolerant; native to eastern Asia; Zones (5) 6 - 8</i>		1.5" c	25g B&B	N N
<b>Chionanthus virginicus</b> White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy white fringe-like flowers in May or early June; some flowers are perfect others are male or female; dark bluish-black fruit in late summer from female flowers attract birds; dark green summer foliage turns yellowish in fall; winter bark can have red furrows; bushy broadly upright habit to about 20' tall &amp; wide; branching starts at the ground; tolerates Black Locust &amp; pollution; locate in full sun to partial shade &amp; most well-drained moisture retentive soils; eastern US native; Zones (3) 4 - 9</i>	SHRUB	5' 6' 8'	B&B B&B B&B	N N N
<b>Chitalpa tashkentensis 'Strawberry Moon'</b> Chitalpa <i>DECIDUOUS FLOWERING SHRUB; 10" whorled panicles of about 40 pink flowers with yellow &amp; orange blotches in late spring to early summer &amp; sporatically thereafter; dark green summer foliage turns yellow in fall; somewhat open upright habit to about 25' tall by 15' wide in 10 years; locate in full sun to light shade &amp; just about any well-drained soil [Chitalpa t. 'Pink Dawn' &amp; Catalpa ovata] (USNA) Zones 6 - 8</i>			25g	N
<b>Cladrastis kentukea</b> American Yellowwood <i>DECIDUOUS SHADE TREE; fragrant white panicles in late May bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; upright habit to about 50' or more tall with a broader spread when mature; locate in full sun &amp; well-drained soil of any pH; PHS Gold Metal; formerly named C. lutea; US native; Zones (3) 4 - 8</i>		1.75" c 2" c 3.5" c	25g B&B B&B B&B	N
<b>Cladrastis kentukea 'Perkins Pink'</b> Pink American Yellowwood <i>DECIDUOUS SHADE TREE; fragrant light pink panicles in late May bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; upright habit to about 50' or more tall with a broader spread when mature; locate in full sun &amp; well-drained soil of any pH [formerly: Cladrastis lutea] US native; Zones (3) 4 - 8</i>		1.5" C	B&B	
<b>Cornus x Celestial® ('Rutdan')</b> White Rutgers Hybrid Dogwood; White Stellar Å,® Dogwood <i>DECIDUOUS ORNAMENTAL TREE; white overlapping bracts in mid May; sterile; dark green summer foliage turns purplish-red in fall; habit is vigorously upright when young matures to about 18' tall by 15' wide; resistant to anthracnose, borers &amp; powdery mildew; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil; originally released as C. x rutgersensis 'Galaxy' [C. kousa x C. florida] (Orton) Zones 5 - 7</i>			15g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cornus controversa 'June Snow' (June Snow-JFS)</b> Giant Dogwood; Wedding Cake Tree <i>DECIDUOUS ORNAMENTAL TREE; white cymes from late May into June are up to 7" diameter; small fruit follows that transitions from red to purple to bluish-black by late summer; dark green summer foliage with lighter undersides turns shades ranging from yellowish-orange to reddish-purple in fall; distinctive horizontal broadly-spreading layered habit to about 30' tall by 40' wide in time; locate in full to mostly sunny locations &amp; organic acidic well-drained moisture retentive soil; found in Media, PA; Asian native (Warren / Schmidt) Zones 5 - 8</i>		1.5" c 1.75" c	B&B B&B	
<b>Cornus florida 'Appalachian Snow'</b> Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse, large overlapping, white, bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall &amp; wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		1.5" c	B&B	
<b>Cornus kousa 'Chinensis'</b> <i>see: Cornus kousa var. chinensis</i>				
<b>Cornus kousa var. chinensis</b> Chinese Kousa Dogwood; Chinese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; reddish-orange fall foliage; flowers, fruit &amp; foliage reported to be slightly larger than the species; mottled gray &amp; tan exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; plants have a single trunk with branching starting at about 2-3'; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>	SHRUB	5' 6' 8' 10 - 12'	B&B B&B B&B B&B	N
<b>Cornus mas 'Golden Glory'</b> Corneliancherry Dogwood <i>DECIDUOUS ORNAMENTAL TREE; yellow flowers in March; bright red fruit in July; exfoliating gray to brown bark; grows to about 20' tall; slower &amp; more upright habit than the species, but usually more floriferous; branching starts about 3' or more above the ground; locate in full sun to partial shade with any well drained organic soil; native to Europe &amp; western Asia; Zones 4 - 7</i>	TREE	1.5" c 1.75" c	B&B B&B	N
<b>Cornus mas 'Saffron Sentinel' (JFS PN4Legacy)</b> Columnar Corneliancherry Dogwood <i>DECIDUOUS ORNAMENTAL TREE; yellow flowers in March before the foliage; bright red fruit in late summer are edible; exfoliating gray to brown bark; columnar habit to about 20' tall by 10' wide; clean dark green summer foliage turns scarlet in fall; locate in full sun to partial shade with any well drained organic soil; native to Europe &amp; western Asia; Zones 4 - 7</i>		1.75" c 2" c	B&B B&B	
<b>Cornus x Scarlet Fire® ('Rutpink')</b> Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer &amp; turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>		1.5" c 1.75" c	B&B B&B	
<b>Cornus x Venus® ('KN30-8')</b> White Jersey Star, ® Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse 6" diameter white bracts in mid to late May; round red strawberry-like fruit in fall; dark green summer foliage turns orange in fall; vigorous upright vase-shaped habit to about 20' tall &amp; wide in 20 years &amp; even wider than tall at maturity; resistant to powdery mildew, anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. nuttallii x C. kousa] (Orton) Zones 6 - 8 (9)</i>		2" c	B&B	N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Corylus colurna</b> Turkish Filbert <i>ORNAMENTAL TREE; ornamentally insignificant yellowish male catkins &amp; almost invisible female catkins in March produce edible nuts in fall; bright green summer foliage turns a mediocre yellowish in fall; upright habit to about 60' tall by 40' wide at maturity; tolerates urban situations &amp; drought once established; locate in full sun &amp; any well-drained organic soil; native to southeast Europe &amp; western Asia; Zones 4 - 7</i>		1.75"c 2"c 2.5"c 3"c 3.5"c	B&B B&B B&B B&B B&B	
<b>Crataegus viridis 'Winter King'</b> Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun &amp; any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>		1.5"c 1.75"c 2"c 2.5"c	B&B B&B B&B B&B	<b>N</b>   <b>N</b>
<b>Diospyros virginiana</b> American Persimmon <i>DECIDUOUS FRUIT TREE; fragrant white to greenish-yellow male &amp; female flowers on the same plants in late spring; persistent orange to reddish-purple fruit in fall; glossy green summer foliage turns yellowish in fall; upright grower to about 50' tall by 30' wide - although varies widely with location; locate in full sun or partial sunny locations &amp; most soil types with reasonable drainage; eastern US native; Zones 4 - 9</i>		1.5"c 3"c 3.5"c	B&B B&B B&B	 <b>N</b> <b>N</b>
<b>Eucommia ulmoides</b> Hardy Rubber Tree <i>DECIDUOUS SHADE TREE; inconspicuous sterile flowers; thick waxy serrated dark green summer foliage develops no interesting fall color; broadly upright habit to about 50' tall by 40' wide at maturity; very tolerant of a wide range of soils, insects &amp; drought; stem die-back has been noticed in some locations; locate in full sun &amp; any well-drained soil; native to China; Zones (4) 5 - 7</i>		1.5"c 2"c 2.5"c 3"c 3.5"c 4"c	B&B B&B B&B B&B B&B B&B	<b>N</b> <b>N</b>     
<b>Fagus grandiflora</b> <b>TREE FORM</b> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall &amp; wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade &amp; well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>		1.75"c 2"c 2.5"c 3"c 3.5"c 4"c	B&B B&B B&B B&B B&B B&B	    <b>N</b> <b>N</b>
<b>Fagus sylvatica</b> <b>TREE FORM</b> European Beech <i>DECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually retained for most of if not all winter; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones (4) 5 - 7</i>		2"c 3"c	B&B B&B	 
<b>Ginkgo biloba 'Autumn Gold'</b> Ginkgo; Maidenhair Tree <i>DECIDUOUS CONIFER; selected as a male cultivar that won't fruit (however I've seen plants labeled as A.G. with fruit); unique fan-like medium green summer foliage turns clear golden-yellow in fall; more broadly upright than most male cultivars getting about 45' tall by 35' or more wide; highly resistant to pests &amp; diseases; very tolerant of urban &amp; coastal conditions; may not be as hardy as other cultivars; locate in full sun &amp; any soil that drains; Chinese native; Zones (6) 7 - 8 (9)</i>		1.75"c 2"c 3"c 4.5"c	25g B&B B&B B&B B&B	    

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ginkgo biloba 'Goldspire' (Fastigiata Blagon)</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; ornamentally insignificant flower in April followed by very obnoxious smelling fruit on female trees in fall; distinctive 2-lobed medium green summer foliage turns clear bright golden yellow in fall; upright columnar habit to about 15' tall by 5' wide in 10 years; female trees produce fruit with a very bad odor when crushed; highly resistant to pests &amp; diseases; tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil with good drainage; thought to be extinct when found in China; in prehistoric times was native to the US; Zones (3) 4 - 8 (9)</i>		25g		
		1.75"c	B&B	N
		2"c	B&B	N
		2.5"c	B&B	N
<b>Ginkgo biloba 'Grindstone' / 'Grind Stone Lake'</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; ornamentally insignificant flower in April; male selection - no fruit; distinctive 2-lobed medium green summer foliage turns clear bright golden yellow in fall; upright very narrow columnar habit to about 25' tall by 5' wide in about 15 years; female trees produce fruit with a very bad odor when crushed; highly resistant to pests &amp; diseases; tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil with good drainage; thought to be extinct when found in China; in prehistoric times was native to the US; Zones (3) 4 - 8 (9)</i>		25g		
		1.5"c	B&B	
		1.75"c	B&B	
		2"c	B&B	
		2.5"c	B&B	
		3"c	B&B	N
		3.5"c	B&B	N
		4"c	B&B	N
<b>Ginkgo biloba Princeton Sentry® ('PNI2720')</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; medium green summer foliage turns bright yellow in fall; columnar habit to about 60' tall by 25' wide; highly resistant to pests &amp; diseases; very tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil that drains; Chinese native (Flemer) Zones 4 - 8 (9)</i>		1.75"c	B&B	
<b>Gleditsia triacanthos f. inermis Northern Acclaim® ('Harve')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; inconspicuous greenish-yellow flowers in mid to late spring; seedless; thornless; small medium green compound summer foliage turns golden yellow in fall; provides light dappled shade; upright spreading heads to about 50' tall by 35' wide; tolerates urban conditions, ice, soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (NDSU) Zones (3) 4 - 8 (9)</i>		2"c	B&B	
		2.5"c	B&B	N
		3"c	B&B	N
<b>Gleditsia triacanthos f. inermis Northern Sentinel® ('JFS GMorgenson1')</b> Upright Honeylocust <i>DECIDUOUS SHADE TREE; inconspicuous greenish-yellow flowers in mid to late spring; thought to be seedless; small dark green compound summer foliage turns golden in fall; provides light dappled shade; upright branching to about 50' tall by 25' wide; tolerates urban conditions, ice, soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (Morgenson / Schmidt) Zones 4 - 8 (9)</i>		1.5"c	B&B	N
		1.75"c	B&B	N
<b>Gleditsia triacanthos f. inermis Skyline® ('Skycole')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; virtually seedless; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>		1.5"c	B&B	N
		1.75"c	B&B	
		2"c	B&B	
		2.5"c	B&B	
		3"c	B&B	
		3.5"c	B&B	
		4"c	B&B	N
<b>Gymnocladus dioica (dioicus) 'Espresso' (Espresso-JFS)</b> Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; seedless; large doubly compound blue-green summer foliage turns yellow in fall; upright arching habit to about 50' tall by 35' wide; dramatic open structure in winter with each tree looking different; tolerates high pH, drought &amp; urban conditions; locate in full sun &amp; moist organic soil; US native (Schmidt) Zones 4 - 8</i>		1.75"c	B&B	
		2"c	B&B	
		2.5"c	B&B	
		3"c	B&B	
		3.5"c	B&B	
		4.5"c	B&B	N

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Gymnocladus dioica (dioicus) Skinny Lattea<sup>®</sup> (Morton')</b> Columnar Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; male flowers are 4" long &amp; not fragrant; seedless; doubly compound bluish-green summer foliage turns yellow in fall; fairly narrow columnar to about 50' tall by 20' wide; resists most diseases; tolerates high pH, drought, high moisture &amp; urban situations; locate in full sun &amp; moist organic soil of about any pH; US &amp; Canadian native (Chicagoland Grows) Zones (3) 4 - 8</i>		2" 3"	B&B B&B	<b>N</b>
<b>Hamamelis x intermedia 'Diane'</b> Red Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February &amp; early March; fall foliage can be a mix of yellow, orange &amp; red; broad spreading habit to about 10' tall by 12' wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>			15g	
<b>Heptacodium miconioides</b> Seven-son Flower <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant creamy white flowers open in August and remain into September; green fruit follows that turns rose-purple &amp; is effective for 2 to 3 weeks in late Sept or Oct; irregular loose upright habit to 15' or more; tan exfoliating bark gives winter interest; locate in full sun to partial shade &amp; organic moisture retentive well-drained acidic soil; Chinese native; Zones 5 - 8</i>			25g	
<b>Hydrangea paniculata 'Limelight'</b> <b>TREE</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			10g 15g	<b>N</b>
<b>Hydrangea paniculata Limelight Prime<sup>®</sup> ('SMNHPPH')</b> <b>TREE</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large profuse bright greenish-white flowers in mid-summer on new wood then turn reddish-pink by late summer into fall on sturdy stems; dark green summer foliage; compact upright habit to about 6' tall by 4' wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range) &amp; well-drained moisture retentive soil; Asian native (Wood / PW) Zones (3) 4 - 8</i>			15g	<b>N</b>
<b>Hydrangea paniculata Vanilla Strawberry<sup>®</sup> (First Editions<sup>®</sup>) ('RENhy')</b> <b>TREE</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly upright to about 7' tall by 5' wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			15g 25g	
<b>Hydrangea quercifolia Snow Queen<sup>®</sup> ('Flemygea')</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall &amp; wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>			15g	

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus chinensis 'Keteleeri'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; female cones usually light blue &amp; male cones tannish; medium green scale-like foliage; narrowly pyramidal habit to about 15' tall by 5' wide; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>		8' 9'	B&B B&B	
<b>Juniperus chinensis 'Trautman'</b> Narrow Columnar Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; prominent light blue female berries in fall; bluish-green needles seldom bronze in winter; narrowly columnar habit to about 6' tall by 2' wide in 10 years; resists deer browse &amp; tip blight; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Trautman) Zones 5 - 9</i>		5' 6' 7'	B&B B&B B&B	  <b>N</b>
<b>Juniperus x Star Power® ('J.N. Select Blue')</b> Blue Hybrid Juniper <i>EVERGREEN ORNAMENTAL CONIFER; insignificant ornamental flowers; small blue cones in fall attract birds; bright green to bluish-green star-like juvenile foliage; rapid growing conical habit to about 12' tall by 5' wide in 10 years; resists deer browse; tolerates drought; locate in full sun &amp; most well-drained soils; Asian native hybrid [thought to be J. communis x J. chinensis] (Yanny / Johnson's N) Zones 4 - 9</i>		9'	25g B&B	 <b>N</b>
<b>Juniperus virginiana</b> Eastern Red Cedar <i>EVERGREEN CONIFER; showy greenish-blue to bright blue female cones in fall; medium green summer foliage bronzes in winter; variably columnar to pyramid habit to about 40' tall by 15-25' wide; resists drought &amp; air pollution; tolerates sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America; Zones (3) 4 - 9</i>		5'	25g B&B	 <b>N</b>
<b>Juniperus virginiana 'Canaertii'</b> Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; showy greenish-blue to bright blue female cones in fall; medium green summer foliage bronzes in winter; pyramid habit reaching about 25' tall by 15' wide; dark green foliage bronzes some in winter; very susceptible to rust; tolerant of drought, air pollution, sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America; Zones (3) 4 - 9</i>		9'	B&B	
<b>Juniperus virginiana 'Green Point'</b> Columnar Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green summer foliage can be gray or bronze during winter in northern range; narrow columnar pyramid habit reaching about 25' tall by 4' wide; resists drought &amp; air pollution; tolerates sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America (Hayman) Zones (3) 4 - 9</i>		5' 6' 7' 8' 9' 10 - 12'	B&B B&B B&B B&B B&B B&B	     <b>N</b>
<b>Juniperus virginiana 'Taylor'</b> Columnar Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze during winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of drought, air pollution, sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America (Bieberich) Zones (3) 4 - 9</i>		9'	B&B	
<b>Liquidambar styraciflua Happidazeà,¢ ('Hapdell')</b> American Sweetgum <i>DECIDUOUS SHADE TREE; non-ornamental yellowish-green male flower clusters in mid-spring; non-fruiting - mostly; dark green summer foliage turns a lovely maroon in the fall; vigorous pyramidal habit when young matures to a rounded head at about 70' tall by 50' wide; tolerates clay &amp; compacted urban soils; locate in full sun &amp; moist to partially wet organic soils; native to eastern US &amp; Mexico; Zones 5 - 9</i>		1.5" c 1.75" c 2" c 2.5" c 3" c 4" c	15g 25g B&B B&B B&B B&B B&B	  <b>N</b> <b>N</b>   <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Liquidambar styraciflua 'Slender Silhouette'</b> <b>LOW BRANCHED</b> Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7' wide; locate in full sun &amp; moist to partially wet organic soils; native to eastern of US &amp; Mexico (Shadow) Zones (5) 6 - 8 (9)</i>		1.5" 1.75"	15g 25g B&B B&B		<b>N</b> <b>N</b>
<b>Liriodendron tulipifera</b> Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; medium green summer foliage turns variable shades of yellow in fall; vigorous upright habit to about 80' tall by 40' wide; somewhat weak wooded; locate in full sun or light shade &amp; deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native; Zones 4 - 9</i>		1.75" 2"	B&B B&B		<b>N</b> <b>N</b>
<b>Liriodendron tulipifera 'Arnold' / 'Fastigiatum'</b> <b>LOW BRANCHED</b> Columnar Tuliptree; Columnar Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; green summer foliage turns yellow in fall; narrowly upright habit to about 50' tall by 25' wide; often widens with age; locate in full sun or light shade &amp; deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native (Monrovia) Zones 4 - 9</i>		1.75" 2" 3" 3.5"	25g B&B B&B B&B B&B		<b>N</b>
<b>Liriodendron tulipifera Emerald City® ('JFS-Oz')</b> Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; significantly glossier darker green foliage than the species in summer turns clear yellow in fall; uniform upright branching with stronger more open branch angles to about 50' tall by 25' wide; locate in full sun or light shade &amp; deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native (Schmidt) Zones (4) 5 - 9</i>		1.75" 2"	B&B B&B		<b>N</b> <b>N</b>
<b>Maackia amurensis MaacNificent® ('JFS-Schichtel1')</b> Amur Maackia <i>DECIDUOUS ORNAMENTAL TREE; white racemes in late July can smell like cut grass; coppery bark exfoliates in vertical curls with age &amp; is most visible in winter; compound spring foliage opens with silvery pubescence before turning dark green by summer then yellow in fall; upright vase-shaped habit to about 30' tall by 20' spread; attracts pollinators; resists drought &amp; most pests; locate in full sun &amp; about any (acidic to alkaline) well-drained soil; Asian native (JFS / Schichtel) Zones 3 - 7 (8)</i>		2" 2.5" 3"	B&B B&B B&B		<b>N</b>
<b>Maclura pomifera 'Witchita'</b> Osage-orange; Hedge-apple <i>DECIDUOUS SHADE TREE; male flowers aren't ornamentally effective; no fruit; thick glossy summer foliage turns variable yellow in fall; mostly thornless; bushy habit to about 50' tall by 40' wide; tolerates poor, wet or dry soil; resists deer browse; locate in full sun or minimal shade &amp; just about any soil with reasonable drainage; US native (Pair) Zones 4 - 9</i>		1.5" 1.75" 2"	B&B B&B B&B		<b>N</b> <b>N</b>
<b>Magnolia x brooklynensis 'Judy Kuk'</b> <b>SHRUB</b> Yellow Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright yellow sterile flower with some pinkish-orange at the base in early April as the new foliage emerges; flowers subject to damage by late freezes; large green summer leaves turn coppery-bronze in fall; upright habit up to about 25' tall by 15' wide in 10 or more years; attracts pollinators; resists deer browse; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. liliiflora x M. stellata] (BBG) Zones (4) 5 - 9</i>		5' 7' 8' 9'	15g B&B B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b> <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Magnolia x brooklynensis 'Lois'</b>			25g	
<b>SHRUB</b>		5'	B&B	
Yellow Hybrid Magnolia		7'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade &amp; moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>		10'	B&B	<b>N</b>
<b>Magnolia x brooklynensis 'Lois'</b>			25g	
<b>TREE</b>				
Yellow Hybrid Magnolia				
<i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade &amp; moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>				
<b>Magnolia x 'Galaxy'</b>			25g	
<b>TREE</b>		1.5" c	B&B	<b>N</b>
Hybrid Magnolia				
<i>DECIDUOUS ORNAMENTAL TREE; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light shade &amp; well-drained organic slightly acidic soil; PHS Gold Metal [M. kobus var. x liliiflora stellata x M. sprengeri 'Diva'] (USNA / Kosar) Zones 5 - 9</i>				
<b>Magnolia grandiflora 'Edith Bogue'</b>				
<b>TREE FORM</b>		3" c	B&B	
Southern Magnolia		4" c	B&B	<b>N</b>
<i>EVERGREEN FLOWERING TREE; large white fragrant flowers from May into summer; medium green foliage with very light indumentum below the leaf; hardy strain from NJ that tolerates snow loads better than most; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native; PHS Gold Metal; Zones 6 - 9</i>				
<b>Magnolia liliifolia 'Jane'</b>			15g	
Hybrid Lily Magnolia				
<i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar &amp; deVos / USNA) Zones 3 - 8</i>				
<b>Magnolia x loebneri 'Leonard Messel'</b>			15g	<b>N</b>
<b>SHRUB</b>		5'	B&B	<b>N</b>
Pink Loebner Magnolia; Pink Star Magnolia				
<i>DECIDUOUS ORNAMENTAL TREE; fragrant purplish-pink star-like flowers in mid-April from purple buds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tall &amp; almost as wide; locate in full sun to light or dappled shade &amp; deep well-drained neutral to slightly acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)</i>				
<b>Magnolia x loebneri 'Leonard Messel'</b>			15g	<b>N</b>
<b>TREE</b>				
Pink Loebner Magnolia; Pink Star Magnolia				
<i>DECIDUOUS ORNAMENTAL TREE; fragrant purplish-pink star-like flowers in mid-April from purple buds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tall &amp; almost as wide; locate in full sun to light or dappled shade &amp; deep well-drained neutral to slightly acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)</i>				

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Magnolia x loebneri 'Merrill' / 'Dr. Merrill'</b> <b>SHRUB</b> White Loebner Magnolia <i>DECIDUOUS ORNAMENTAL TREE; profuse large star-like white flowers in mid-April; broadly upright to 25'+ tall by 30' or more wide; dark green summer foliage gets bronzy-yellow in fall; locate in full sun to light or dappled shade &amp; deep well-drained acidic soil with good moisture retention; Asian cross; PHS Gold Metal [M. kobus x M. stellata] (Arnold Arb) Zones 3 - 8</i>		5' 7'	15g 25g B&B B&B	
<b>Magnolia x Mercuryâ„¢ ('NCMX1')</b> <b>TREE</b> Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to large fragrant lavender-pink cup-shaped flowers in mid to late spring &amp; sporadically through summer; showy reddish seeds provide food for a lot of animals &amp; birds; dark green summer foliage turns tan in fall in northern range; can be evergreen in southern range; central leader with upright branching to about 60' tall by 35' wide; attracts butterflies; tolerates high humidity, salt &amp; air pollution; not tolerant of drought or flooding; locate in full sun &amp; moist organic well-drained soils of varying acidity (Ranney / Schmidt) Zones 7 - 9</i>		1.5" c	10g B&B	<b>N</b>
<b>Magnolia x 'Rose Marie'</b> <b>SHRUB</b> Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; large lightly fragrant rose-pink flower with lighter interior petals in late mid to late April &amp; beyond; upright habit to about 20' tall by 10' wide at maturity; dark green foliage; tolerant of pollution &amp; urban situations; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity ['Pink Surprise' x 'Daybreak'] (Ledvina) Zones 4 - 8</i>			15g	
<b>Magnolia x soulangeana 'Angelica'</b> <b>TREE</b> Saucer Magnolia		3" c 3.5" c	25g B&B B&B	<b>N</b> <b>N</b>
<b>Magnolia x soulangeana 'Barrington Belle'</b> <b>TREE</b> White Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; white flowers with pink centers in early to mid-April before the foliage; bushy upright habit to about 25' tall by 20' wide; locate in full sun to light or dappled shade &amp; deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Magnolia 'Spectrum'</b> <b>SHRUB</b> Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; profuse 10" lightly fragrant dark pink flowers with light pink interiors are effective in mid to late spring; broadly upright multi-stemmed habit to about 25' tall &amp; wide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light shade &amp; well-drained moisture retentive organic slightly acidic to neutral soil; sister seedling of 'Galaxy' [M. x liliiflora x M. sprengeri 'Diva'] (USNA / Kosar) Zones 6 - 9</i>		6' 7' 10 - 12'	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Magnolia stellata 'Royal Star'</b> <b>SHRUB</b> Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage; medium green summer foliage; broad bushy habit to about 15' tall &amp; often slightly wider; locate in full sun to light or dappled shade &amp; deep well-drained neutral to slightly acidic soil with good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8</i>			25g	

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Magnolia virginiana 'Green Mileâ„¢ ('MVHH')</b> SHRUB Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; long dark glossy semi-evergreen foliage is silvery below &amp; turns yellowish in fall; upright habit to about 35' tall by 15' wide in time; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native (Neubauer) Zones 5 - 9</i>		8' 9' 10 - 12'	25g B&B B&B B&B	   <b>N</b>
<b>Magnolia virginiana Moonglow® ('Jim Wilson')</b> SHRUB Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; deer browse resistant; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>		5' 6' 7' 8'	10g 15g 25g B&B B&B B&B B&B	  <b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Magnolia virginiana Moonglow® ('Jim Wilson')</b> TREE Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; branching starts about 3' above the ground; deer browse resistant; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>		1.5" c 1.75" c 2" c	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Malus domestica 'Fuji'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant pink &amp; white flowers in May; medium sized red &amp; yellow fruit in October is sweet, crisp &amp; juicy; best pollination with at least 1 other variety; habit varies with rootstock but tends to be as high as wide - usually about 12' tall; attracts hummingbirds &amp; butterflies; not tolerant of wet soils; locate in full sun &amp; organic moisture retentive well-drained slightly acidic soil; native to western Asia [M. 'Red Delicious' x M. 'Virginia Ralls Genet' in Japan - 1930s] Zones 5 - 8</i>			15g	<b>N</b>
<b>Malus domestica 'Gala'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; medium sized red &amp; yellow fruit in late summer is sweet, tart &amp; crisp; habit varies with rootstock but tends to be as high as wide - usually about 12' tall; attracts hummingbirds &amp; butterflies; locate in full sun &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia [M. 'Kid's Orange Red' x M. 'Yellow Delicious' in New Zealand] Zones 3 - 8</i>			15g	
<b>Malus domestica 'Honeycrisp'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant pure white flowers in May; large crisp, juicy &amp; sweet red fruit with yellowish stripping in early fall; best pollination with at least 1 other variety; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; resists scab &amp; somewhat to fireblight; not tolerant of wet soil; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; native to western Asia (U of MN) Zones (3) 4 - 8</i>			15g	<b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Malus Ivory Spear® ('JFS KW214MX')</b> White Columnar Crabapple <i>DECIDUOUS ORNAMENTAL TREE; deep pink buds open to pure white flower in mid-spring; persistent 1/2" bright red fruit is loved by birds; dark green summer foliage turns yellow-ish in fall; upright habit to about 18" tall by 7' wide; excellent disease resistance to all 4 problems; tolerant of urban conditions &amp; drought; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Schmidt) Zones 4 - 8</i>		1.75"c	25g B&B	N
<b>Malus 'Prairifire'</b> Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pinkish-red buds open to lightly fragrant exceedingly showy deep pinkish-red flowers; persistent 3/8" purplish-red fruit through fall; new bronze-red foliage matures to bronze-green by summer before turning to shades of orange &amp; red in fall; rounded heads to about 20' tall &amp; wide; excellent disease resistance; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Dayton) Zones 4 - 8</i>	SHRUB	5'	B&B	
<b>Malus Raspberry Spear® ('JFS KW213MX')</b> Columnar Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; deep pink buds open to magenta-pink flower in mid-spring; persistent 1/2" bright red fruit is loved by birds; purple summer foliage turns orange-ish in fall; upright habit to about 20' tall by 8' wide; excellent disease resistance to all 4 problems; tolerant of urban conditions &amp; drought; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Schmidt) Zones 4 - 8</i>			25g	
<b>Malus Royal Raindrops® ('JFS-KW5')</b> Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; fragrant single deep pink flower in mid-spring; persistent 1/4" bright red fruit; purple cut-leaf summer foliage turns shades of orange &amp; purple in fall; broadly oval heads to about 20' tall by 15' wide; very good disease resistance; tolerant of urban conditions &amp; drought; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil [M. transitoria] (Schmidt) Zones 4 - 8</i>	TREE	1.75"c 2"c 2.5"c	15g 25g B&B B&B B&B	
<b>Malus Ruby Dayze® ('JFS KW139MX')</b> Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; abundant magenta-pink flowers in mid to late spring; persistent 1/4" bright red fruit in fall; new foliage opens purplish-red before becoming more bronze by summer then shades of orange &amp; red in fall; compact upright oval habit to about 20' tall by 15' wide; excellent disease resistance to all 4 problems; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Schmidt) Zones 4 - 8</i>		2"c 3"c 3.5"c	25g B&B B&B B&B	N
<b>Malus sargentii</b> Sargent Crabapple <i>DECIDUOUS ORNAMENTAL TREE; red buds open to fragrant white flowers in alternate years (some seedlings may be annual); 1/2" bright red persistent fruit; dense wide-spreading habit to about 8' tall by 12' or more wide; excellent resistance to diseases except scab which is good resistance; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; Zones 4 - 7</i>	SHRUB	7'	B&B	N
<b>Malus 'Showtimeâ„¢ ('Shotizam')</b> Red Crabapple <i>DECIDUOUS ORNAMENTAL TREE; red buds open to fuchsia-red flowers; abundant red 5/8" fruit throughout the fall; broadly upright habit to 18' high by 15' wide; purplish-green summer foliage turn an impressive gold in fall; excellent disease resistance; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Zampini / Lake County) Zones 4 - 8</i>		2.5"c 3"c 3.5"c	B&B B&B B&B	N N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Malus 'Snowdrift'</b> White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to abundant lightly fragrant 1.25" dia white flowers in mid/late spring; 1/2" sporadic orange-yellow fruit with a red cheek; dark green summer foliage turns golden-yellow in fall; rounded habit to about 20' tall &amp; wide; some susceptibility to scab &amp; fireblight; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Cole N) Zones 4 - 8</i>		1.75"c 2"c 3"c 3.5"c	B&B B&B B&B B&B	    <b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Malus Sparkling Sprite™, ♂ ('JFS-KW207')</b> Dwarf White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to a multitude of white flowers in mid/late spring; 1/4" profuse golden yellow fruit becomes more orange with maturity &amp; lasts into winter; dark green summer foliage; rounded habit to about 12' tall &amp; wide; usually grafted on a standard; excellent resistance to all 4 diseases; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Warren / Schmidt) Zones 4 - 8</i>		1.75"c 2"c 2.5"c 3"c 3.5"c	15g 25g B&B B&B B&B B&B B&B	       <b>N</b>
<b>Malus Sugar Tyme® ('Sutyzam')</b> White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pale pink buds open to profuse fragrant white flowers annually in mid-spring; persistent 1/2" red fruit; dark green summer foliage turns bronzy in fall; upright oval habit to about 20' tall by 15' wide; slight susceptibility to scab, mildew &amp; fireblight; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &amp; moisture retentive well-drained acidic soil (Lake County N) Zones 4 - 8</i>		1.5"c 1.75"c	B&B B&B	 <b>N</b>
<b>Metasequoia glyptostroboides</b> <b>LOW BRANCHED</b> Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching starts at or near the ground; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, PHS Gold Metal; Chinese native; Zones 5 - 8</i>		9'	B&B	
<b>Metasequoia glyptostroboides 'Amber Glow™, ♂ ('WAH-08AG')</b> <b>LOW BRANCHED</b> Golden Dawn Redwood <i>DECIDUOUS ORNAMENTAL CONIFER; new spring foliage opens with a hint of burgundy before quickly turning bright gold by summer; foliage doesn't burn in full sun; fall foliage turns coppery-orange before dropping; rapid growing upright pyramidal habit to about 35' tall by 25' wide in about 25 years; no pest or disease problems; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, Chinese native; Zones 5 - 8</i>		8' 9' 10 - 12' 12 - 14'	25g B&B B&B B&B B&B	    <b>N</b> <b>N</b>
<b>Metasequoia glyptostroboides 'Amber Glow™, ♂ ('WAH-08AG')</b> <b>TREE</b> Golden Dawn Redwood <i>DECIDUOUS ORNAMENTAL CONIFER; new spring foliage opens with a hint of burgundy before quickly turning bright gold by summer; foliage doesn't burn in full sun; fall foliage turns coppery-orange before dropping; rapid growing upright pyramidal habit to about 35' tall by 25' wide in about 25 years; no pest or disease problems; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, Chinese native; Zones 5 - 8</i>		2.5"c 3"c	B&B B&B	 <b>N</b> <b>N</b>
<b>Metasequoia glyptostroboides Jade Prince® ('JFS-PN3Legacy')</b> Columnar Dawn Redwood <i>DECIDUOUS CONIFER; foliage emerges chartreuse in spring maturing to bright green by summer then rusty-orange in fall; rapid growing narrowly pyramidal habit to about 70' tall by 25' wide at maturity with a dominant central leader; branching starts at or near the ground; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, Chinese native (Schmidt) Zones 5 - 8</i>		6' 7' 8' 9' 10 - 12'	25g B&B B&B B&B B&B B&B	     <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Metasequoia glyptostroboides Soul Fire</b> Golden Dawn Redwood <i>DECIDUOUS ORNAMENTAL CONIFER; foliage emerges bright lime-green with orange tips maturing to chartreuse that doesn't burn then bright orange in the fall before dropping; upright pyramidal habit to about 25' tall by 12' wide in 10 years; resists most pest &amp; disease problems; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, Chinese native (Schenk / P. Nouveau) Zones 5 - 8</i>			25g	
<b>Metasequoia glyptostroboides Urban Spire</b> Columnar Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn a burnt orange in fall; narrow columnar habit to about 25' tall by 10' wide in 10 years; branching normally starts at or near the ground; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil that doesn't stay wet, Chinese native (Sterling &amp; Schenk / P. Nouveau) Zones 4 - 9</i>			25g	
<b>Nyssa sylvatica</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &amp;/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>		1.5"c 1.75"c 2"c 4.5"c	B&B B&B B&B B&B	<b>N</b>
<b>Nyssa sylvatica Firestarter® ('JFS-red')</b> Columnar Black Gum; Columnar Black Tupelo <i>DECIDUOUS SHADE TREE; inconspicuous very light green flowers in May / June; seedless; glossy green summer foliage turns shades of red &amp; orange in early fall; narrowly pyramidal to upright oval heads with strong central leader to about 35 tall by 18' wide at maturity; taproot; fall transplanting hazard; tolerates temporary standing water; locate in full sun to partial shade &amp; moisture retentive acidic soils; US native (JFS) Zones 4 - 9</i>		2"c 2.5"c	B&B B&B	<b>N</b> <b>N</b>
<b>Nyssa sylvatica 'Green Gable' (NSUHH)</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-red to dark red in fall; dense upright pyramidal heads to about 50' tall &amp; half as wide; superior resistance to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Zones 5 - 9</i>		2"c 2.5"c 3"c 3.5"c	B&B B&B B&B B&B	
<b>Nyssa sylvatica 'Majestic' (M.O.N.2)</b> Compact Black Gum; Compact Black Tupelo <i>DECIDUOUS SHADE TREE; inconspicuous very light green flowers in May / June; black fruit in fall; glossy dark green summer foliage turns brilliant shades of red, orange, yellow &amp;/or purple in fall; conical heads to about 25' tall by 15' wide; flowers attract bees; fruit attracts birds; resists leaf spot; tolerates temporary standing water &amp; limited drought; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; US native; Zones (3) 4 - 9</i>		1.75"c 2"c	B&B B&B	<b>N</b> <b>N</b>
<b>Nyssa sylvatica Northern Splendor' (NSMTF)</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; insignificant white spring flowers; black fruit in fall; glossy dark green summer foliage turns brilliant shades of red &amp; orange in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide at maturity; attracts birds; tolerates wet soil; intolerant of fall transplanting; taproot; locate in full sun to partial shade &amp; moisture retentive acidic soils that don't stay wet; selection from FL seedlings; US native (Moon) Zones 4 - 9</i>		1.75"c 2"c 3"c	B&B B&B B&B	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Nyssa sylvatica 'Wildfire'</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins &amp; petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>		3" c	B&B	
<b>Ostrya virginiana Autumn Treasure® ('JFS-KW5')</b> Columnar American Hop Hornbeam; Columnar American Ironwood <i>SHADE TREE; bright dark green summer foliage turns golden yellow in fall; very few leaves remain on the tree in winter; upright habit to about 40' tall by 20' wide; tolerates drought; fall transplanting hazard; locate in full sun to partial shade &amp; most neutral to acidic well-drained soils; North American native (Warren / Schmidt) Zones 4 - 7 (8)</i>		1.5" c 1.75" c 2" c 2.5" c	B&B B&B B&B B&B	   <b>N</b>
<b>Parrotia persica</b> <b>LOW BRANCHED</b> Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring creating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before turning bright glossy green by summer then shades of red &amp; orange in late fall; exfoliating bark on older branches; oval or rounded upright habit to about 30' tall by 25' wide; branching starts about 3-4' above the ground; tolerates urban conditions; locate in full sun to partial shade &amp; most well-drained slightly acidic soil; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		6' 7' 8' 9' 10 - 12'	B&B B&B B&B B&B B&B	    <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Parrotia persica 'Golden Bell Towerâ„¢ ('ChrisHaven1')</b> Columnar Persian Ironwood <i>DECIDUOUS ORNAMENTAL TREE; moderate growing columnar habit to about 25' tall by 10' wide that won't widen; small crimson flowers appear before the foliage in early spring creating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before turning bright glossy green by summer then shades of red &amp; orange in late fall; exfoliating bark on older branches; tolerates urban conditions; locate in full sun to partial shade &amp; most well-drained slightly acidic soil; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2" c	B&B	<b>N</b>
<b>Parrotia persica 'Ruby Vase'</b> Columnar Persian Ironwood <i>DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring creating a red cast; emerging spring foliage is ruby red then glossy green with a maroon margin before turning bright glossy green by summer then shades of red &amp; orange in late fall; exfoliating bark on older branches; upright vase-shaped habit to about 30' tall by 12' wide; tolerates urban conditions; locate in full sun to partial shade &amp; most well-drained slightly acidic soil; PHS Gold Metal; Asian native (Carlton Plants) Zones (4) 5 - 8</i>		1.75" c 2" c	B&B B&B	<b>N</b> <b>N</b>
<b>Picea omorika</b> Serbian Spruce <i>EVERGREEN CONIFER; blue &amp; green bicolor needles; purplish spring cones mature to light brown; narrow pyramidal habit to about 60' tall by 25' wide; protect from winter wind in northern range; adapts to poor air quality; locate in full sun or partial shade &amp; moisture retentive well-drained soil of any pH; native to southern Europe; Zones 4 - 7</i>		4' 5 - 6' 6 - 7' 9'	B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Platanus x acerifolia 'Bloodgood'</b> London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to anthracnose; tolerates moist soils &amp; urban conditions; subject to anthracnose &amp; other diseases; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones (4) 5 - 8 (9)</i>		3" c	B&B	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Platanus x acerifolia Exclamationâ„¢ ('Morton Circle')</b> London Planetree <i>DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c 4.5" c	B&B B&B B&B B&B B&B B&B B&B	
<b>Prunus x 'Okame'</b> Pink Bell-flowered Cherry; Taiwan Cherry <i>DECIDUOUS ORNAMENTAL TREE; bright rosy-pink flowers in late March or early April for an extended period if not freeze damaged; dark green summer foliage turns shades of red &amp; orange in fall; glossy reddish-brown bark; upright oval heads to about 30' tall &amp; wide at maturity; locate in full sun &amp; any well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] (Ingram) Zones 6 - 8</i>		2" c 2.5" c 3.5" c 4" c	15g 25g B&B B&B B&B	    <b>N</b>
<b>Prunus sargentii Pink Flair® ('JFS-KW58')</b> Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright pink flowers in early May; dark green disease resistant summer foliage turns brilliant shades of orange-red in fall; upright habit to 25' by 15' wide; glossy reddish-brown bark; heat &amp; drought tolerant; locate in full sun &amp; any well-drained soil; Japanese native (Schmidt) Zones (3) 4 - 8</i>		3.5" c 4" c 4.5" c	B&B B&B B&B	  <b>N</b> <b>N</b>
<b>Prunus serrulata 'Kwanzan'</b> Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall &amp; wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt &amp; urban locations; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 7</i>			15g	
<b>Prunus x 'Snow Goose'</b> White Flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid spring; upright to rounded heads to about 20' tall &amp; wide; dark green summer foliage turns shades of orange &amp; red in fall; reddish-brown slightly exfoliating bark; drought tolerant; locate in full sun &amp; any well-drained soil [P. incisa x P. speciosa] (Doorenbos) Zones 6 - 9</i>			15g	
<b>Prunus x subhirtella 'Autumnalis' / var. autumnalis</b> Pink Fall Flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; foliage turns yellow in fall; rounded heads to about 30' tall and almost as wide; longer lived &amp; more heat &amp; cold tolerant than most other cherries; locate in full sun or light shade &amp; moisture retentive well-drained organic soil; Asian native; Zones (4) 5 - 8</i>		1.75" c 2" c	B&B B&B	 <b>N</b> <b>N</b>
<b>Prunus virginiana Sucker Punch® ('P002')</b> Purpleleaf Chokecherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant white racemes in early May; small red fruit matures to dark purple in August is not ornamental but can be used in used in cooking; foliage opens bright green and matures to a dark crimson which is very showy in spring with both colors appearing together; upright oval habit to about 25' tall by 20' wide; fruit attracts birds; resists suckering; tolerates drought; locate in full sun or light shade &amp; most well-drained soils; eastern US &amp; Canada native; Zones 2 - 7</i>		2.5" c 3" c 3.5" c	B&B B&B B&B	  <b>N</b>
<b>Prunus x yedoensis</b> Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid-spring at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 30' high &amp; wide; locate in full or light shade &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2" c 2.5" c	15g B&B B&B	  <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Prunus x yedoensis 'Akebono' / 'Daybreak'</b> Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant soft pink flower in early to mid-spring that fades to white at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 25' high &amp; wide; locate in full or light shade &amp; any moisture retentive well-drained soil; Japanese native (Clarke) Zones 5 - 8</i>		1.5"c 1.75"c 2"c	15g B&B B&B B&B	 N N N N
<b>Quercus acutissima</b> Sawtooth Oak <i>DECIDUOUS SHADE TREE; narrow serrated foliage opens yellow in spring before turning dark green by summer then yellow to golden brown in fall; pyramidal habit when young, but usually becomes spreading with age to about 50' tall &amp; variably wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; Asian native; Zones (5) 6 - 9</i>			25g	N
<b>Quercus alba</b> White Oak <i>DECIDUOUS SHADE TREE; dark green summer foliage turns variable shades of brown to red; large spreading long-lived shade tree to about 60' tall with greater width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9</i>		2"c 2.5"c 3"c 3.5"c 4"c 4.5"c	B&B B&B B&B B&B B&B B&B	
<b>Quercus bicolor</b> Swamp White Oak <i>DECIDUOUS SHADE TREE; dark green rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply furrowed &amp; flaking bark; broad rounded heads to about 50' or more tall with similar width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US &amp; Canada; Zones 4 - 8</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c 4"c 4.5"c	B&B B&B B&B B&B B&B B&B B&B B&B	 N N
<b>Quercus bicolor American Dream® ('JFS KW12')</b> Swamp White Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; dark green rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply furrowed &amp; flaking bark; broadly pyramidal heads to about 50' tall by 40' wide; increased resistance to anthracnose &amp; powdery mildew; tolerates drought; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; cannot take constantly wet soils; native to US &amp; Canada; Zones 4 - 8</i>		1.5"c 1.75"c 2"c 2.5"c 3"c 3.5"c 4"c 4.5"c	B&B B&B B&B B&B B&B B&B B&B B&B	 N N
<b>Quercus bicolor Beacon® ('Bonnie &amp; Mike')</b> <b>HIGH BRANCHED</b> Columnar Swamp White Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; dark green round-lobed summer foliage turns yellow in fall before turning tawny brown by winter; deeply furrowed &amp; flaking bark; strong upright branching to about 40' tall by 15' wide; acorns are an important wildlife food source; tolerates wet (not soggy) soil, urban conditions, alkaline &amp; acidic soils; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; native US &amp; Canadian hybrid; Zones 4 - 8</i>		1.5"c	25g B&B	 N N
<b>Quercus bicolor Beacon® ('Bonnie &amp; Mike')</b> <b>LOW BRANCHED</b> Columnar Swamp White Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; dark green round-lobed summer foliage turns yellow in fall before turning tawny brown by winter; deeply furrowed &amp; flaking bark; strong upright branching to about 40' tall by 15' wide; acorns are an important wildlife food source; tolerates wet (not soggy) soil, urban conditions, alkaline &amp; acidic soils; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; native US &amp; Canadian hybrid; Zones 4 - 8</i>		1.5c 1.75"c 2"c 2.5"c 3"c 3.5"c 4"c	B&B B&B B&B B&B B&B B&B B&B	 N N

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Quercus coccinea</b> Scarlet Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; deeply cut dark glossy green summer foliage turns dark red in late fall; pyramidal habit to about 70' tall by 40' wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; native to US &amp; Canada; Zones 4 - 9</i>		1.5" 2" 2.5" 3" 3.5" 4" 4.5"	10g B&B B&B B&B B&B B&B B&B	       <b>N</b>
<b>Quercus imbricaria</b> Shingle Oak; Laurel Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; long narrow dark glossy leaves turn yellowish-brown to reddish in fall; upright to rounded habit to about 60' tall &amp; about as wide; important wildlife food source; tolerates drought &amp; Black Walnut; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist well-drained acidic soil; US native; Zones (4) 5 - 8</i>		1.5" 1.75" 2" 2.5" 3.5" 4" 4.5"	B&B B&B B&B B&B B&B B&B B&B	       <b>N</b>
<b>Quercus lyrata</b> Overcup Oak <i>DECIDUOUS SHADE TREE; acorns appear in fall on 30+ year old trees &amp; are mostly covered by the cap; large deep green foliage with rounded lobes and fuzzy white undersides turn shades of yellowish-brown to orange in fall; upright to wide spreading habit with upswept branches reaching 60' tall &amp; wide; very uniform habit; relatively easy to transplant; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; tolerant of a wide range of soils including flood plains; southeastern US native; Zones 5 - 9</i>		1.75" 2"	B&B B&B	  <b>N</b> <b>N</b>
<b>Quercus x macdanielli Heritage® ('Clemons')</b> Upright Hybrid Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in May; glossy dark green tatter and mildew resistant foliage which turns yellowish brown in fall; vigorous broadly upright to pyramidal habit to about 60' tall by 45' wide; retains central leader; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; most acidic to slightly alkaline soils [Q. macrocarpa x Q. robur] (Cully) Zones 4 - 7 (8)</i>		1.5" 2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B B&B	       <b>N</b>
<b>Quercus macrocarpa</b> Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; bright green summer foliage turns variable shades of yellow-brown in fall; branches often have corky horizontal "wings"; irregular open broadly spreading heads to about 70' tall &amp; often wider; fall transplant hazard; important wildlife food source; tolerates drought, wet, dry &amp; clay soil &amp; some urban conditions; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist to well-drained alkaline to acidic soil; native to US &amp; Canada; Zones 3 - 8</i>		1.5" 1.75" 2" 2.5" 3" 3.5" 4"	25g B&B B&B B&B B&B B&B B&B	       <b>N</b> <b>N</b> <b>N</b>
<b>Quercus muehlenbergii</b> Chinkapin Oak; Yellow Chestnut Oak <i>DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; glossy light green summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; wide spreading habit to about 50' tall with greater spread; important wildlife food source; tolerates drought; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; alkaline soil with adequate moisture; eastern &amp; central US native; Zones (4) 5 - 7</i>		1.5" 1.75" 2.5" 3" 3.5" 4" 4.5"	B&B B&B B&B B&B B&B B&B B&B	       <b>N</b> <b>N</b>
<b>Quercus rubra</b> Northern Red Oak <i>DECIDUOUS SHADE TREE; dark green summer foliage turns russet to bright red in fall; large grower to about 70' tall &amp; wide; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained neutral to acidic soil; some success to coastal areas; native to US &amp; Canada; Zones (3) 4 - 7</i>		1.5" 1.75" 2" 2.5" 3" 3.5"	25g B&B B&B B&B B&B B&B	       <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
		4" c	B&B		
		4.5" c	B&B		
<b>Quercus shumardii</b> Southern Red Oak <i>DECIDUOUS SHADE TREE; non ornamental greenish catkins in April; shiny dark green summer foliage with spiny lobes turns a pretty good red in fall; pyramidal heads in youth become about as broad as tall when mature reaching about 60' tall by 40' wide; important wildlife food source; tolerates drought, dry soil &amp; air pollution; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained soil; southeastern US native; Zones 5 - 9</i>		1.5" c	B&B		<b>N</b>
		1.75" c	B&B		<b>N</b>
		2" c	B&B		
		2.5" c	B&B		
		3" c	B&B		
		3.5" c	B&B		
		4" c	B&B		
		4.5" c	B&B		
<b>Quercus x warei Kindred Spiritâ„¢ ('Nadler')</b> <b>LOW BRANCHED</b> Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage with silvery undersides turns shades of yellow &amp; bronze in fall; narrow columnar habit to about 40' tall by 8' wide; drought &amp; moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun &amp; most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>			15g		
			25g		
		1.5" c	B&B		
		1.75" c	B&B		
<b>Quercus x warei Regal Prince® ('Long')</b> <b>HIGH BRANCHED</b> Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; non ornamental yellowish-green catkins in April; leathery mildew resistant dark green foliage above &amp; light green below becomes yellowish in fall; strong narrow upright habit to about 60' tall by 25' wide; resists wind &amp; ice damage; tolerates drought; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Cully) Zones 4 - 8</i>		1.75" c	B&B		<b>N</b>
		3" c	B&B		<b>N</b>
		3.5" c	B&B		<b>N</b>
<b>Quercus x warei Regal Prince® ('Long')</b> <b>LOW BRANCHED</b> Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; non ornamental yellowish-green catkins in April; leathery mildew resistant dark green foliage above &amp; light green below becomes yellowish in fall; strong narrow upright habit to about 60' tall by 25' wide; resists wind &amp; ice damage; tolerates drought; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Cully) Zones 4 - 8</i>			15g		<b>N</b>
		1.5" c	B&B		<b>N</b>
		2" c	B&B		<b>N</b>
		2.5" c	B&B		<b>N</b>
		4" c	B&B		<b>N</b>
		4.5" c	B&B		<b>N</b>
<b>Salix alba 'Tristis'</b> Golden Weeping Willow; Niobe Weeping Willow <i>DECIDUOUS SHADE TREE; early flowering from upright catkins (aka Pussy Willows); long narrow green foliage is silvery below &amp; breaks bud in early spring &amp; turns yellow in fall; golden young branches effective all winter; rapid grower with gracefully arching heads to about 50' tall by 40' wide; very weak wooded; locate in full sun &amp; moisture retentive organic neutral to acidic soil; native to Europe &amp; Asia; Zones 2 - 8 (9)</i>			25g		
<b>Salix babylonica</b> Babylon Weeping Willow; Green Weeping Willow <i>DECIDUOUS SHADE TREE; graceful arching heads to about 40' tall &amp; wide with branches touching the ground; long narrow green foliage on brown to greenish-brown young stems turns yellowish-green in fall; weak wooded; tolerates Black Locust &amp; wet soils; locate in full sun &amp; moisture retentive organic neutral to acidic soils; native to China; Zones (5) 6 - 8</i>			15g		<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Salix x 'Prairie Cascade'</b> Hybrid Weeping Willow <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns yellowish in fall; new stems are yellow &amp; become more gray with age; rapid grower that weeps more with age; upright weeping habit to about 40' high &amp; wide; resists verticillium wilt; locate in full sun &amp; moist organic acidic to neutral soil [S. pentandra x S. alba] (Morden Research Sta.) Zones 3 - 5 (6 - 7)</i>			25g	
<b>Stewartia pseudocamellia</b> Japanese Stewartia <i>DECIDUOUS ORNAMENTAL TREE; 3" diameter camellia-like white flowers with prominent yellow centers in late June or July; new foliage opens with bronze before turning medium green by summer then orange to red shades in fall; pyramidal habit to about 30' tall by 20' wide; showy exfoliating reddish-brown bark; dark green summer foliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8</i>			25g	<b>N</b>
<b>Styrax japonicus Nightfallâ„¢ ('JFS 6SJ')</b> Weeping Purple Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white flowers in May &amp; June contrast with the dark purple spring foliage that retains most of it's purple color through summer; compact weeping to about 10' tall by 6' wide, but varies with staking; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native (Warren / Schmidt) Zones 5 - 7 (8)</i>		2" c	15g B&B	
<b>Styrax japonicus 'Spring Showers'</b> Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; fragrant white pendulous flower clusters with golden centers in early to mid-June; upright or conical habit to about 12' tall by 8' wide in 10 years; fine textured dark green summer foliage turns light yellow in fall; resists twig dieback &amp; lack of uniformity typical of seedlings; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native (Reed / USNA) Zones 5 - 8</i>		4.5" c	15g B&B	<b>N</b> <b>N</b>
<b>Syringa Bloomerang® Dark Purple ('SMSJBP7')</b> Dwarf Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in mid to late spring &amp; sporadically afterward from mid-summer to frost; broadly upright to about 5' tall by 4' wide; grafted on a straight stem at about 4' above the ground; tolerates coastal conditions; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil (Wood / PW) Zones (3) 4 - 7</i>	<b>TREE</b>	30 - 36" spr 36 - 42" spr 42 - 48" spr	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Syringa reticulata 'Ivory Silk'</b> Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25"; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade &amp; well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>	<b>SHRUB</b>	5' 7' 8' 9'	B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Syringa reticulata 'Ivory Silk'</b> Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25"; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade &amp; well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>	<b>TREE</b>	1.5" c 1.75" c 3.5" c 4" c	B&B B&B B&B B&B	<b>N</b>



# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Tilia americana American Sentry™ ('McKSentry')</b> American Linden; Basswood <i>DECIDUOUS SHADE TREE; fragrant but inconspicuous pale yellow flowers in late June; large dark green foliage turns yellowish-green the fall; pyramidal habit to 45' by 30' wide; uniformly branching and strong central leader; good Japanese Beetle resistance; locate in full sun to partial shade &amp; most moist organic well-drained soil; US native (McKay Nursery, WI) Zones (3) 4 - 7 (8)</i>		1.5" c 1.75" c 2" c	B&B B&B B&B	<b>N</b>
<b>Tilia americana 'Boulevard'</b> Compact American Linden; Compact Basswood <i>DECIDUOUS SHADE TREE; fragrant pale yellow flowers in late June; light green samaras; dark green summer foliage turns a nice yellow in fall; upright pyramidal habit to about 50' tall by 25' wide; attracts bees in profusion &amp; other pollinators; resists drought &amp; pollution; locate in full sun to partial shade &amp; most moist organic well-drained soil; N. American native; Zones 3 - 8</i>			25g	<b>N</b>
<b>Tilia americana 'Redmond'</b> American Linden; Basswood <i>DECIDUOUS SHADE TREE; fragrant but inconspicuous pale yellow flowers in late June; dark green summer foliage turns yellowish-green in fall; dense pyramidal head to 80'; locate in full sun to partial shade &amp; most moist organic well-drained soil; US native (Plumfield Ns) [T. americana x T. euchlora] Zones (3) 4 - 7 (8)</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c	25g B&B B&B B&B B&B B&B	
<b>Tilia cordata 'Greenspire'</b> Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall &amp; half or more as wide; liked by Japanese Beetles; very tolerant of urban conditions; locate in full sun &amp; most soils; native to Europe (Flemer) Zones (3) 4 - 7</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c	25g B&B B&B B&B B&B B&B	<b>N</b>    <b>N</b> <b>N</b>
<b>Tilia x mongolica 'Harvest Gold'</b> Mongolian Linden <i>DECIDUOUS SHADE TREE; fragrant yellowish flowers in late June; small glossy dark green heart-shaped summer foliage turns golden-yellow in fall; foliage liked by Japanese Beetles; exfoliating bark; distinct pyramidal heads with dominant central leader reaching about 40' tall by 30' wide; tolerates urban conditions; locate in full sun &amp; most well-drained soils [T. cordata x T. mongolica] (Morden RS) Zones (2) 3 - 7</i>		1.75" c 2" c	B&B B&B	<b>N</b> <b>N</b>
<b>Tilia tomentosa Sterling Silver® ('Sterling')</b> Silver Linden <i>DECIDUOUS SHADE TREE; fragrant creamy-yellow flowers in late June are not showy; green summer foliage significant tomentose below is ornamental, especially in the wind; vigorous grower with pyramidal head to about 50' tall &amp; half or more as wide; variable golden fall foliage; attracts pollinators; resists pests &amp; Jap. Beetles; tolerates urban conditions, heat &amp; drought; locate in full sun with moist well-drained soils; native to Europe &amp; western Asia (Wandell) Zones 4 - 8</i>		1.75" c 2" c 2.5" c 3" c 3.5" c 4" c 4.5" c	B&B B&B B&B B&B B&B B&B B&B	<b>N</b>
<b>Ulmus americana 'Jefferson'</b> American Elm <i>DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates drought, air pollution &amp; black walnuts; highly resistant to Dutch elm disease; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend / NPS &amp; USNA) Zones 4 - 7</i>		1.75" c 2" c 2.5" c 3" c 3.5" c	B&B B&B B&B B&B B&B	<b>N</b> <b>N</b>   <b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ulmus americana 'Princeton'</b> American Elm <i>DECIDUOUS SHADE TREE; green summer foliage turns yellowish in fall; upright habit with arching branches to about 75' tall by 50' wide; excellent lawn or shade tree; resistant to Dutch Elm disease but not most other problems; tolerates drought, salt, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil of any pH; native to US &amp; Canada (Flemer) Zones 3 - 9</i>		2" 2.5" 3" 3.5" 4" 4.5"	B&B B&B B&B B&B B&B B&B	
<b>Ulmus x 'Frontier'</b> Hybrid Elm <i>DECIDUOUS SHADE TREE; rarely flowers or fruits; small green summer foliage turns reddish-purple in fall; pyramidal to columnar habit to about 25' tall by 15' wide in 20 years; high resistance to Dutch elm disease &amp; moderate resistance to elm leaf beetle &amp; highly tolerant of elm yellows; good choice for urban locations; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant [U. carpinifolia x U. parvifolia] (Townsend / USNA) Zones 4 - 10</i>		1.75" 2" 2.5" 3" 3.5" 4"	25g B&B B&B B&B B&B B&B	
<b>Ulmus parvifolia 'Burgundy'</b> Lacebark Elm; Chinese Elm <i>DECIDUOUS SHADE TREE; small insignificant reddish-green flower in late summer yield thin samaras in fall; glossy dark green summer foliage turns red to yellow to pinkish in fall; very showy irregular patches of gray, green, orange &amp; brown exfoliating bark; upright rounded heads to about 60' tall by 40' wide; resistant to drought, Dutch Elm disease &amp; elm leaf beetle; tolerant of salt &amp; urban conditions; locate in full sun or light shade &amp; moist or wet to well-drained soil of any pH; Asian native (Dirr) Zones 7 - 9</i>		1.75" 2" 2.5" 3" 3.5" 4" 4.5"	B&B B&B B&B B&B B&B B&B B&B	<b>N</b>     <b>N</b>
<b>Ulmus x Triumphân,¢ ('Morton Glossy')</b> Hybrid Elm <i>DECIDUOUS SHADE TREE; glossy summer foliage turns yellow in fall; very rapid upright grower to about 50' tall by 40' wide; somewhat vase shaped on maturity; it has slightly arching lateral branching and is resistant to most Elm disease issues; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant [U. Accolade &amp; U. Vanguard] (Chicagoland Grows) Zones 5 - 7</i>		2.5" 3" 3.5"	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Viburnum dentatum Blue Muffin® ('Christom')</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; compact upright habit to 6'; masses of intense blue clusters of fruit follow profuse white flowers in May; deer browse resistant; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada (PW) Zones (2) 3 - 8</i>			15g	
<b>Zelkova serrata 'Green Vase'</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns orange to bronze in fall; vigorous upright arching heads to about 60' tall by 40' wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; PHS Gold Metal; Asian native (Flemer) Zones (4) 5 - 8</i>		1.5" 1.75" 2" 2.5" 3" 3.5" 4" 4.5"	B&B B&B B&B B&B B&B B&B B&B B&B	<b>N</b> <b>N</b>       
<b>Zelkova serrata 'Musashino'</b> Columnar Japanese Zelkova <i>DECIDUOUS SHADE TREE; medium green summer foliage turns yellowish in fall; very narrow upright vase-shaped heads to about 40' tall by 20' wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; Asian native; Zones (4) 5 - 8</i>		2.5" 3"	B&B B&B	<b>N</b>

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Zelkova serrata Wireless® ('Schmidtlow')</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; medium green summer foliage turns red in fall; broadly spreading heads maturing to about 25' tall by 40' wide; selected for use under utility lines; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; Asian native; Zones (4) 5 - 8</i>		1.5"c	B&B	_____	<b>N</b>
		1.75"c	B&B	_____	<b>N</b>
		2"c	B&B	_____	<b>N</b>
		2.5"c	B&B	_____	
		3.5"c	B&B	_____	
		4.5"c	B&B	_____	<b>N</b>
<b>Zelkova serrata Zilation® ('JFS KW4ZS')</b> Compact Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns rusty-orange in fall; compact vase-shaped heads to about 30' tall by 25' wide; variable bark exfoliation when mature; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; Asian native; Zones (4) 5 - 8</i>		1.75"c	B&B	_____	<b>N</b>
		2"c	B&B	_____	<b>N</b>
		2.5"c	B&B	_____	
		4"c	B&B	_____	<b>N</b>
		4.5"c	B&B	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Riverfarm Nursery Plant List: Fall 2025 / Spring 2026

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

## Delivery Instructions

Company Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

Contact(s): \_\_\_\_\_

Phone Numbers: OFFICE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

ALTERNATE: \_\_\_\_\_ FAX: \_\_\_\_\_

Email Address: \_\_\_\_\_

Requested Delivery Weeks(s): \_\_\_\_\_

Delivery Days / Time: MON  TUE  WED  THU  FRI  SAT  SUN  FROM \_\_\_\_\_ am / pm TO \_\_\_\_\_ am / pm

Special Instructions: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_